

THE EFFECT OF TOOTH BRUSHING COUNSELING ON INCREASING KNOWLEDGE OF DENTAL AND ORAL HEALTH OF PHYSICAL EDUCATION TEACHERS

by Wiworo Haryani

Submission date: 16-Aug-2022 08:32AM (UTC+0700)

Submission ID: 1883008792

File name: 1160-Article_Text-3004-1-10-20220814.pdf (1.09M)

Word count: 2820

Character count: 14682



34

Available online on 15.08.2022 at <http://ajprd.com>

Asian Journal of Pharmaceutical Research and Development

35

Open Access to Pharmaceutical and Medical Research

© 2013-20, publisher and licensee AJPRD, This is an Open Access article which permits unrestricted non-commercial use, provided the original work is properly cited



Open Access

Research Article

The Effect of Tooth Brushing Counseling on Increasing Knowledge of Dental and Oral Health of Physical Education Teachers

Haryani W, Putri S Y, Widayati A

12

Department of Dental Health, Poltekkes Kemenkes Yogyakarta, Indonesia

ABSTRACT

Background: Dental and oral health requires comprehensive handling. Prevention of dental and oral diseases¹⁹ can be done by providing dental health education from an early age¹⁹ counseling is very effective in improving the level of dental and oral health. Purpose: To determine the effect of brushing²⁶ counseling on dental and oral health knowledge of elementary physical education teachers in Padang Panjang. Methods: This type of research is a quasi-experimental research with a total sampling technique with a total population of 42 physical education teachers, 21 people are included in the experimental group, namely the group that is given counseling at¹⁶ 21 others are included in the control group, namely the²⁴ group that is given counseling using leaflet media. This study uses the Wilcoxon Signed Ranks Test hypothesis test. Results: The level of knowledge of dental and oral health before counseling was 33.3% in good criteria, 47.6% enough and 19.0% less and after counseling it became a good category that is, 90.5%, enough 9.5% and less as much as 0%. The Wilcoxon Signed Ranks Test results showed significant value of 0.000 and 0.000 < 0.05. Conclusion: Counseling teeth brushing an effects on increasing knowledge of oral and dental health on physical education teachers

Keywords: Counseling, knowledge, physical education teacher

18

ARTICLE INFO: Received; 19 June 2022; Review Complete; 08 August 2022 Accepted; 10 August 2022 Available online 15 August 2022



Cite this article as:

Haryani W, Putri YS, Widayati A, The effect of tooth brushing counseling on increasing knowledge of dental and oral health of physical education teachers, Asian Journal of Pharmaceutical Research and Development. 2022; 10(4):05-08.

DOI: <http://dx.doi.org/10.22270/ajprd.v10i41160>

*Address for Correspondence:

Wiworo Haryani, Department of Dental Health, Poltekkes Kemenkes Yogyakarta, Indonesia

INTRODUCTION

Health is a healthy state, both physically, mentally, spiritually and socially so that everyone can live productively socially and economically. Health development aims to increase awareness, willingness and ability to live a healthy life for everyone¹³ order to realize the highest degree of public health. Efforts to realize the highest degree of health for the community are carried out using integrated and comprehensive activities in the form of individual health efforts and public health efforts. Health efforts can be carried out in the form of promotion, preventive, curative and rehabilitative approaches that are carried out in an integrated, comprehensive and sustainable manner.¹⁻⁴

Dental and oral health requires comprehensive treatment because it is a public health problem, the handling must be done quickly and precisely because it has a very broad impact, the most important way is by brushing teeth, maintaining dental and oral health behavior by brushing teeth is still low, this is indicated by data that 91.1% of the Indonesian population has brushed their teeth, but only 2.8% have behaved properly in brushing their teeth. The proportion of people who brush their teeth every day after breakfast is only 12.6% and before going to bed at night is only 28.7%, this may be due to a lack of knowledge and public awareness of dental and oral hygiene. Based on the results of basic health research in 2018, the proportion of dental problems in Indonesia is tooth decay/cavities/pain as much as 45.3%, while

the majority of oral problems experienced by the Indonesian population are swollen gums or abscesses by 14%.⁵⁻⁸

Prevention of dental and oral diseases can be done by providing dental health education from an early age, because this counseling is very effective in improving the level of dental and oral health. Knowledge is the result of knowing that occurs after people sense an object. Sensing can occur through the five human senses, namely through the senses of sight, hearing, smell, taste and touch. Human knowledge is generally obtained through the eyes and ears, knowledge is very important in shaping one's actions. The first step of health empowerment is knowledge and awareness about ways to maintain and improve health. Knowledge that exists in a person is received through the senses. Expert research states that the most widely distributed knowledge into the brain is the sense of sight, approximately 75% - 87% of human knowledge is obtained through the sense of sight, 13% through the sense of hearing and another 12% is obtained through the other senses.⁹⁻¹¹

School Dental Health Efforts (UKGS) are public health efforts at maintaining and improving the dental and oral health of all students in the target schools supported by individual health efforts in the form of curative for individuals who need dental and oral health care. Physical education teachers can provide dental and oral health education and counseling. UKGS can make students take care of themselves by preventing dental and oral diseases and being able to take appropriate action to seek treatment if needed. This can help achieve optimal dental and oral health.¹²⁻¹⁴

RESULTS

Table 1: Frequency distribution of respondent characteristics gender

Group	Gender	n	%
Intervention	Male	16	76.2
	Female	5	23.8
Control	Male	13	61.9
	Female	8	23.8

Table 1 shows that in the intervention group that the majority of respondents were male, namely 16 people (76.2%), while in the control group the majority were also male, namely 13 people (61.9%).

Table 2: Frequency distribution of respondent characteristics age

Group	Age	n	%
Intervention	19-39 years	9	42.9
	40-59 years	12	57.1
Control	19-39 years	5	23.8
	40-59 years	16	76.2

Table 2 show that in the intervention group the respondents were at most 40-59 years old, namely 12 people (57.1%) and in the control group the respondents were at most 40-59 years old, namely 16 people (71.4%).

Table 3: Frequency distribution of respondent characteristics education

Group	Education	n	%
Intervention	Diploma	3	14.3
	Bachelor	17	81.0
	Master	1	4.8
Control	Diploma	2	9.5
	Bachelor	19	90.5
	Master	0	0

METHODS AND MATERIALS

The design of this study used a quasi-experimental research method. This research was carried out in November-December 2020. The population in this study amounted to 42 elementary school health and health teachers in Padang Panjang City, which were taken using the total sampling technique. The variables of this study include the independent variables, namely counseling on brushing teeth, the dependent variable, namely the knowledge of dental and oral health of the physical education teacher.

Data collection in this study was carried out in the intervention group and the control group. The technique used to collect primary data is by distributing questionnaires totaling 21 questions. The data taken were the pre-test and post-test questionnaire scores in the intervention group and the control group. The pre-test and post-test questionnaires used are oral health knowledge questionnaires in the form of a checklist with 15 questions that have been modified.

Data analysis was carried out using the SPSS 16.0 for windows program. The data obtained from the research results were processed and analyzed using the Wilcoxon signed ranks test to determine the effect of tooth brushing counseling on the level of dental and oral health knowledge of physical education teachers.

Table 3 shows that the intervention group of respondents has the most Bachelor's education, namely 17 people or (81.0%) and in the control group the respondents have the most Bachelor's education, namely 19 people (90.5%).

Table 4: The difference between the knowledge level of the Physical Education teachers in the intervention group and the control group

Group	Pre-test	Post-test	Difference
Intervention	69.81	83.48	13.67
Control	70.43	78.38	7.95

Based on table 4, it is known that changes in the average knowledge of brushing teeth to the intervention group and control group, a big change occurred in the intervention group with counseling more influential in conveying the material on brushing teeth.

The difference in the average value of the intervention group and the control group, in the intervention group the average value increased from 69.81 before counseling was given to 83.48 after being given counseling, the control group from 70.43 before being given counseling to 78.38.

Table 5: Results of the Wilcoxon Knowledge Analysis in the intervention group and the control group

Group	Positive Ranks	Negative	p-value
Intervention	17	2	0.000
Control	16	0	0.000

Based on the results of the Wilcoxon signed ranks test analysis, it was found that there were 17 children in the intervention group and 16 in the control group with better

knowledge of how to brush their teeth than before. The results of the Wilcoxon signed ranks test show a significance value of 0.000 and 0.00 is less than 0.05, meaning that there is a significant effect between before and after counseling.

Table 6: Results of the Mann-Whitney Analysis of Knowledge in the intervention group and the control group

Variable	Knowledge	
	Mean Ranks	p-value
Group		
Intervention	24.83	0.065
Control	18.17	

Table 6 shows the comparison of knowledge before and after counseling using the Mann-Whitney test. The results of the Mann-Whitney test showed a significance value of 0.065 <0.05, meaning that there was a significant difference between counseling on the level of knowledge of brushing teeth on physical education teachers elementary schools in Padang Panjang. The intervention group had a mean (mean-ranks) of 24.83 > 18.17 in the control group.

the intensity of one's attention and perception of the object. Sensing of objects occurs through the five human senses, namely through sight, hearing, smell, taste and touch.¹⁶

DISCUSSION

Health education is any planned effort to influence other people, whether individuals, groups, or communities, so that they do what is expected by the perpetrators of Health Education or promotion. Health counseling is also an activity that has inputs, processes and outputs. Health counseling activities aim to achieve a change in attitude, influenced by many factors, in addition to the method of the officer who does it as well as aids or teaching aids and the media used, in order to achieve an optimal result, these factors must work together and harmoniously.^{15,16}

The results of the Wilcoxon signed ranks test analysis showed that there were 17 respondents in the intervention group and 16 in the control group with better knowledge of brushing teeth than before. The results of the Wilcoxon signed ranks test show a significance value of 0.000 and 0.000 which is less than 0.05, so there is a significant effect between before and after the counseling. The results of the post-test > pre-test showed that tooth brushing counseling could increase knowledge about the dental and oral health of physical education teachers, so that there were benefits of tooth brushing counseling for primary school physical education teachers in Padang Panjang City.

Knowledge is a part of human thinking related to needs. This knowledge will be maximized if it is influenced by

This significant increase in knowledge is due to the fact that the counseling provided to the respondents is more complete, clear, varied, interesting and fun. In addition, one that affects knowledge is age and level of education. Age affects the capture power and mindset of a person the older he gets the more his capture power and mindset develops, this can be explained that when you

are old enough the level of maturity and strength of a person will be more mature in thinking and working, but as stated by Verner and Davison that there are 6 physical factors that can hinder the learning process in adults, thus making a decline at one time in the power of thinking and working. So that through previous knowledge, own experience, experience of others, environment and other intrinsic factors can shape one's knowledge in the long term and will last until old age.¹⁰ This is in line with research conducted by Purwati that the level of knowledge is influenced by education, for a higher level of knowledge, the level of knowledge will also be better.¹⁷

Comparison of knowledge before and after counseling using the Mann-Whitney difference test. The results of the Mann-Whitney test showed a significance value of $0.065 < 0.05$ with an average (mean-ranks) of $24.83 > 18.17$. This shows that counseling is more influential than counseling with leaflet media because it can be understood by respondents.

The results of this study are supported by research conducted by Pratiwi *et al.* regarding the effect of dental and oral health counseling using Flip-charts on tooth brushing knowledge for adolescent elementary school students. The study showed that dental and oral health counseling using Flip-chart on tooth brushing knowledge had a significant effect on students' tooth brushing knowledge.¹⁸

CONCLUSIONS

Based on the research results, it can be concluded that counseling teeth brushing an effects on increasing knowledge of oral and dental health on physical education teachers

ACKNOWLEDGMENTS

The authors thank all participants and research assistants.

CONFLICT OF INTEREST

The authors declare that they have no conflict interests.

ETHICAL CLEARANCE

This research has received a certificate of ethical approval from the ethics commission of the Yogyakarta Health Polytechnic with No. e-KEPK/POLKESYO/0664/XII/2020.

REFERENCES

1. Makai P, Brouwer WBF, Koopmanschap MA, Stolk EA, Nieboer AP. Quality of life instruments for economic evaluations in health and social care for older people: a systematic review. *Soc Sci Med*. 2014;102:83–93.
2. Edlin G, Golanty E. Health and wellness. Jones & Bartlett Publishers; 2015.
3. Maranjaya AK. Ketentuan Tentang Jeratan Hukum Terhadap Orang Maupun Fasilitas Pelayanan Kesehatan Menurut Undang-Undang Nomor 36 Tahun 2009 Tentang Kesehatan. *J Med Utama*. 2020;1(03 April):121–8.
4. Hidayat R. Hak Atas derajat pelayanan kesehatan yang optimal. *Syariah J Huk dan Pemikir*. 2017;16(2):127–34.
5. Griffin SO, Jones JA, Brunson D, Griffin PM, Bailey WD. Burden of oral disease among older adults and implications for public health priorities. *Am J Public Health*. 2012;102(3):411–8.
6. Pumama T, Rasipin N. Tedi's Behavior Change Model to Improving Brushing Teeth Behavior Parents. *Journal of Applied Health Management and Technology*. 2020;2(1):1–12.
7. Pumama T. Effectiveness of Counseling with Chair Side Talk Ministry of Religion. *Int Res J Pham Med Sci*. 2019;2(6):15–7.
8. Kemenkes RI. Hasil utama riskesdas 2018. Jakarta Kemenkes RI. 2018;
9. Nakre PD, Harikiran AG. Effectiveness of oral health education programs: A systematic review. *J Int Soc Prev Community Dent*. 2013;3(2):103.
10. Dharmawati I. Hubungan tingkat pendidikan, umur, dan masa kerja dengan tingkat pengetahuan kesehatan gigi dan mulut pada guru penjaskes sd di Kecamatan Tampak Siring Gianyar. *J Kesehat Gigi (Dental Heal Journal)*. 2016;4(1):1–5.
11. Bany ZU, Darman W. Perbandingan efektifitas penyuluhan metode ceramah dan demonstrasi terhadap pengetahuan kesehatan gigi dan mulut siswa SD. *Cakradonya Dent J*. 2014;6(1):661–6.
12. Kemenkes RI. Pedoman Usaha Kesehatan Gigi Sekolah (UKGS). Jakarta Kementerian Kesehatan RI. 2012;
13. Santoso B, Susanto E, Widyawati MN, Rahman WA, Rajiani I. Revitalizing School Dental Health Effort through "Model 222" as a Strategy to Achieve Caries-Free Indonesia 2030. *Syst Rev Pharm*. 2020;11(2).
14. Santoso B, Sunarjo L, Sakbana BI. Model Of Usaha Kesehatan Sekolah Pelangi (UKSP) On Children Oral Health Status. *Journal of Applied Health Management and Technology*. 2019;1(1):1–6.
15. Eldredge LKB, Markham CM, Ruitter RAC, Fernández ME, Kok G, Parcel GS. Planning health promotion programs: an intervention mapping approach. John Wiley & Sons; 2016.
16. Notoatmodjo S. Promosi Kesehatan Teori dan Aplikasi, RinekaCipta. Jakarta; 2010.
17. Purwati W. Tingkat Pengetahuan Tentang Kesehatan Gigi dan Mulut Guru Penjaskes SD di Kecamatan Rendang Tahun 2013. 2013;
18. Pratiwi E, Haryani W, Purwati DE. Pengaruh Penyuluhan Kesehatan Gigi dan Mulut Menggunakan Flip-chart Terhadap Tingkat Pengetahuan Menyikat Gigi Bagi Siswa Sekolah Dasar Remaja Parakan. *J Oral Heal Care*. 2019;7(2):77–87.

THE EFFECT OF TOOTH BRUSHING COUNSELING ON INCREASING KNOWLEDGE OF DENTAL AND ORAL HEALTH OF PHYSICAL EDUCATION TEACHERS

ORIGINALITY REPORT

21 %
SIMILARITY INDEX

11 %
INTERNET SOURCES

13 %
PUBLICATIONS

5 %
STUDENT PAPERS

PRIMARY SOURCES

1 Bernita Silalahi. "Overview of Patient Knowledge About The Use of Honey for Decubitus Wound Healing", Jurnal Aisyah : Jurnal Ilmu Kesehatan, 2020 **2** %
Publication

2 i Daryani, Fitri Suciana, Esri Rusmingsih. "Effect of Health Education using Audiovisual on Knowledge of Osteoporosis Prevention in Elderly", Journal of Physics: Conference Series, 2019 **2** %
Publication

3 Rupita Ghosh, Subhadip Das, Sarada Prasanna Mallick, Zerihun Beyene. "A review on the antimicrobial and antibiofilm activity of doped hydroxyapatite and its composites for biomedical applications", Materials Today Communications, 2022 **1** %
Publication

4	Erwin Halim, Gen Norman Thomas, Daphne Ratna Hidayat, Diyurman Gea. "Smart Healthcare" a Medical Record System for Effective Health Services", 2020 International Conference on Information Management and Technology (ICIMTech), 2020 Publication	1 %
5	academicjournals.org Internet Source	1 %
6	Submitted to Lincoln University College Student Paper	1 %
7	Manpreet Sambi, Bessi Qorri, William Harless, Myron R. Szewczuk. "Chapter 8 Therapeutic Options for Metastatic Breast Cancer", Springer Science and Business Media LLC, 2019 Publication	1 %
8	news.unair.ac.id Internet Source	1 %
9	pjmhsonline.com Internet Source	1 %
10	scidoc.org Internet Source	1 %
11	Submitted to University of Dundee Student Paper	1 %

12

Internet Source

1 %

13

U F Kurniawati, Siti Nurlaela, C Susetyo, F Firmansyah. "Spatial analysis of health facility service coverage in handling of COVID-19 patients in the area Surabaya City Settlement", IOP Conference Series: Earth and Environmental Science, 2022

Publication

1 %

14

Submitted to Universitas 17 Agustus 1945 Semarang

Student Paper

1 %

15

Submitted to Universitas Airlangga

Student Paper

1 %

16

Ayub Irmadani Anwar, Andi Zulkifli. "The influence of demonstration method education in the knowledge of tooth brushing in children age 10–12 years", Enfermería Clínica, 2020

Publication

1 %

17

Ronnie J. Yeh, Jerrold K. Leong, Lee Blecher, Wei-Tang (Tim) Hu. "Analysis of E-commerce and information technology applications in hotels: Business travelers' perceptions", Asia Pacific Journal of Tourism Research, 2005

Publication

1 %

18

www.neliti.com

Internet Source

1 %

19 Marzuki, Cut Aja Nuraskin. "COMPARISON OF HERBAL AND NON-HERBAL TOOTHPASTE TOWARDS REDUCTION OF PLAC INDEX IN ELEMENTARY SCHOOL CHILDREN, LAMPENERUT, ACEH BESAR REGENCY", DHeJA: Dental Health Journal of Aceh, 2022
Publication

20 repositori.umsu.ac.id
Internet Source

21 Submitted to University of Leeds
Student Paper

22 assets.researchsquare.com
Internet Source

23 Laura Pastor. "Closure Report for Corrective Action Unit 357: Mud Pits and Waste Dump, Nevada Test Site, Nevada, Revision 0 with ROTC 1", 'Office of Scientific and Technical Information (OSTI)', 2007
Internet Source

24 Suci Hasfya, Idamawati Nababan, Suci Erawati. "Perbedaan Pengetahuan dan Perilaku Mahasiswa Kesehatan Mulut Kelas 5-6 (UKGS dan NON-UKGS)", Jurnal Ilmiah Kesehatan Sandi Husada, 2021
Publication

25 investigacion.ubu.es
Internet Source

26	jurnal.fkmumi.ac.id Internet Source	<1 %
27	openjournal.wdh.ac.id Internet Source	<1 %
28	www.e-journal.poltekkesjogja.ac.id Internet Source	<1 %
29	Maaïke Hoedemakers, Milad Karimi, Fenna Leijten, Lucas Goossens et al. "Value-based person-centred integrated care for frail elderly living at home: a quasi-experimental evaluation using multicriteria decision analysis", <i>BMJ Open</i> , 2022 Publication	<1 %
30	Vera Rimbawani Sushanty. "JURIDICAL REVIEW OF HEALTH PERSONEL PROTECTION AS A LEADING GUARD IN EFFORTS TO ACCELERATE THE HANDLING OF COVID-19: A NARRATIVE REVIEW", <i>Nurse and Health: Jurnal Keperawatan</i> , 2021 Publication	<1 %
31	dinastipub.org Internet Source	<1 %
32	repository.unmuhjember.ac.id Internet Source	<1 %
33	revistas.marilia.unesp.br Internet Source	<1 %

34

Nargish Firdaus, Uzma Viqar, Gulam Mohammed Husain, Mohammad Zakir. "Preclinical toxicity study of Datura metel L. based Unani formulation Habb-e-Zeequn Nafas used in the treatment of Asthma", *Phytomedicine Plus*, 2022

Publication

<1 %

35

Alfredomaria Lurati. "Safety of etanercept in elderly subjects with rheumatoid arthritis", *Biologics: Targets & Therapy*, 2009

Publication

<1 %

Exclude quotes On

Exclude matches Off

Exclude bibliography On