

DAFTAR PUSTAKA

- American Society of Anesthesiologists Task Force on obstetric anesthesia. Practice guidelines for obstetric anesthesia. (2016). An updated report by the American Society of Anesthesiologists Task Force on obstetric anesthesia and the Society for Obstetric Anesthesia and Perinatology. *Anesthesiology* 124: 270–300
- Ansyori, Toni Rihianto. (2012). PRELOADING DAN COLOADING CAIRAN RINGER LAKTAT DALAM MENCEGAH HIPOTENSI PADA ANESTESI SPINAL. *Jurnal Keperawatan, Volume VIII, No. 2, 174-9.*
- Artawan I M, Sarim BY, Sagita S, Ety Dedi MA. (2020). Comparison the effect of preloading and coloding with crystalloid fluid on the incidence of hypotension after spinal anesthesia in cesarean section. *Bali J Anaesthesiol;4:3-7*
- Atashkhoei, S., Abri, R., Naghipour, B., Marandi, P. H., & Danesh, M. T. F. (2018). Effect of glucose containing crystalloid infusion on maternal hemodynamic status after spinal anesthesia for cesarean section. *Anesthesiology and Pain Medicine, 8(4).*
- Ayuningtyas D, Ratih Oktarina, Misniniarti, Ni Nyoman Dewi S (2018). “Etika Kesehatan Pada Persalinan Melalui Sectio Caesarea Tanpa Indikasi Medis. *Jurnal MKMI Vol 14 No 1.*
- Bowo. *Life Threatening Complications Management in Anesthesia.* Yogyakarta Departemen Anesthesiologi, Resusitasi dan Terapi Intensif FK UGM-RSUP Dr Sardjito/Perdatin Cabang Yogyakarta
- Butterworth, John F., Mackey & Wasnick. 2013. *Anesthetic Complication In Morghan and Mikhail’s Clinical Anesthesiology 5th Edition.* United States: McGra-Hill Education. 1219-1228.
- Chooi, C., Cox, J. J., Lumb, R. S., Middleton, P., Chemali, M., Emmett, R. S., ... & Cyna, A. M. (2017). Techniques for preventing hypotension during spinal anaesthesia for caesarean section. *Cochrane Database of Systematic Reviews, (8).*
- Conlay, Lydia Ann. (2011). *Case File Anesthesiology.* New York: McGraw-Hill Education.
- Cunningham, F. Gary. (2012). *Obstetri Williams.* Jakarta: Buku Kedokteran EGC

- Dahlan, M. Sopiudin. (2015). *Statistik Untuk Kedokteran dan Kesehatan Deskriptif, Bivariat, dan Multivariat Dilengkapi Aplikasi Menggunakan SPSS*. Jakarta: Epidemiologi Indonesia.
- Djari, T. O. S., Artawan, I. M., Woda, R. R., Sihotang, J., & Riwu, M. (2021). PENCEGAHAN KEJADIAN HIPOTENSI PASCA ANESTESI SPINAL PADA PEMBEDAHAN SEKSIO SESAREA. *Cendana Medical Journal (CMJ)*, 9(1), 72-76. <https://doi.org/10.35508/cmj.v9i1.4938>
- Donsu, Jenita Doli Tine. (2016). *Metodologi Penelitian Keperawatan*. Yogyakarta: Pustaka Baru Press.
- Fauzan, R. Tavianto, D. Sitanggang H. R. (2016). Pengaruh Duduk 5 Menit Dibanding dengan Langsung Dibaringkan pada Pasien yang Dilakukan Anestesi Spinal dengan Bupivakain Hiperbarik 0,5% 10 mg terhadap Perubahan Tekanan Arteri Rata-rata dan Blokade Sensorik. *Jurnal Anestesi Perioperatif Volume 4. Hlm 50-55*.
- Fikran, Zaki, Doddy Tavianto, Tinni T., dan Maskoen. (2016). Perbandingan Efek Pemberian Cairan Kristaloid Sebelum Tindakan Anestesi Spinal (Preload) dan Sesaat Setelah Anestesi Spinal (Coload) terhadap Kejadian Hipotensi Maternal pada Seksio Sesarea. *Jurnal Anestesi Perioperatif. Vol 4;4(2):124-30*.
- Gustomi, M. P., & Qomariyah, Q. (2018). Efektifitas Pemberian Cairan Kristaloid dan Koloid pada pasien SC dengan Regional Anestesi terhadap Mean Arterial Pressure. *Journals of Ners Community*, 9(1), 106–118. https://doi.org/10.5281/j_ners_community.v9i1.657
- Guyton, A.C., dan Hall, J.E. (2008). *Buku Ajar Fisiologi Kedokteran. Edisi 11*. Jakarta: EGC
- Jain, P. and D. Valecha. (2017). Comparative Evaluation of Preloading and Coloding of Crystalloids to Prevent Spinal Induced Hypotension in Caesarean Section. *International Journal of Contemporary Medical Research*, pp. 411–414, 2017.
- Kaufner, L., Karekla, A., Henkelmann, A., Welfle, S., von Weizsäcker, K., Hellmeyer, L., & von Heymann, C. (2019). Crystalloid coloding vs. colloid coloding in elective Caesarean section: postspinal hypotension and vasopressor consumption, a prospective, observational clinical trial. *Journal of anesthesia*, 33(1), 40-49.
- Keat Sally, et al. (2013). *Anaesthesia on The Move*. Jakarta : Indeks

- Kos, D., Kamenik, M., & Dinevski, D. (2022). The Effect of Crystalloid Co-Loading on Circulatory Stability During General Anaesthesia Induction in ASA II/III Patients for Major Abdominal Surgery: A Randomized Controlled Trial.
- Latief, Said A, dkk. (2010). *Petunjuk Praktik Anestesiologi: Edisi Kedua*. Jakarta:FKUI
- Lee, Wonjin, Yongjae Han, Sung-ho Moon, Kwangrae Cho, dan Myoung-hun Kim. (2019). Fluid loading during spinal anesthesia can reduce bradycardia after intravenous dexmedetomidine infusion. *Anesthesia and Pain Medicine* 2019;14(1):19-28.
- Mangku, G. & Senapathi, T.G.A. (2010). *Buku Ajar Ilmu Anestesia Reanimasi*. Jakarta: Indeks.
- Marashi, S. M., Soltani-Omid, S., Mohammadi, S. S., Aghajani, Y., & Movafegh, A. (2014). Comparing two different doses of intravenous ondansetron with placebo on attenuation of spinal-induced hypotension and shivering. *Anesthesiology and pain medicine*, 4(2).
- Marilynn J, & Lee J. (2011). *Panduan Praktis Keperawatan Klinis*. Jakarta: Penerbit Erlangga.
- Melchor, J. R., Espinosa, Á., Hurtado, E. M., Francés, R. C., Pérez, R. N., Gurumeta, A. A., & VECINO, J. (2015). Colloids versus crystalloids in the prevention of hypotension induced by spinal anesthesia in elective cesarean section. A systematic review and meta-analysis. *Minerva Anestesiol*, 81(9), 1019-30.
- Michelsen TM, Tronstad C, Rosseland LA. (2021). Blood pressure and cardiac output during caesarean delivery under spinal anaesthesia: a prospective cohort study. *BMJ Open*;11:e046102. doi:10.1136/bmjopen-2020-046102
- National Institute for Health and Care Excellence. *Caesarean section: clinical guideline* [CG132]. 2011. www.nice.org.uk/guidance/cg132. (akses pada 22.32 tanggal 11 februari 2022)
- Ni, H. F., Liu, H. Y., Zhang, J., Peng, K., & Ji, F. H. (2017). Crystalloid Coload Reduced the Incidence of Hypotension in Spinal Anesthesia for Cesarean Delivery, When Compared to Crystalloid Preload: A Meta-Analysis. *BioMed research international*, 2017, 3462529. <https://doi.org/10.1155/2017/3462529>
- Nursalam. (2017). *Metodologi Penelitian Ilmu Keperawatan Pendekatan Praktis Edisi 4*. Jakarta: Salemba Medika.

- Park, S. K., Park, D. N., Kim, Y. W., Yoo, S., Kim, W. H., Lim, Y. J., ... & Kim, J. T. (2022). Colloid coload versus crystalloid coload to prevent maternal hypotension in women receiving prophylactic phenylephrine infusion during caesarean delivery: a randomised controlled trial. *International Journal of Obstetric Anesthesia*, 49, 103246.
- Periambudi, A. A., Zainal, R., & Lestari, M. I. (2020). Spinal Anesthesia in Patient with Congestive Heart Failure due to Congenital Atrial Septal Defect, and Pulmonary Hypertension Undergoing Cesarean Section Procedure: A Case Report. *Journal of Anesthesiology and Clinical Research*, 1(2), 95-102.
- Prameswari, TS, and K Nisa. (2013). Perbedaan Tekanan Darah Sistolik dan Diastolik Setelah Gilir Jaga Malam pada Mahasiswa Kepaniteraan Klinik di RSUD Dr. H. Abdul Moeloek Bandar Lampung. *Medical Journal of Lampung University* 2 (4).
- Pramono, Ardi.(2017).*Buku kuliah anestesi*. Jakarta: EGC
- Reinaldi, Yogi. (2016). 'Faktor-faktor yang Mempengaruhi Denyut Nadi'. Jawa Timur: FK Universitas Jember. Jurnal UNEJ, Vol. 2, No. 3.
- Rejeki S, Maya S, (2018). Karakteristik Ibu Bersalin dengan Indikasi Sectio Caesarea di Rumah Sakit Martha Friska Pulo Brayon pada Tahun 2018. *Jurnal Wahana Inovasi Vol 7 No 1*.
- Rijs, K., Mercier, F. J., Lucas, D. N., Rossaint, R., Klimek, M., & Heesen, M. (2020). Fluid loading therapy to prevent spinal hypotension in women undergoing elective caesarean section: Network meta-analysis, trial sequential analysis and meta-regression. *European journal of anaesthesiology*, 37(12), 1126.
- Rustini, Rini, Iwan Fuadi, Eri Surahma. 2016. Insidensi dan Faktor Risiko Hipotensi pada Pasien yang Menjalani Seksio Sesarea dengan Anestesi Spinal di Rumah Sakit Dr. Hasan Sadikin Bandung. *Jurnal Anestesi Perioperatif[JAP. 2016;4(1):42-9*.
- Sekarsari, R., & Suryani, A.I. (2016).Gambaran Aktivitas sehari-hari pada pasien gagal jantung kelas II dan III di Poli Jantung RSUD Kabupaten Tangerang. *Jurnal JKFT, Edisi Nomor 2, Januari 2016*.
- Smeltzer & Bare. (2012). *Buku Ajar Keperawatan Medikal Bedah Brunner dan Suddarth (Ed.8, Vol. 1,2)*. Jakarta : EGC.
- Soenarto., Ratna, F., Chandra, S. (2012). *Buku Ajar Anestesiologi*. Departemen Anestesiologi dan Intensive Care FKUI: Jakarta.

Somboonviboon, W., Kyokong, O., Charuluxananan, S., & Narasethakamol, A. (2008). Incidence and risk factors of hypotension and bradycardia after spinal anesthesia for cesarean section. *Medical journal of the Medical Association of Thailand*, 91(2), 181.

Sugiyono. (2012). *Metode Penelitian Kuantitatif Kualitatif dan r&d*, Bandung: Alfabeta.