

HUBUNGAN TINGKAT PENGETAHUAN IBU HAMIL TENTANG ANTE
NATAL CARE TERPADU DENGAN KETEPATAN KUNJUNGAN
PADA TRIMESTER PERTAMA DI PUSKESMAS KUTOARJO

Sri Suciariani¹, Yuliantisari Retnaningsih², Sri Muryani³ ^{1,2}Jurusana Kebidanan
Poltekkes Kemenkes Yogyakarta,

³Jurusana Kesehatan Lingkungan Poltekkes Kemenkes Yogyakarta
Jl. Mangkuyudan No.304/MJ III, Mantrijeron, Yogyakarta

Email : suci.kuskus27@gmail.com, muryanisri63@gmail.com,
yuliantisarir@gmail.com

ABSTRAK

Latar Belakang: Salah satu faktor yang menyebabkan tidak tercapainya target ketepatan kunjungan ANC terpadu pada trimester pertama adalah tingkat pengetahuan ibu hamil tentang ANC terpadu yang rendah. Hasil studi pendahuluan dari 77 ibu hamil hanya 61 yang melakukan ANC terpadu pada trimester pertama, serta dari wawancara 10 ibu hamil terdapat 3 (3%) ibu hamil yang tidak mengerti tentang ANC terpadu pada trimester pertama

Tujuan: Mengetahui hubungan tingkat pengetahuan ibu hamil tentang antenatal care terpadu dengan ketepatan kunjungan pada trimester pertama kehamilan di Puskesmas Kutoarjo.

Metode: Kuantitatif survey melalui pendekatan *Cross sectional*, menggunakan teknik random sampling. Instrumen penelitian yang digunakan kuesioner, jumlah sampel penelitian 69 responden, data yang diperoleh kemudian dianalisis menggunakan uji Chi-Square.

Hasil: Dari 69 responden, 54 ibu hamil tingkat pengetahuan tinggi sebesar 61,1% tepat melakukan ANC terpadu pada trimester pertama, 9 ibu hamil tingkat pengetahuan sedang sebesar 33,3% tepat melakukan ANC terpadu pada trimester pertama, 6 ibu hamil tingkat pengetahuan rendah 100% tidak melakukan ANC terpadu pada trimester pertama. Hasil penelitian menunjukkan adanya hubungan antara tingkat pengetahuan ibu hamil tentang ANC terpadu dengan ketepatan kunjungan ANC terpadu pada trimester pertama ($p=0,008$)

Kesimpulan: Ada hubungan bermakna antara tingkat pengetahuan ibu hamil tentang Ante Natal Care terpadu dengan ketepatan kunjungan pada trimester pertama .

Kata Kunci : Antenatal care terpadu, tingkat pengetahuan, ibu hamil

**THE KNOWLEDGE LEVEL OF PREGNANT WOMEN TOWARDS
ANTE-NATAL CARE AND VISIT OBEDIENCE ON THE FIRST TRIMESTER
AT KUTUARJO HEALTH CENTER**

Sri Suciariani¹, Yuliantisari Retnaningsih², Sri Muryani³

^{1,2}Jurusank Kebidanan Poltekkes Kemenkes Yogyakarta,

³Jurusank Kesehatan Lingkungan Poltekkes Kemenkes Yogyakarta

Jl. Mangkuyudan No.304/MJ III, Mantrijeron, Yogyakarta

Email : suci.kuskus27@gmail.com, muryanisri63@gmail.com, yuliantisarir@gmail.com

ABSTRACT

Background: One of the factors that result in the off-target obedience of the integrated ANC visit in the first trimester is the low level of knowledge of pregnant women towards the integrated ANC. The outcome of a preliminary study on 77 pregnant women, only 61 of them completed the ANC in the first trimester, and from interviews conducted to 10 pregnant women, there were 3 (3%) of them who did not understand the integrated ANC in the first trimester.

Objective: To determine the correlation between the level of knowledge of pregnant women regarding integrated antenatal care with its visit's obedience in the first trimester of pregnancy at the Kutoarjo Health Center.

Method: The research applied quantitative survey through cross sectional approach, utilizing random sampling technique. The research instrument adopted was a questionnaire and the number of research samples was 69 respondents. The data obtained were then analysed using the Chi-Square test.

Results: From all 69 respondents, 54 of them are pregnant women with high knowledge levels and 61.1% of them have conducted the accurate integrated ANC in the first trimester, 9 pregnant women are with moderate knowledge levels and 33.3% have completed the integrated ANC in the first trimester, 6 pregnant women had low knowledge levels and 100% did not perform the integrated ANC in the first trimester. The results indicated that there was a correlation between the level of knowledge of pregnant women regarding integrated ANC with the obedience of integrated ANC visits in the first trimester ($p = 0.008$).

Conclusion: There was a significant correlation between the level of knowledge of pregnant women towards integrated Ante Natal Care with the obedience of visits in the first trimester.

Keywords: Integrated antenatal care, level of knowledge, pregnant women.