

DAFTAR PUSTAKA

- Adiga, U dan Yogish S. 2016. Hemolitic Index: a Tool to Measure Hemolitic in vitro. *Journal of Biotechnology and Biochemistry. Vol 2 No. 2: 49-52.* www.iosrjournal.com. Diakses pada tanggal 18 Agustus 2022.
- Anitasari,D. 2020. Pengaruh Hemoglobin Dalam Serum Hemolisis Terhadap Hasil Pemeriksaan Kadar Ureum Metode Kolorimetri. *Skripsi*. Yogyakarta : Poltekkes Kemenkes Yogyakarta
- Anwar, E. F. 2017. Hubungan Antara Asupan Protein Dan Asupan Kalium Dengan Kadar Ureum dan Kreatinin Pada Pasien Gagal Ginjal Kronik Dengan Hemodialisa Di RS PKU Muhammadiyah Yogyakarta. *Naskah Publikasi pada Respiratory Poltekkes jogja* dari www.eprints.poltekkesjogja.ac.id. Diakses pada tanggal 22 Juli 2022
- Adminrsud. 2019.<https://rsud.kulonprogokab.go.id/>. diakses pada tanggal 17 desember 2022.
- Cakirca, G. & Erdal, H. 2017. The Effect of Pneumatic Yube System on the Hemolysis of Biochemistry Blood Samples. *Journal Of Emergency Nursing*. 2016;43:255-8. <https://dx.doi/10.1016/j.en.2016.09.007>
- Chernecky, C. C. dan Berger, B. J. 2013.*Laboratory Test and Diagnostic Procedure Edition 6*. St. Louis : Elsevier Saunders.
- Christopher MB,Fernandes,Worster A, Eva K,Hill S.2006.*Pneumatic Tube Delivery System* for Blood Sample Reduces Turnaround Times Without Affecting Sampel Quality.*Juornal of Emergency Nursing*.2006;32(2):139-143
- Diasys Diagnostic System. 2015. *Urea CT FS*. Germany : Diasys Diagnostic System
- Felder, RA. 2011. Preanalytical Error Introduced by Sample Transportation System : A Means to Assess Them. *Clin Chem*.2011;57:1339-50

- Garcia,L.O., Daniela M.R.S.,Cristiane B.R.,Rosimari M.B.,Mariana T.G.,Leo S dan Juliana P.M.F. 2021. Validation of Blood Components Transport Through a Pneumatic Tube System. *Associacao Brasileira de Hematologia Hemoterapia Terapia Celular*.2022;44(4):519-525
- Guss D.A., Chan TC, Killeen JP.2008.The impact of a Pneumatic Tube and computerized physician order management on laboratory turnaround time. *Ann Emerg Med*. 2008;51(2):181-185.
- Howanitz, P. J., Christopher M. L., Bruce A. J., Frederick A M. dan Gary L. H. 2015. Clinical Laboratory Quality Practices When Hemolysis Occurs. *Arch Pathol Lab Med*. Vol. 139.
- Indriani, V., Siswandari, W., Lestrari, T. 2017. Hubungan Antara Kadar Ureum, Kreatinin dan Klirens Kreatinin dengan Proteinuria pada Penderita Diabetes Mellitus. *Prosiding Seminar Nasional dan Call for Paper Pengembangan Sumber Daya Perdesaan dan Kearifan Lokal Berkelanjutan VII : 758-765*. Purwokerto, 17-18 November 2017 : Purwokerto.
- Kapoula G V., Kontou PI, Bagos PG.2017.The Impact of Pneumatic Tube System on Laboratory Parameters: A Systematic Review Meta-analysis. *Clin Chem Lab Med*. 2017; 55(12): 1384-44.
- Kara H, Aysegul B,Ahmet Ak,Selim D, Murat A,Ahmet A,Emine M dan Melih A.2014. Hemolysis associated with Pneumatic Tube system transport for blood samples. *Pak J Med Sci*. 2014;30(1):50-58.
- Keputusan Menteri Kesehatan Republik Indonesia.2008. *Standar Pelayanan Minimal Rumah Sakit*. Jakarta : Menteri Kesehatan Republik Indonesia.
- Kiswari,R. 2014. *Hematologi dan Transfuse*. Jakarta : Erlangga
- Koseoglu, M., Aysel H., Aysenur A. dan Serap C. 2011. Effect of Hemolysis Interference On Routine Biochemistry Parameters. *Biochemia Medica Vol. 21. No. 1*.

- Kurniawan, L.B., Nurlita,A., dan Bahrn, U. 2015. *Pneumatic Tube Terhadap darah Rutin Dan laktat Dehidrogenase. Indonesia Journal of Clibical Pathology and Medical Laboratory Vo.21.No.2*
- Lee AJ, Suk Suh H, Jeon CH, Kim SG.2017.Effects of one directional Pneumatic Tube system on routine hematology and chemistry parameters A validation study at a tertiary care hospital. *pPract Lab Med. 2017; 9 (July): 12-1..* Aвалиable from: <https://dio.org/10.1016/j.plabm.2017.07.002>.
- Lieseke, C. L. dan Zeibig, E. A. 2017. *Buku Ajar Laboratorium Klinis*. Jakarta : EGC
- Lippi, G., Norbert B., Pierangelo B., Sol G., Steve K., Vladimir P., Anne J. V. dan Mario P. 2008. Hemolysis : An Overview of Leading Cause on Suitable Specimens on Clinical Laboratories. *Clin Chem Lab Med. Vol. 46 No. 6*
- Lippi,G.,Gian L.S., Martina M., Giorgio B dan Gian C. 2006. Influence of Hemolysis on Routine Clinical Chemistry Testing. *Clin Chem Lab Med. Vol.44 No.3*
- Loho, I. K. A., Rambert, G. I., Wowor, M. F. 2016. Gambaran Kadar Ureum Pada Pasien Penyakit Ginjal Kronik Stadium 5 Non Dialisis. *Jurnal e-Biomedik (eBm) Volume 4 Nomor 2 dari www.journal.unsrat.ac.id*. Diakses pada tanggal 24 Juli 2022.
- Lowenstein, L. M. 1959. The Effect Of Albumin on Osmotic Hemolysis. *Experimental Cell Reseacrh 20,56-65* 1960. Diakses pada tanggal 27 Desember 2022.
- Made, I,B. 2006. *Hematologi Klinik Dasar*. Jakarta : Buku Kedokteran EGC
- Mitsios, J.V. 2018. Distinguishing In Vivo Versus In Vitro Hemolysis. Article. <https://www.aacc.org/publications/cln/articles>. Diakses pada tanggal 24 Agustus 2022.

- Notoatmojo Soekidjo.2010. *Metodologo Penelitian Kesehatan*. Jakarta : Rienka Cipta
- Nugraha Gilang. 2022. *Teknik Pengambilan Dan Penanganan Spesimen Darah Vena Manusi Untuk Penelitian*. Jakarta : LIPI Press
- Nybo,M., Cadamuro ,J.,Cornes,M.P.,Gomez RR., dan Grankvist,K. 2019. Sample Transportation : An Overview. *Medline*.6 (1) 39-43
- Pearce, E. C. 2009. *Anatomy and Physiology for Nurse (Anatomi dan Fisiologi Untuk Paramedis)*.Alih bahasa : Sri Yuliani Handoyo. Jakarta : PT Gramedia Pustaka Utama.
- Piyophiprapong, S., Wontiraporn. W. dan Sribben, K., 2010. Factitious Result in Clinical Chemistry Test Caused by Common Endogenous Interferents. *Siniraj Medical Journal Vol. 62 No. 4*.
- Pranata, D. C. 2016. Pengaruh Suhu dan Waktu Penyimpanan Sampel Darah EDTA terhadap Pemeriksaan Kadar Hematokrit. *Karya Tulis Ilmiah*. Semarang : Universitas Muhammadiyah Semarang.
- Praptomo, A.J. 2018. *Pengendalian Mutu Laboratorium Medis*. Yogyakarta: Grup Penerbitan CV Budi Utama.
- Rachmawati,B.,Edward KS.L dan Meita H. 2018. *Manajemen Laboratorium Klinik Seri VI Cetakan 1*. Semarang : FK Universitas Diponegoro Semarang
- Reitz,J.M.2008.*Dictionary For Library and Information Science*. Westport : Libraries Unlimited
- Riswanto. 2013. *Pemeriksaan Laboratorium Hematologi* . Yogyakarta : Alfabedia Kanal Medika.
- Sacher, R.A dan McPherson, R.A. 2012. *Tinjauan Klinis Hasil Pemeriksaan Laboratorium Edisi 11*. Jakarta: EGC

- Shibani W., Zulkafli M., Basuno B., editor. *Metodds of transport technologies: a review on using tube/tunnel system*. IOP Conference Series: Material Science and Engineering. IOP Puplish Ing, 2016.
- Simundic A.M. 2013. The Effect of Transport by Penumatic Tube System on Blood Cell Count, Erythrocyt Sedimentation an Coagulation Test. *Biochem Med* 2013;23:206-10. <http://dx.doi.org/19.1163?BM.2013.024>
- Siyoto,S dan Sodik, A.M. 2015. *Dasar Metodologi Penelitian Cetakan 1*. Yogyakarta : Literasi Media Publishing.
- Slavik L.,Jana U.,Pavla B., Katerina C., Antonin H., Miroslava P., Alice E.2020. The Modern Pneumatic Tube System Transports with Reduced Speed Does Not Affect Special Coagulation Test.*Jurnal of Medical System (2020)44:142*
- Stefani, A. 2016. <http://www.izsvepets.it/interferenti-analitici-patologiaclinica/>. Diunduh tanggal 28 Juli 2022
- Sudaryana,B. dan Agusiady,R. 2022. *Metodologi Penelitian Kuantitatif* .Yogyakarta : CV Budi Utama
- Sugiyono. 2017. *Statistika untuk Penelitian Cetakan ke-28* . Bandung : Alfabeta.
- Sukorini,U.,Dwi K.N.,Mochammad R. dan Bambang H.2010. *Pemantapan Mutu Internal Labortaorium Klinik*. Yogyakarta : Alfamedia Kanal Medika.
- Sumardjo, D. 2008. *Pengantar Kimia :Buku Panduan Kuliah Mahasiswa Kedokteran Program Strata I Fakultas Bioeksakta*. Jakarta : EGC
- Tiwari,A.K.,Prashant,P.,Surbhi,D., dan Vimarsh R. 2012. Speed of Sample Transportation by a Pneumatic Tube System can Influence the Degree of Hemolysis. *Clin Chem Lab Med* 2012;50(3):471-474.
- Tortora,G.J.,Bryan H.D.,Brendan B., Danielle D., Julie C., tara D., Mark M., Rebecca M., Latika S dan Gregory P. 2016. *Principles of Anatomy and Physiology*. Australia : Wiley John and Sons

- Verdiansah, 2016. Pemeriksaan Fungsi Ginjal. *CKD-237 volume 43 nomor 2 tahun 2016*. Diunduh pada 20 Juli 2022. <http://dx.doi.org/10.55175/cdk.v43i2.25>
- Weiss, L. 1977. *The Blood Cell and Hemopoietic Tissue*. Mc.Graw-Hill Book Company, A Blankistan Publication, New York.
- Westgard,J.O. 2000. *Intoduction To Laboratory Testing*. Diakses pada tanggal 05 September 2022. <http://wesgard.com/essay6.html>