

## DAFTAR PUSTAKA

- Adiputra, I. M. S., Dewi, N. W. T., & Oktaviani, N. P. W. (2021). *Metodologi Penelitian Kesehatan*.  
[https://www.google.co.id/books/edition/Metodologi\\_Penelitian\\_Kesehatan/DYtEAAAQBAJ?hl=id&gbpv=1&dq=Ebook+Metodologi+PENELITIAN+kesehatan+Notoatmodjo&printsec=frontcover](https://www.google.co.id/books/edition/Metodologi_Penelitian_Kesehatan/DYtEAAAQBAJ?hl=id&gbpv=1&dq=Ebook+Metodologi+PENELITIAN+kesehatan+Notoatmodjo&printsec=frontcover)
- Angell, T. K. A. (2009). Anaesthesia. *Journal of the Association of Anaesthetists of Great Britain and Ireland*, 64(1992), 1033–1035.
- Arulvijayavani, S., & Reeta, R. (2022). *Evaluating Interference of Lipemia on Routine Clinical Biochemical Tests*. 0–6.
- Bertinato, J., Xiao, C. W., Ratnayake, W. M. N., Fernandez, L., Lavergne, C., Wood, C., & Swist, E. (2015). Lower serum magnesium concentration is associated with diabetes, insulin resistance, and obesity in South Asian and white Canadian women but not men. *Food and Nutrition Research*, 59, 1–9.  
<https://doi.org/10.3402/fnr.v59.25974>
- Biljali, S., Beadini, N., Beadini, S., Nuhii, N., & Beadini, A. (2015). *Effect of lipemia interferences in routine clinical Biochemical Tests ( Intralaboratory Study )*.
- Bondy, S. C. (2016). Low levels of aluminum can lead to behavioral and morphological changes associated with Alzheimer's disease and age-related neurodegeneration. *NeuroToxicology*, 52, 222–229.  
<https://doi.org/https://doi.org/10.1016/j.neuro.2015.12.002>
- Calmarza, P., & Cordero, J. (2011). Lipemia interferences in routine clinical biochemical tests. *Biochemia Medica*, 21(2), 160–166.  
<https://doi.org/10.11613/bm.2011.025>
- Castro-Castro, M. J., Candás-Estébanez, B., Esteban-Salán, M., Calmarza, P., Arrobas-Velilla, T., Romero-Román, C., Pocoví-Mieras, M., & Aguilar-Doreste, J. Á. (2018). Removing lipemia in serum/plasma samples: A multicenter study. *Annals of Laboratory Medicine*, 38(6), 518–523.  
<https://doi.org/10.3343/alm.2018.38.6.518>
- Daniella Lent-Schochet ; Ishwarlal Jialal. (2022). *Biochemistry , Lipoprotein Metabolism*. 1–5.
- de Baaij, J. H. F., Hoenderop, J. G. J., & Bindels, R. J. M. (2015). Magnesium in man: Implications for health and disease. *Physiological Reviews*, 95(1), 1–46. <https://doi.org/10.1152/physrev.00012.2014>
- Dimeski, G. (2008). Interference testing. *The Clinical Biochemist. Reviews*, 29 Suppl 1(August), S43-8.  
<http://www.ncbi.nlm.nih.gov/pubmed/18852856%0Ahttp://www.pubmedcen>

tral.nih.gov/articlerender.fcgi?artid=PMC2556582

- Dimeski, G., & Jones, B. W. (2011). Lipaemic samples: effective process for lipid reduction using high speed centrifugation compared with ultracentrifugation. *Biochemia Medica*, 21(1), 86–92. <https://doi.org/10.11613/bm.2011.016>
- Dimeski, G., Mollee, P., & Carter, A. (2006). *Clinical Chemistry* 52,. 2(1), 155–156. <https://doi.org/10.1373/clinchem.2005.060475>
- Farrell, C.-J. L., & Carter, A. C. (2016). Serum indices: managing assay interference. *Annals of Clinical Biochemistry*, 53(Pt 5), 527–538. <https://doi.org/10.1177/0004563216643557>
- Faturochman, F., & Dwiyanto, A. (2016). Validitas Dan Reliabilitas Pengukuran. *Populasi*, 9(1), 1–19.
- Fortgens, P., & Pillay, T. S. (2011). Pseudohyponatremia revisited: a modern-day pitfall. *Archives of Pathology & Laboratory Medicine*, 135(4), 516–519. <https://doi.org/10.5858/2010-0018-RS.1>
- Gardiner, C., Lane, P., Tailor, H., & Mackie, I. J. (2020). A practical method for reducing the interference due to lipaemia in coagulation tests. *International Journal of Laboratory Hematology*, 42(2), 140–144. <https://doi.org/10.1111/ijlh.13129>
- Goldenberg, N. M., Wang, P., & Glueck, C. J. (2003). An observational study of severe hypertriglyceridemia, hypertriglyceridemic acute pancreatitis, and failure of triglyceride-lowering therapy when estrogens are given to women with and without familial hypertriglyceridemia. *Clinica Chimica Acta; International Journal of Clinical Chemistry*, 332(1–2), 11–19. [https://doi.org/10.1016/s0009-8981\(03\)00129-3](https://doi.org/10.1016/s0009-8981(03)00129-3)
- Guidi, G. C., Simundic, A. M., Salvagno, G. L., Aquino, J. L., & Lima-Oliveira, G. (2015). To avoid fasting time, more risk than benefits. *Clinical Chemistry and Laboratory Medicine*, 53(10), e261–e264. <https://doi.org/10.1515/cclm-2014-1013>
- Jahnen-Dechent, W., & Ketteler, M. (2012). Magnesium basics. *CKJ: Clinical Kidney Journal*, 5(SUPPL. 1). <https://doi.org/10.1093/ndtplus/sfr163>
- John Bratby. (2006). *Coagulation and Flocculation in Water and Wastewater Treatment*.
- Karanchi, H., Muppidi, V., & Wyne, K. (2022). *Hypertriglyceridemia*. 6–11.
- Kroll, M. H. (2004). Evaluating Interference Caused by Lipemia. *Clinical Chemistry*, 50(11), 1968–1969. <https://doi.org/10.1373/clinchem.2004.038075>
- Kroll, M. H., & McCudden, C. R. (2013). *Endogenous Interferences in Clinical Laboratory Tests*. Faculty of Medicine Department of Pathology & Laboratory Medicine.

- Lima-Oliveira, G., Lippi, G., Salvagno, G. L., Picheth, G., & Guidi, G. C. (2015). Laboratory Diagnostics and Quality of Blood Collection. *Journal of Medical Biochemistry*, *34*(3), 288–294. <https://doi.org/10.2478/jomb-2014-0043>
- Lima-Oliveira, G., Volanski, W., Lippi, G., Picheth, G., & Guidi, G. C. (2017). Pre-analytical phase management: a review of the procedures from patient preparation to laboratory analysis. *Scandinavian Journal of Clinical and Laboratory Investigation*, *77*(3), 153–163. <https://doi.org/10.1080/00365513.2017.1295317>
- Lippi, G., Lima-Oliveira, G., Brocco, G., Bassi, A., & Salvagno, G. L. (2017). Estimating the intra- and inter-individual imprecision of manual pipetting. *Clinical Chemistry and Laboratory Medicine*, *55*(7), 962–966. <https://doi.org/10.1515/cclm-2016-0810>
- Lyon, A. W., & Baskin, L. B. (2003). Pseudohyponatremia in a Myeloma Patient: Direct Electrode Potentiometry is a Method Worth its Salt. *Laboratory Medicine*, *34*(5), 357–360. <https://doi.org/10.1309/11nd9xbnd712pp0q>
- Milun, M., Pervan, P., & Brako, R. (2019). Experimental and Quasi experimental design. *Physical Review B*, *111*, 1–11.
- Mimi Sugiarti, E. S. (2021). Pengaruh Poliethilen Glikol 6000 8 % pada Serum Lipemik terhadap Hasil Effect of Polyethylene Glycol 6000 . 8 % in Lipemic Serum on Glucose Examination Results SGOT and SGPT. *Jurnal Analisis Kesehatan*, *10*(1), 56–61.
- Mrazek, C., Lippi, G., Keppel, M. H., Felder, T. K., Oberkofler, H., Haschke-Becher, E., & Cadamuro, J. (2020). Errors within the total laboratory testing process, from test selection to medical decision-making – A review of causes, consequences, surveillance and solutions. *Biochemia Medica*, *30*(2), 1–19. <https://doi.org/10.11613/BM.2020.020502>
- Newton, D. (2004). *LipoClear Testing Brockton Hospital Laboratory*, . 800.
- Nikolac, N. (2014). Lipemia: Causes, interference mechanisms, detection and management. *Biochemia Medica*, *24*(1), 57–67. <https://doi.org/10.11613/BM.2014.008>
- Paudel, Y. P., Kasyap, A. K., Shrestha, A., & Baral, R. (2010). High lipemic serum: a case report. *Nepal Medical College Journal : NMCJ*, *12*(1), 61–62.
- Prihanti, G. S. (2016). *Pengantar Biostatistik*. [https://www.google.co.id/books/edition/Pengantar\\_Biostatistik/PcRiDwAAQBAJ?hl=id&gbpv=1](https://www.google.co.id/books/edition/Pengantar_Biostatistik/PcRiDwAAQBAJ?hl=id&gbpv=1)
- Puspitasari, M., & Hadi, W. (2014). Efektifitas Al<sub>2</sub>(SO<sub>4</sub>)<sub>3</sub> dan FeCl<sub>3</sub> Dalam Pengolahan Air Menggunakan Gravel Bed Flocculator Ditinjau Dari Parameter Kekeruhan dan Total Coli. *Jurnal Teknik Pomits*, *3*(2), 163–166.
- Roberts, C. M., & Cotten, S. W. (2013). Cyclodextrin removal of lipemic

- interference: an attractive alternative to ultracentrifugation for satellite laboratories. In *Archives of pathology & laboratory medicine* (Vol. 137, Issue 8, pp. 1027–1028). <https://doi.org/10.5858/arpa.2013-0049-LE>
- Sastroasmoro, S., & Ismael, S. (2011). *Dasar-dasar Metodologi Penelitian Klinis*. Sagung Seto. <https://doku.pub/documents/dasar-dasar-metodologi-penelitian-klinis-edisi-ke-4pdf-oq1nznv38702>
- Seo, J. W., & Park, T. J. (2008). Magnesium metabolism. *Electrolyte and Blood Pressure*, 6(2), 86–95. <https://doi.org/10.5049/EBP.2008.6.2.86>
- Shah, H., Jain, A., Laghate, G., & Prabhudesai, D. (2020). Pharmaceutical excipients. *Remington: The Science and Practice of Pharmacy*, 633–643. <https://doi.org/10.1016/B978-0-12-820007-0.00032-5>
- Sharma, A., Anderson, K., & Baker, J. W. (1990). Flocculation of serum lipoproteins with cyclodextrins: application to assay of hyperlipidemic serum. *Clinical Chemistry*, 36(3), 529–532.
- Simundic, A. M., Cornes, M., Grankvist, K., Lippi, G., & Nybo, M. (2014). Standardization of collection requirements for fasting samples: for the Working Group on Preanalytical Phase (WG-PA) of the European Federation of Clinical Chemistry and Laboratory Medicine (EFLM). *Clinica Chimica Acta; International Journal of Clinical Chemistry*, 432, 33–37. <https://doi.org/10.1016/j.cca.2013.11.008>
- Smith, M. B., Yung W., C., Dolci, A., Kellogg, M. D., McCudden, C. R., McLean, M., Miller, J. J., & Zakowski, J. (2012). *Hemolysis, icterus, and lipemia/ turbidity indices as indicators of interference in clinical laboratory analysis; Approved Guideline, CLSI document C56-A, Wayne, PA : Clinical and Laboratory Standards Institute. September, 42.*
- Soh, S. X., Loh, T. P., Sethi, S. K., & Ong, L. (2022). Methods to reduce lipemic interference in clinical chemistry tests: A systematic review and recommendations. *Clinical Chemistry and Laboratory Medicine*, 60(2), 152–161. <https://doi.org/10.1515/cclm-2021-0979>
- Soleimani, N., Mohammadzadeh, S., & Asadian, F. (2020). Lipemia Interferences in Biochemical Tests, Investigating the Efficacy of Different Removal Methods in comparison with Ultracentrifugation as the Gold Standard. *Journal of Analytical Methods in Chemistry*, 2020. <https://doi.org/10.1155/2020/9857636>
- Swaminathan, R. (2003). Magnesium metabolism and its disorders. *The Clinical Biochemist. Reviews*, 24(2), 47–66. <http://www.ncbi.nlm.nih.gov/pubmed/18568054> <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC1855626>
- Tikhomirov, M., Śniegocki, T., & Poźniak, B. (2021). Lipemia in the Plasma Sample Affects Fentanyl Measurements by Means of HPLC-MS2 after

Liquid-Liquid Extraction. In *Molecules* (Vol. 26, Issue 15).  
<https://doi.org/10.3390/molecules26154514>

Vermeer, H. J., Steen, G., Naus, A. J. M., Goevaerts, B., Agricola, P. T., & Schoenmakers, C. H. H. (2007). Correction of patient results for Beckman Coulter LX-20 assays affected by interference due to hemoglobin, bilirubin or lipids: a practical approach. *Clinical Chemistry and Laboratory Medicine*, 45(1), 114–119. <https://doi.org/10.1515/CCLM.2007.004>

Viikari, J. (1976). Precipitation of plasma lipoproteins by PEG-6000 and its evaluation with electrophoresis and ultracentrifugation. *Scandinavian Journal of Clinical and Laboratory Investigation*, 36(3), 265–268. <https://doi.org/10.1080/00365517609055259>

Wang, S., Fu, J., Zhang, C., & Yang, J. (2021). *Chapter 9 - Muck conditioning for EPB shield tunnelling and muck recycling* (S. Wang, J. Fu, C. Zhang, & J. B. T.-S. T. E. Yang (eds.); pp. 433–490). Elsevier. <https://doi.org/https://doi.org/10.1016/B978-0-12-823992-6.00009-6>

Wong, M.-Y., Amini Horri, B., & Salamatinia, B. (2018). *Chapter 8 - Grafted Copolymerized Chitosan and Its Applications as a Green Biopolymer* (V. K. B. T.-B. G. Thakur (ed.); pp. 285–333). Elsevier. <https://doi.org/https://doi.org/10.1016/B978-0-12-810462-0.00008-9>

Woods, A. D. (2010). Cholesterol levels. *Nursing*, 40(8), 31. <https://doi.org/10.1097/01.NURSE.0000383897.65472.6b>

Zaman, B., Hardyanti, N., Arief Budiharjo, M., Budi Prasetyo, S., Ramadhandi, A., & Listiyawati, A. T. (2020). Natural flocculant vs chemical flocculant where is better to used in wastewater treatment. *IOP Conference Series: Materials Science and Engineering*, 852(1), 9–14. <https://doi.org/10.1088/1757-899X/852/1/012014>

Zarrintaj, P., Saeb, M. R., Jafari, S. H., & Mozafari, M. (2020). *Chapter 18 - Application of compatibilized polymer blends in biomedical fields* (A. A.R. & S. B. T.-C. of P. B. Thomas (eds.); pp. 511–537). Elsevier. <https://doi.org/https://doi.org/10.1016/B978-0-12-816006-0.00018-9>