

## DAFTAR PUSTAKA

- Afnan, Dawoto. (2021). Perbedaan Hasil Pemeriksaan Kadar Hemoglobin Pada Pasien Thalasemia dengan Metode Pengiriman Sampel Pneumatic Tube dan Manual di RSUD Kanudjoso Djatiwibowo Balikpapan. *Skripsi*, Politeknik Kesehatan Kemenkes Yogyakarta.
- Akbas, N., Eppert B., Miller, J., Schulten, C., Wallace, C., & Turner, T. Effect of Hemolysis, Icterus and Lipemia on Chemistry Tests and Association between the Amount of Interfering Substances and LIH Indices.
- Budiyono, I., & Ria Triwadhani, I. (2011). Pengelolaan Tahapan Pemeriksaan di Laboratorium Klinik.
- Cakirca, G., & Erdal, H. (2017). The effect of pneumatic tube systems on the hemolysis of biochemistry blood samples. *Journal of Emergency Nursing*, 43(3), 255-258.
- Cohen, L., Manion, L., & Morrison, K. (2002). *Research methods in education*. routledge.
- Cui, M., Jing, R., & Wang, H. (2009). Changes of serum lactate dehydrogenase and potassium levels produced by a pneumatic tube system. *Laboratory Medicine*, 40(12), 728-731.
- Dewi, Diva Pradya Tari Iga., Mastra, Nyoman., Merta, Wayan I. 2016. Kadar Serum Glutamate Piruvat Transaminase Pecandu Minuman Keras di Banjar Ambengan Desa Sayan Ubud Gianyar. *Jurnal Meditory*, Vol. 4, No. 2.
- Ding, X., Wen, X., Wang, L., Chen, T., Zhou, G., He, H., & Xin, X. (2021). Effects of a pneumatic tube system on the hemolysis of blood samples: a PRISMA-compliant meta-analysis. *Scandinavian Journal of Clinical and Laboratory Investigation*, 81(5), 343-352.
- Durachim, Adang dan Astuti, Dewi. (2018). Hemostasis. Jakarta : BPPSDM.
- Elrouf, M. B. Abd., Amanullah, M., & Zaman, G. S. (2014). Interference of hemolysis in the estimation of plasma aspartate aminotransferase, potassium and phosphate. *American Journal of Physiology, Biochemistry and Pharmacology*, 3(1), 1-5.
- Fisipol. (2022). *Teknik Penganbilan Sampel pada Penelitian*. medan: Universitas medan.
- Heireman, L., Van Geel, P., Musger, L., Heylen, E., Uyttenbroeck, W., & Mahieu, B. (2017). Causes, consequences and management of sample hemolysis in the clinical laboratory. *Clinical biochemistry*, 50(18), 1317-1322.

- Indah, Sari. 2017. Perbedaan Kadar SGPT Terhadap Sampel Plasma EDTA dan Serum. Skripsi. Semarang : Universitas Muhammadiyah Semarang.
- Khasanah, U. N., Supriyanta, B., & Nuryani, S. (2019). *Pengaruh Hemolisis Pada Serum terhadap Pemeriksaan Aktivitas Enzim Gamma Glutamyl Transferase*. (Doctoral dissertation, Poltekkes Kemenkes Yogyakarta).
- Kementerian Kesehatan RI, 2010, Peraturan Menteri Kesehatan Republik Indonesia No. 411/Menkes/PER/III/2010 tentang Laboratorium Klinik, Jakarta: Biro Pelayanan Medik.
- Koseoglu, M., Hur, A., Atay, A., & Cuhadar, S. (2011). Effects of hemolysis interference on routine biochemistry parameters. *Biochemia medica*, 21(1), 79-85.
- Kurniawan, L. B., & Bahrin, U. (2015). Pneumatic Tube on Routine Blood Test and Lactate Dehydrogenase. *Indonesian Journal of Clinical Pathology and Medical Laboratory*, 21(2), 111-114
- Lee, A. J., Suh, H. S., Jeon, C. H., & Kim, S. G. (2017). Effects of one directional pneumatic tube system on routine hematology and chemistry parameters; A validation study at a tertiary care hospital. *Practical Laboratory Medicine*, 9, 12-17.
- Mahmud . (2011). Metode Penelitian Pendidikan. Bandung : Pustaka Setia.
- Munaya, S., Tristina, Nina., Wasilah, F.(2021). Risk Management Of Human and System Related Errors in The *Pneumatic Tube system* Operation at Dr. Hasan Sadikin General Hospital Bnadung, Indonesia. *IJRP*, 89(1), 326-332.
- Nurmandari, I., Nuryani, S., & Supriyanta, B. (2019). *Pengaruh Hemolisis Dalam Serum Terhadap Aktivitas Enzim Alanin Aminostransferase (ALT)* (Doctoral dissertation, Poltekkes Kemenkes Yogyakarta).
- Nugraha, A.D. (2017). Design Pneumatic Tube Transfer System Pada Kapal Rumah Sakit KRI Dr. Soeharso 990. *Skripsi*, Fakultas Teknologi Kelautan Institut Teknologi Sepuluh Nopember.
- Nurdin, I., & Hartati, S. (2019). *Metodologi penelitian sosial*. Media Sahabat Cendekia.
- Ronika, C. 2012. *Peningkatan Kadar Serum Glutamic Piruvic Transaminase (SGPT) Pada Tikus Wistar (Rattus Norvegicus) Jantan Yang Dipapar Stresor Rasa Sakit Senjata Listrik*. Skripsi. Jember : Universitas Negeri Jember

- Rosida, A. (2016). *Pemeriksaan laboratorium penyakit hati. Berkala Kedokteran*, 12(1), 123-131.
- RS Panti Rapih Yogyakarta. 2013 .*Canggih bukan berarti aman dari risiko – suatu kajian FMEA (failure mode and effect analysis) terhadap penggunaan pneumatic tube system di RS Panti Rapih Yogyakarta*. Retrived November 10. 2022, from <https://adoc.pub/rs-panti-rapih-yogyakarta.html>
- Sacher, R. A., dan McPherson, R. A. 2004. *Tinjauan klinis hasil pemeriksaan laboratorium (terjemahan)*. Edisi 11. Jakarta: Penerbit kedokteran EGC
- Setiadi. (2013). *Konsep dan Praktik Penulisan Riset Keperawatan*. Yogyakarta: Graha Ilmu.
- Setyaji, Y., Tri, N., Inggil, T.M., Shinta, D.A., Norma, A.P. (2022). Validasi Jarak pada Pneumatic Tube System terhadap Hasil Pemeriksaan Trombosit (PLT) dan Kalium. *Jurnal Laboratorium Medis E-ISSN*, 2685, 8495, 4.
- Subbarayan, D., Choccalingam, C., & Lakshmi, C. K. A. (2018). The effects of sample transport by pneumatic tube system on routine hematology and coagulation tests. *Advances in Hematology*, 2018.
- Sugiyono. 2015. *Statistika untuk Penelitian Cetakan Ke-26*. Bandung: Alfabeta.
- Sulaiman, A. (2012). *Buku ajar ilmu penyakit hati*. Jakarta: Jayabadi.: Sagung Seto
- Sutedjo AY., 2008. *Buku Saku. Mengenal Penyakit Melalui Hasil Pemeriksaan Laboratorium*. Yogyakarta : Penerbit Amara Books. 85- 88
- Tiwari, A. K., Pandey, P., Dixit, S., & Raina, V. (2012). Speed of sample transportation by a pneumatic tube system can influence the degree of hemolysis. *Clinical chemistry and laboratory medicine*, 50(3), 471-474.
- Zilberman-Rudenko, J., Zhao, F. Z., Reitsma, S. E., Mitrugno, A., Pang, J., Shatzel, J. J., & Schreiber, M. A. (2018). Effect of pneumatic tubing system transport on platelet apheresis units. *Cardiovascular engineering and technology*, 9, 515-527.