

ISSN-0976-0245 (Print) • ISSN-0976-5506 (Electronic)

Volume 11

Number 9

September 2020



Indian Journal of Public Health Research & Development

An International Journal

Website:

www.ijphrd.com

Indian Journal of Public Health Research & Development

EXECUTIVE EDITOR

Vidya Surwade

Associate Professor, Dr Baba Saheb Ambedkar, Medical College & Hospital, Rohinee, Delhi

INTERNATIONAL EDITORIAL ADVISORY BOARD

1. **Dr. Abdul Rashid Khan** B. Md Jagar Din, (*Associate Professor*)
Department of Public Health Medicine, Penang Medical College, Penang, Malaysia
2. **Dr. V Kumar** (*Consulting Physician*)
Mount View Hospital, Las Vegas, USA
3. **Basheer A. Al-Sum**,
Botany and Microbiology Deptt, College of Science, King Saud University,
Riyadh, Saudi Arabia
4. **Dr. Ch Vijay Kumar** (*Associate Professor*)
Public Health and Community Medicine, University of Buraimi, Oman
5. **Dr. VMC Ramaswamy** (*Senior Lecturer*)
Department of Pathology, International Medical University, Bukit Jalil, Kuala Lumpur
6. **Kartavya J. Vyas** (*Clinical Researcher*)
Department of Deployment Health Research,
Naval Health Research Center, San Diego, CA (USA)
7. **Prof. PK Pokharel** (*Community Medicine*)
BP Koirala Institute of Health Sciences, Nepal

NATIONAL SCIENTIFIC COMMITTEE

1. **Dr. Anju D Ade** (Professor)
Community Medicine Department, SVIMS, Sri Padamavati Medical College, Tirupati,
Andhra Pradesh.
2. **Dr. E. Venkata Rao** (*Associate Professor*) Community Medicine,
Institute of Medical Sciences & SUM Hospital, Bhubaneswar, Orissa.
3. **Dr. Amit K. Singh** (*Associate Professor*) Community Medicine,
VCSG Govt. Medical College, Srinagar – Garhwal, Uttarakhand
4. **Dr. R G Viveki** (*Associate Professor*) Community Medicine,
Belgaum Institute of Medical Sciences, Belgaum, Karnataka
5. **Dr. Santosh Kumar Mulage** (*Assistant Professor*)
Anatomy, Raichur Institute of Medical Sciences Raichur(RIMS), Karnataka
6. **Dr. Gouri Ku. Padhy** (*Associate Professor*) Community and Family
Medicine, All India Institute of Medical Sciences, Raipur
7. **Dr. Ritu Goyal** (*Associate Professor*)
Anaesthesia, Sarswathi Institute of Medical Sciences, Panchsheel Nagar
8. **Dr. Anand Kalaskar** (*Associate Professor*)
Microbiology, Prathima Institute of Medical Sciences, AP
9. **Dr. Md. Amirul Hassan** (*Associate Professor*)
Community Medicine, Government Medical College, Ambedkar Nagar, UP
10. **Dr. N. Girish** (*Associate Professor*) Microbiology, VIMS&RC, Bangalore
11. **Dr. BR Hungund** (*Associate Professor*) Pathology, JNMC, Belgaum.
12. **Dr Sartaj Ahmad**, PhD Medical Sociology, *Associate Professor*,
Swami Vivekananda Subharti University Meerut UP India
13. **Dr Sumeeta Soni** (*Associate Professor*)
Microbiology Department, B.J. Medical College, Ahmedabad, Gujarat, India

NATIONAL EDITORIAL ADVISORY BOARD

1. **Prof. Sushanta Kumar Mishra** (Community Medicine)
GSL Medical College – Rajahmundry, Karnataka
2. **Prof. D.K. Srivastava** (*Medical Biochemistry*)
Jamia Hamdard Medical College, New Delhi
3. **Prof. M Sriharibabu** (*General Medicine*) GSL Medical College, Rajahmundry,
Andhra Pradesh
4. **Prof. Pankaj Datta** (*Principal & Prosthodontist*)
Indraprastha Dental College, Ghaziabad

NATIONAL EDITORIAL ADVISORY BOARD

5. **Prof. Samarendra Mahapatro** (*Pediatrician*)
Hi-Tech Medical College, Bhubaneswar, Orissa
6. **Dr. Abhiruchi Galhotra** (*Additional Professor*) Community and Family
Medicine, All India Institute of Medical Sciences, Raipur
7. **Prof. Deepti Pruthvi** (*Pathologist*) SS Institute of Medical Sciences &
Research Center, Davangere, Karnataka
8. **Prof. G S Meena** (*Director Professor*)
Maulana Azad Medical College, New Delhi
9. **Prof. Pradeep Khanna** (*Community Medicine*)
Post Graduate Institute of Medical Sciences, Rohtak, Haryana
10. **Dr. Sunil Mehra** (*Paediatrician & Executive Director*)
MAMTA Health Institute of Mother & Child, New Delhi
11. **Dr Shailendra Handu**, *Associate Professor*, Phrma, DM (Pharma, PGI
Chandigarh)
12. **Dr. A.C. Dhariwal**: *Directorate* of National Vector Borne Disease
Control Programme, Dte. DGHS, Ministry of Health Services, Govt. of
India, Delhi

Print-ISSN: 0976-0245-**Electronic-ISSN:** 0976-5506, **Frequency:** Quarterly
(Four issues per volume)

Indian Journal of Public Health Research & Development is a double blind peer reviewed international journal. It deals with all aspects of Public Health including Community Medicine, Public Health, Epidemiology, Occupational Health, Environmental Hazards, Clinical Research, and Public Health Laws and covers all medical specialties concerned with research and development for the masses. The journal strongly encourages reports of research carried out within Indian continent and South East Asia.

The journal has been assigned International Standards Serial Number (ISSN) and is indexed with Index Copernicus (Poland). It is also brought to notice that the journal is being covered by many international databases. The journal is covered by EBSCO (USA), Embase, EMCare. The journal is now part of DST, CSIR, and UGC consortia.

Website : www.ijphrd.com

©All right reserved. The views and opinions expressed are of the authors and not of the Indian Journal of Public Health Research & Development. The journal does not guarantee directly or indirectly the quality or efficacy of any product or service featured in the advertisement in the journal, which are purely commercial.

Editor

Dr. R.K. Sharma
Institute of Medico-legal Publications
Logix Office Tower, Unit No. 1704, Logix City Centre Mall,
Sector- 32, Noida - 201 301 (Uttar Pradesh)

Printed, published and owned by

Dr. R.K. Sharma
Institute of Medico-legal Publications
Logix Office Tower, Unit No. 1704, Logix City Centre Mall,
Sector- 32, Noida - 201 301 (Uttar Pradesh)

Published at

Institute of Medico-legal Publications
Logix Office Tower, Unit No. 1704, Logix City Centre Mall,
Sector- 32, Noida - 201 301 (Uttar Pradesh)



Indian Journal of Public Health Research & Development

www.ijphrd.com

Contents

Volume 11, Number 09

September 2020

1. Dietary Habits and Drug Pattern Associated with Type 2 Diabetes Mellitus among Urban Population of Eluru City: A Cross-Sectional Study..... 1
Chandrasekhar Vallepalli, K Chandra Sekhar, Ratna Balaraju, U Vijaya Kumar, Ch Rama Mohan, P G Deotale
2. Snoring and Sleep Apnoea as Risk Factors for Type 2 Diabetes Mellitus: A Case Control Study among the Patients attending a Tertiary Care Hospital in North Karnataka 7
Dattatraya D Bant, Raghavendra D
3. Geriatric Depression: A Comparative Study between the Elder Population at Old Age Home and in their Own Home..... 13
Dattatraya D Bant, Raghavendra D
4. The burden, social and economic consequences of Childhood Pneumonia in North Karnataka- A cross-sectional study 18
Dattatraya D Bant, Tewe U Kapfo
5. A cross-sectional Study to Assess the Quality of Life of HIV Infected Individuals Attending ART Centre, KIMS Hubli 24
Dattatraya D Bant, Shiv Kumar
6. Factors Influencing Women's Decision-Making Authority and Autonomy in Rural Rajasthan 30
Goutam Sadhu, Arindam Das, Hemanta Kumar Mishra
7. Coping Strategies in Menopause Women: A Review..... 37
Jayashri.G. Itti, Deelip. S. Natekar
8. Diagnostic Considerations in Breast Disorders and Secondary Bacterial Infection 40
K.Vivekananda Subramanianathan, Rajasekaran.S,D.Euvalingam,E.Prabhakar Reddy
9. Knowledge, Anxiety level and Perceptions on Prevention Protocol of COVID19 among Medical and Dental Graduates 46
Mahima Sophia M, Manavalan Madhana Madhubala, Dakshine Suthakaran, Monica Diana S, Maghizh Jemima M
10. Gingival Biotype- It's Significance in Dentistry..... 53
Marjita Sarma, Nina Shenoy

II

11. A Study to Find Out the Association of Vitamin D Levels with Leiomyoma Uterus 59
Mihir Kumar Sarkar, Arindam Halder, Sudipta Chowdhury
12. Prevalence of Nomophobia and Effectiveness of Planned Teaching Program on Prevention and Management of Nomophobia among Undergraduate Students 64
Namita Batra Guin, Shreya Sharma, Sangeeta Yadav, Deepanshi Patel, Sana Khatoon, Saumya, Savita
13. Food Insecurity and It's Impact on the Dietary Behaviour and Health 70
Nidhi Chauhan, Pratibha Singh
14. A Cross Sectional Study on Assessment of Stress among Auto- rickshaw Drivers in Urban Areas of Raichur..... 74
Palle Satya Reddy, Sujatha N, Bhaskar Kurre
15. Impact of COVID 19 on Health Care Personnel..... 79
Pinky Devi Phougeishangbam, Prempati Mayanglambam
16. Importance of Yoga during Adolescence Period 84
Renukaraj Y. Nagammanavar, Deelip. S. Natekar
17. Pattern of Feeding Practiced by Mothers of Infants Attending Immunisation OPD in a Tertiary Care Centre: A Hospital based Cross-Sectional Study 89
Sambhedana Mohanty, Tapas Ranjan Behera
18. Study of Epidemiological Factors Affecting Patients of Hypertension Attending Urban Health Training Centre of Community Medicine of Tertiary Care Hospital, Maharashtra 96
Suchita Narayan Kawale, Manjusha A.Shinde, Prashant Shinde
19. A Cross-Sectional Study of Knowledge about First Aid in Undergraduate Medical Students of Maharashtra..... 102
Suchita Narayan Kawale, Manjusha A.Shinde, Prashant Shinde
20. Quality of Life and Sexual Dysfunction among Patients of Alcohol Dependence Syndrome 107
Abu Raihan Akhtar, Supartha Barua, Paramita Ray, Asim Kumar Mallick
21. Health Status of Assam: A District Level Analysis..... 114
Ajjur Rahman
22. Regional Differential in Diet Diversity Consumption and its Association with Adult Nutrition Status in Urban Areas..... 122
Baldev Singh Kulaste, Bal Govind Chauhan
23. Identification and Removal of Mosquito Breeding Sites Using Whatsapp and Google Maps Replacing Gis in Meerut Cantonment..... 128
HM Kasi Viswanath, Dennis Abraham, Vijaya Kumar Uthakalla
24. Innovative “RK Walker”: Transdisciplinary Multiphasic Observational Experimental Trial..... 133
Rima Jani, Priyanshu Rathod, Kartik Kothari

25. Comparison of Median Urinary Iodine Concentration as an Indicator of Iodine Status among Pregnant and Altered Thyroid Function Women - A Pilot Study 142
Syeda Farha S, Anish Behl, Vijayalaxmi Davalangi, Asna Urooj
26. Mode of Teaching in Anatomy- Perception of 1st Year Medical Undergraduates..... 150
Vijisha Phalgunan, Mahima Sophia, Baskaran.S
27. Effect of Interferential therapy along with McKenzie Extension Bias Exercises on Pain, Disability and Spinal Extensors Muscles Strength among the Patients with Chronic Low Back Pain 155
Anshika Singh, Sumit Raghav
28. Responding to “Covid-19” Pandemic: Quality Management and Preventive Strategies of a Hospital.. 161
Amitesh, Sarita, A. Bharti, S. Gopal
29. Comparison of Outcome of Closed and Open Drainage of Breast Abscess 168
Rajasekaran.S, K.Vivekananda Subramanianathan, D.Euvalingam
30. Convenience Food : An Emerging Trend in India 173
Silky Verma, Gurjeet Kaur Chawla
31. Effectiveness of Stroke Awareness Programme for Accredited Social Health Activists and Auxiliary Nurse Midwives at Ramanagara District of Karnataka State 177
Sreedhara KC, Jayanth Kumar K, Gautham M Sukumar
32. Effects of Therapeutic Weight Loss Exercises on Obese Individuals with Genu Valgum Deformity ... 184
K.Vijayakumar, D.Dineshkumar
33. A Study on Substance Abuse among Male Construction Workers in Tamil Nadu, India..... 190
Vignesh K.S, Abarajitha. A
34. Serum Angiopoietin-1 & Angiopoietin-2 as Serum Biomarkers for Ectopic Pregnancy and Missed Miscarriage 196
Najah Shaker Yassen, Hiyam Jasim Mohammed
35. Maintaining Physical Activity of Elderly through Local Wisdom to Improve Quality of Life of Elderly in Yogyakarta, Indonesia..... 202
Nunuk Sri Purwanti, Nyoman Kertia, Wisjnu Martani, Sri Werdati
36. Assessment of Food Security Status and the Determinants of Food Security in Selected Households from Coastal Area of Noakhali, Bangladesh..... 210
Alam, Mohammad Rahanur, Hossain, Md. Shahadat, Chowdhury, Pinaki, Siddiquee Abid Hasan, Alam, Md. Bashir, Ullah, Md. Sharif, Reza, Sompā
37. The Comparison between the Effectiveness of Laughter Therapy and Progressive Muscle Relaxation Therapy towards Insomnia in Elderly Community at St. Yoseph Kediri Nursing Home ... 218
Desi Natalia Trijayanti Idris, Kili Astarani, Srinalesti Mahanani
38. Percentage of Niesseria Gonorrhoea among Symptomatic Women Attending Infertility Clinic of Baghdad Teaching Hospital 226
Rehab Abdulqaderkareem, Hayder B. Al-Shamma'a

IV

39. The Correlation between Thyroid Function Status and Bone Mineral Density among Postmenopausal Women 234
Thura Mahmud Ali, Fadia J. Al-Izzi ; Figure 3.2: Distribution of study patients by duration of menopause
40. The Effect of Soy Milk and Boiled Peas to Waist Circumference in Postmenopausal Women..... 241
Fitriani Yudhi Hastuti, Budiyantri Wiboworini, Lilik Retna Kartikasari
41. Nutrient Content of Traditional Food in the Tourism Area of Buleleng Regency, Bali Province 246
I Gusti Putu Sudita Puryana, Ni Putu Agustini, I Putu Suraoka
42. Epidemiology of Female Infertility among Reproductive Age Women in Tikrit City..... 252
Abid Ahmad Salman Al-Mahmood, Intesar Marhoon Zahwan Al-Ajeely
43. The Chemical Composition of Trigona Honey in Bone, South Sulawesi..... 258
Tri Damayanty Syamsul, Rosdiana Natzir, Suryani As'ad, Veni Hadju, Mochammad Hatta, Sutji Pratiwi, Andi Tenriola
44. Determinants of Rabies Prophylaxis Involvement based on Children's Experiences and Perspectives in An Endemic Area of Indonesia..... 264
Yosi Marin Marpaung, Rachel Monique
45. Burnout Syndrome among Undergraduate Dental Students in Majmaah University, Al Zulfi, Saudi Arabia..... 269
Hidayathulla Shaikh, Abdulrahman A. Al-Atram, Asiya Fatima, Waleed Mutairy, Abid Lankar
46. Liver, Kidney Function Enzymes and Biochemical Parameters Evaluation for Hepatitis B and C in Iraqi Patients 276
Asmaa A. Hussein, Ruqaya M. Al-Ezzy, Raghad A. Ibrahim
47. Gender Effect on Post-Operative Pain after Different Instrumentation Techniques 282
Baidaa M. Zeidan, Abeer A. Abass, Nada A. Mehdi
48. Low Socioeconomic Households are Vulnerable to Stunting: Structural Equation Model Analysis.... 288
Sipahutar Tiopan, Herdayati, Milla
49. Public Awareness for Antimicrobial Resistance from Escherichia coli Isolated from Beef Sold on Several Wet Market in Surabaya, Indonesia..... 295
Mustofa Helmi Effendi, Risi Cicilia, Jola Rahmahani, Wiwiek Tyasningsih
50. Cutaneous Manifestations in Breasts among Patients with Breast Tumors Attending Al-Yarmook Teaching Hospital 301
Farah Qahtan Mahgoob, Besma M. Ali, Mohsin A. A. Sahib, Ahmed Bader
51. Teamsports and Mental Well-Being: Analysis of Demographic Factors 308
Suzila Ismail, Farah Nadia Mohd Faudzi, Mohd Azrin Mohd Nasir, Nor A'tikah Mat Ali, Aizul Firdaus Musa

Maintaining Physical Activity of Elderly through Local Wisdom to Improve Quality of Life of Elderly in Yogyakarta, Indonesia

Nunuk Sri Purwanti¹, Nyoman Kertia², Wisjnu Martani³, Sri Werdati⁴

¹ Student of Doctoral Program, Faculty of Medicine, Public Health and Nursing, Gadjah Mada University, Indonesia, ² Professor, Faculty of Medicine, Public Health and Nursing, Gadjah Mada University, ³ Faculty of Psychology, Gadjah Mada University, Indonesia, ⁴ Nursing Department, Alma Ata University, Yogyakarta, Indonesia

Abstract

Background. Physical activity has been proven effective in improving and maintaining the health of the elderly. But the participation of the elderly in physical activity is not proportional to the number of elderly in the community. This is due to physical activity only meeting physical health, while other elderly needs such as social, psychological and environmental are not met. Interventions are needed to maintain sustainable physical activity that can improve the quality of life of the elderly.

Aim. This study aimed to determine the effects of psychoeducation and physical exercise for the elderly programs with local wisdom approach to quality of life of the elderly in the community.

Method. This research method used a Quasi-Experiment Pre-Post Test Design with Control Group. The sample of this study was 132 elderly who lived in rural and urban areas, using Multistage Random Sampling techniques. Data analysis used correlation pearson (*rho*), t test and multivariate analysis (regresi linier).

Results. The effect of program can improve the function of physical activity and quality of life of elderly. Meanwhile the factors that affect the quality of life of the elderly are education, mental status, function of physical activity and intentions.

Conclusion. This Program affects the function of physical activity and quality of life of the elderly in the community. Determinants of quality of life can be used as a basic for developing health care programs for the elderly.

Keywords: *physical activity, psychoeducation, local wisdom, elderly, quality of life.*

Introduction

The process of aging in human development throughout his life is a physiological process that is dynamic and can not be changed. In this condition the elderly experience biological, psychological, spiritual and social changes, in the form of various declines.^{1,2,3}

The condition causes the elderly are more vulnerable to various health problems including decreased cognitive function, emotional, psychomotor, behavioral changes,⁴ dementia, sleep disorders, emotional and depressed,⁵ loneliness, deprivation, and social roles will be reduced, depression commit suicide.^{6,7}

Various attempts have been made to prevent the effects of the aging process, one of which is by conducting a regular physical activity.⁸ Activities carried out in groups can motivate promote and maintain adherence to physical training programs.⁹

Corresponding Author:

Nunuk Sri Purwanti

e-mail nunuksripurwanti@gmail.com

Furthermore, the addition of psychoeducation is expected to strengthen the elderly in carrying out physical activities together so that ultimately it will reduce the impact of cognitive impairment to improve the overall quality of life (QoL) of the elderly.¹⁰

However, the observations of researchers through literature studies show that regular physical activity such as elderly exercise, only improves physical conditions, while other aspects such as psychological, social and environmental are not considered.¹¹

Through a local wisdom approach, this aspect can be changed with a psychoeducation program combined with physical exercise for the elderly (this program is called the *Psi-Segar* program) to provide knowledge support in maintaining a better quality of life for elderly.

The form of the approach to local wisdom is the using of Javanese songs as an accompaniment song for elderly exercise, utilizing humor with Javanese cultural style and the participation of elderly people who follow the way Javanese people gathering.

Materials and Methods

This study uses a method *quasi-experimental* with a *pre-post test design with control groups design*. The

sampling technique used multistage *random sampling*, where the sample is taken based on the proportion of representation of the elderly in the community. The sample size of this study is 132 elderly divided into 4 groups, those are elderly who live in rural areas (treatment and control) and elderly who live in urban areas (treatment and control). The research location is in the district of Sleman, Yogyakarta, Indonesia.

Data analysis using the SPSS program (version 13.0) with the following details bivariate analysis using the correlation test and t test to assess differences in values between the treatment and control groups. While multivariate analysis is used to determine the determinants that affect the quality of life of elderly in the community.

Results

Based on table 1, the demographic characteristics of the elderly in the community indicate that most of the elderly are aged 60-74 years, with female sex and married. Meanwhile, elderly education is the most dominant elementary school, with employment as laborers who earn less than 1.5 million/ month.

Table 1. Description of general data of the community dwelling older adults in Sleman District, Yogyakarta (n = 132)

Variable	n	%
Age		
a. 75 years and over	21	15.9
b. 60-74 years	111	84.1
Gender		
a. Male	32	24.2
b. Female	100	75.8
Religion		
a. Catholic	45	34.1
b. Islam	87	65.9
Status		
a. Not Married	3	2.3
b. Widowed	34	25.8
c. Married	95	72.0

Cont... Table 1. Description of general data of the community dwelling older adults in Sleman District, Yogyakarta (n = 132)

Education			
a.	Not attending school	18	13.6
b.	Elementary school	75	56.8
c.	Junior high school	21	15.9
d.	Senior high school	13	9.8
e.	University	5	3.8
Employment			
a.	Workers	8	6.1
b.	Farmers	9	6.8
c.	Retired	10	7.6
d.	House wife	46	34.8
e.	Labor	59	44.7
Income			
a.	More than 3 million	8	6.1
b.	1.5 million - 3 million	3	2.3
c.	Less than 1.5 million	121	91.7
Smoking status			
a.	Smoking	12	9.1
b.	Not smoking	120	90.9
Disease currently complained of			
a.	Diabetes mellitus (DM)	2	1.5
b.	Hypertension and DM	3	2.3
c.	Vertigo	8	6.1
d.	Pain	25	18.9
e.	Hypertension	35	26.5
f.	No complaints	59	44.7

Table 2. Description of health conditions of the community dwelling older adults in Sleman District, Yogyakarta

Variable	n	%
Person that means		
a. None	6	4.5
b. Extended family	24	18.2
c. Children	51	38.6
d. Spouse: husband/wife	51	38.6
Live with whom		
a. Live alone	15	11.4
b. Spouse : husband/wife	33	25.0
c. Nuclear Family	39	29.5
d. Extended family	45	34.1
Habits Sport		
a. Cycling	5	3.8
b. Walking	27	20.5
c. Physical exercise	29	22.0
d. No Exercise regularly	71	53.8
The duration of the physical activity		
a. more than 150 minutes in a week	15	11.4
b. 60-149 minutes in a week	46	34.8
c. within a week, less than 60 minutes	71	53.8
BMI Status (Body Mass Index)		
a. Less	18	13.6
b. Normal	71	53.8
c. Obesity	18	13.6
d. Excess	25	18.9
Status MMSE (<i>Mini Mental Status Examination</i>)		
a. Normal	114	86.4
b. Cognitive impairment	18	13.6
Planned behavior to physical exercise		
a. Intention	55	25.7
b. Attitude	52	24.3
c. Perceived behavior control	41	19.2
d. Behavior	40	18.7
e. Subjective norm	26	12.1

The most dominant data in table 2 consists of couples who are significant people for the elderly, not doing regular activities, and doing physical activity for less than 60 minutes / week.

The BMI status of the elderly is more dominant in the normal category, however there are still elderly people who are in an abnormal condition (less, over and obese).

Mental status (MMSE) for the elderly is mostly normal, but only a small proportion of the elderly have cognitive impairment. Data on planned behavior for the elderly doing exercise is largely dominated by intentions and attitudes.

Table 3. Correlation of predictor variables with the quality of life of the elderly in Sleman District, Yogyakarta

Variables	n	Pearson correlation	Sig, (2-tailed)
Demographic status			
a. Sex	132	.149	.132
b. Age	132	-.070	.428
c. Education	132	-.213*	.014
d. Works	132	-.210*	.016
e. Income	132	-.161	.066
Social support family			
a. Man who means	132	.211*	.015
b. Live with whom	132	.031	.724
Healthy status			
a. BMI status	132	.236**	.006
b. MMSE status	132	.313**	.000
c. Current illness	132	-.120	.172
Physical activity status			
a. Physical activity (physical activity scale for the elderly)	132	.461**	.000
b. Sports Habits	132	-.121	.166
c. Duration of physical activity	132	-.006	.948
Planned behaviour to exercise	132	.279**	.001

*Sig $\alpha < 0.05$; ** sig $\alpha < 0.001$

Predictor variables that are predicted to affect the quality of life of the elderly can be seen in table 3. The demographic status of the elderly that affects the quality of life is education, employment and social support from

people who are meaningful for the elderly. Health status variables related to the quality of life of the elderly are BMI and MMSE, while the variable for physical activity status of the elderly is PASE and plan behavior.

Table 4. The comparison results of the effect of *Psi-Segar* program intervention on the quality of life of elderly between the treatment and control groups

Variable	Mean ± SD		t	Sig α	95% CI	
	Interventions	Control			Lower	Upper
Physical activity	13.98 ± 11.78	1.57 ± 8.27	7.004	.001	8.89	15.91
Quality of life						
a. General	2.53 ± 1.79	-.40 ± 1.67	9.729	.001	2.339	3.534
b. Physical	2.48 ± 3.78	-2.46 ± 3.27	8.009	.001	3.701	6.141
c. Psychological	4.17 ± 4.15	.38 ± 3.27	5.826	.001	2.501	5.075
d. Social	2.56 ± 4.90	-.47 ± 2.95	4.299	.000	1.536	4.428
e. Environmental	7.95 ± 3.73	3.60 ± 5.49	5.335	.000	2.741	5.971

* sig α <0.01

T-test results on the effect of the intervention of the *Psi-Segar* program in table 4, show that there is a statistically significant difference in physical activity of the elderly between before and after the intervention. This is indicated by the t value of 7.004, 95% CI: 8.89-15.91 with a sig α <0.05, meaning that this intervention gives a difference in the physical activity of the elderly by 7 times greater than the elderly who do not participate in the *Psi-Segar* program.

Table 5. Results of multivariate analysis on variables related to the quality of life of the elderly in the community in Sleman District, Yogyakarta

Variable	Model 1 (R2 (R Square) = 38.3%)						Model 2 (R2 (RSquare) = 34.5%)					
	Mean square	F	t	Sig	95% Confidence interval		Mean square	F	t	Sig	95% Confidence interval	
					Lower bound	Upper bound					Lower bound	Upper bound
a. Education	28.29	10.97	-2.881	.005	-.724	-.134	44.64	16.71	-2.951	.004	-.733	-.144
b. MMSE			2.690	.008	.041	.269			2.534	.012	.032	.262
c. PASE			3.962	.000	.026	.078			5.028	.000	.038	.088
d. Plan behavior			3.180	.002	.025	.109			3.262	.001	.027	.112
e. Employment			-1.447	.150	-.447	.069						
f. Man who means			1.324	.188	-.116	.583						
g. BMI			1.476	.137	.082	.589						

The results of multivariate analysis in model 2 show that the variables of the elderly education, mental status, physical activity and plan behavior simultaneously correlate with the quality of life of the elderly (table 5).

Discussion

This research also shows that education is a factor that affects the cognitive of the elderly associated with quality of life. This is consistent with previous research which states that education,¹² gender is significantly related to the quality of life of the elderly.¹³ Changes that occur in older men are greater than women because the better cognitive status of elderly men is related to work conditions and income.¹⁴

The research provides the result that there is a significant influence of the *Psi-Segar* program on the quality of life of the elderly. The combination of exercise with counseling can have a positive effect on the quality of life of the elderly.¹¹ Improve health status, emotional, mental function is good in achieving the process of healthy aging.¹⁵ This indicates that physical activity that is consistent and routine can improve the quality of life of the elderly.¹⁶

Continuation of *Psi-Segar* program activities will provide longer life expectancies¹⁷ and improve better welfare.¹⁸ This activity also provides protection from degenerative processes and chronic diseases such as cancer.¹⁹

The results showed that the elderly who participated in the *Psi-Segar* program had an impact in the form of the continuation of regular exercise activities for the elderly. This sustainability will affect the quality of life of the elderly in the future. Studies that support this state that the sustainability of physical activity interventions in the elderly is determined by the form of the intervention itself so that there is an interest in these activities.²⁰

The results of multivariate analysis in model 2 (table 5) show that BMI is related to the quality of life of the elderly, as evidenced by the existence of a significant correlation. These results indicate that BMI status determines the quality of life-related to the health of the elderly, women and men with decreased body weight also have a decreased quality of life of health. Conversely, if obese, the satisfaction of his health has decreased which causes the quality of life to decline.^{21,22} Obesity is the worst predictor of health related to the quality of life of the elderly.^{23,24}

Conclusion

The *Psi-Segar* program affects the function of physical activity, and the quality of life of the elderly on physical, social, psychological and environmental aspects. Determinants that affect the quality of life can be used as a basic for stakeholders in developing health programs for the elderly.

Source of Funding

The research was supported by the Health Ministry of the Republic of Indonesia, Human Resources Development and Empowerment Agency for Health.

Ethical Clearance: *This study was granted ethical clearance from the Faculty of Medicine, Public Health and Nursing, Gadjah Mada University, Indonesia.*

Conflict of Interests: There was no conflict of interests

References

1. Lipsky M.S and King M. Biological Theories of Aging. *journal homepage: www.elsevier.com/locate/disamonth Biological*. 2015; 13(2):1–7. Retrieved (<http://dx.doi.org/10.1016/j.disamonth.2015.09.005>).
2. Fung, LCW Lam. Spiritual Activity Is Associated with Better Cognitive Function in Old Age. *East Asian Arch Psychiatry*. 2013; 23(April):102–10.
3. Dziechciaż M and Filip R. Biological psychological and social determinants of old age: Bio-psycho-social aspects of human aging. *Ann Agric Environ Med*. 2014; 21(4): 835–838. doi: 10.5604/12321966.1129943.
4. Wernher I, Lipsky MS. Psychological theories of aging. *Disease-a-Month*. 2015; 11(61), 480-488.
5. Huang CY, Hsu MC, Chen TJ. An exploratory study of religious involvement as a moderator between anxiety, depressive symptoms and quality of life outcomes of older adults. *Journal of Clinical Nursing*. 2012; 21(5-6), 609-619.
6. Hasworth, Bree S, Cannon ML. Social Theories of Aging: A Review. *Disease-a-Month*. 2015; 61(11):475–79.
7. Sakashita, Tomoe and Oyama H. Overview of Community-Based Studies of Depression Screening Interventions among the Elderly Population in Japan. *Aging & Mental Health* 2016; 20(2):231–39.

8. De Labra C, Guimaraes-Pinheiro C, Maseda A, Lorenzo T, Millán-Calenti JC. Effects of physical exercise interventions in frail older adults: A systematic review of randomized controlled trials Physical functioning, physical health and activity. *BMC Geriatrics*. (2015); 15(1). <http://doi.org/10.1186/s12877-015-0155-4>.
9. Phillips, Siobhan M, Thomas R Wójcicki, and McAuley E. Physical Activity and Quality of Life in Older Adults: An 18- Month Panel Analysis. *Qual Life Res*. 2013; 22(7): 1647–54.
10. Burton E, Farrier K, Hill KD, Codde J, Airey P, & Hill AM. Effectiveness of peers in delivering programs or motivating older people to increase their participation in physical activity: Systematic review and meta-analysis. *Journal of Sports Sciences*. 2017. DOI:10.1080/02640414.2017.1329549.
11. Olanrewaju O, Kely S, Cowan A, Brayne CA, Lafortune L. Physical activity in community-dwelling older people: a review of systematic reviews of interventions and context. *PLoS ONE*. 2016; 12(11), 1–19. [http://doi.org/10.1016/S0140-6736\(16\)32319-4](http://doi.org/10.1016/S0140-6736(16)32319-4).
12. Ko H, Park YH, Cho B, Lim KC, Chang SJ, Yi YM, & Ryu SI. Gender differences in health status, quality of life, and community service needs of older adults living alone. *Archives of gerontology and geriatrics*. 2019; 83, 239-245.
13. Zhang J, Xu L, Li J, Sun L, Qin W, Ding G, Zhou C. Gender differences in the association between body mass index and health-related quality of life among adults: a cross-sectional study in Shandong, China. *BMC public health*. 2019; 19(1), 1021.
14. Harithasan D, Mukari SZ-MS, Ishak WS, Shahar S, & Yeong WL. The impact of sensory impairment on cognitive performance, quality of life, depression, and loneliness in older adults. *International journal of geriatric psychiatry*. 2020; 35(4), 358-364. doi: 10.1002/gps.5237.
15. Waldman-levi A, Erez AB, Katz N. Healthy aging is reflected in well-being, participation, playfulness, and cognitive-emotional functioning. *Healthy Aging Research*. 2015; pp.1–7. Available at: <http://www.har-journal.com/archives/1154>.
16. Jessen JD, Lund HH. Study protocol: effect of playful training on functional abilities of older adults—a randomized controlled trial. *BMC geriatrics*. 2017; 17(1), 27.
17. Lee IM, Shiroma EJ, Lobelo F, Puska P, Blair SN, Katzmarzyk PT, Lancet Physical Activity Series Working Group. Effect of physical inactivity on major non-communicable diseases worldwide: an analysis of burden of disease and life expectancy. *The lancet*. 2012. 380(9838), 219-229.
18. Netz Y, Wu MJ, Becker BJ, Tenenbaum G. Physical activity and psychological well-being in advanced age: A meta-analysis of intervention studies. *Psychology and Aging*. 2005; 20, 272–284. doi:10.1037/0882-7974.20.2.272.
19. Wu Y, Zhang D, Kang S. Physical activity and risk of breast cancer: A meta-analysis of prospective studies. *Breast Cancer Research and Treatment*. 2013; 137, 869–882. doi:10.1007/s10549-012-2396-7.
20. Gourlan M, Bernard P, Bortolon C, Romain AJ, Lareyre O, Carayol M, & Boiché J. Efficacy of theory-based interventions to promote physical activity. A meta-analysis of randomised controlled trials. *Health psychology review*. 2016; 10(1), 50-66.
21. You H, Li XL, Jing KZ, Li ZG, Cao HM, Wang J, & Gu H. Association between body mass index and health-related quality of life among Chinese elderly-evidence from a community-based study. *BMC public health*. 2018; 18(1), 1174.
22. Lluesma Vidal M, Murgui Pérez S, & Carmona Simarro JV. Nutritional status regarding the quality of life and sleep pattern in community-dwelling older adults with cognitive dysfunction. *Nutricion hospitalaria*. 2019; 36(2), 303-308. doi: 10.20960/nh.2361.
23. Kusumaratna RK, Hidayat A. Body mass index and quality of life among the elderly. *Universa Medicina*. 2016; 28(1), 34-41.
24. Wang L, Crawford JD, Reppermund S, Trollor J, Campbell L, Baune BT, & Smith E. Body mass index and waist circumference predict health-related quality of life, but not satisfaction with life, in the elderly. *Quality of Life Research*. 2018; 27(10), 2653-2665.