

## DAFTAR PUSTAKA

- Alagbe AE, dkk. (2021): Association of Lymphocyte counts, NLR, and PLR with mortality in Covid-19 patient. <https://www.sciencedirect.com/science/article/pii/S2531137921010245>
- Barcena M, dkk. (2009): Cryo-electron tomography of mouse hepatitis virus: Insights into the structure of the coronavirus. *Proceedings of the National Academy of Sciences of the United States of America*, 106, 582–587.
- Bhatraju PK, Ghassemieh BJ, Nicholas M, Kim R, Jerome KR, Nalla AK et al., 2020. COVID-19 in critically ill patients in the Seattle region. In Case series. NEJM.org. P. 1-15.
- Bioteknologi -Lipi, P. (n.d.). *Mengenal Karakteristik Virus SARS-CoV-2 Penyebab Penyakit COVID-19 Sebagai Dasar Upaya Untuk Pengembangan Obat Antivirus Dan Vaksin ANIKA PRASTYOWATI*. [www.covid19.go.id](http://www.covid19.go.id)
- Bosch BJ, dkk. (2003): The coronavirus spike protein is a class I virus fusion protein: Structural and functional characterization of the fusion core complex. *Journal of Virology*, 77, 8801–8811.
- Bosch BJ, dkk. (2008): Cathepsin L functionally cleaves the severe acute respiratory syndrome coronavirus class I fusion protein upstream of rather than adjacent to the fusion peptide. *Journal of Virology*, 82, 8887–8889.
- Cardinal-Fernandez, Pablo, Jose A. Lorente, Aida Ballen-Barragan, and Gustavo Matute-Bello. 2017. “Acute Respiratory Distress Syndrome and Diffuse Alveolar Damage New Insights on a Complex Relationship.” *Annals of the American Thoracic Society* 14(6):844–50.
- Du L, He Y, Zhou Y, Liu S, Zheng B, and Jiang S. (2009): The spike protein of SARS-CoV - A target for vaccine and therapeutic development. *Nature reviews. Microbiology*. 7, 226–36, 10.1038/nrmicro2090.
- Fehr AR and Perlman S. (2015): Coronaviruses: An overview of their replication and pathogenesis. *Methods in Molecular Biology*, 1282, 1– 23. doi: 10.1007/978-1- 4939-2438-7\_1
- Feng,dong Xu, dkk 2020, Immune-Inflammatory Parameters in COVID-19 Cases: A Systematic Review and Meta-Analysis, <https://www.frontiersin.org/articles/10.3389/fmed.2020.00301/full>
- Gorbalenya AE, dkk. Coronaviridae Study Group of the International Committee on Taxonomy of Viruses. (2020): The species Severe acute respiratory syndromerelated

coronavirus: classifying 2019-nCoV and naming it SARS-CoV-2. *Nature Microbiology*. doi:10.1038/s41564-020-0695-z

Gatbadge T, Peterson BM, Awada J, Buck AS, Ramirez DA, Pinchera B et al., (2020) Systematic review and meta analysis of sex specific covid-19 clinical outcomes. In *Frontiers Medicine*. p.1-9

Guan L, Pu L, Xiong H, Li C, Zhang M, Tan J. Cytokine storm in COVID-19. In Review article *Immunology*. Springer.p.1-12

hidayat, R. 2021. Memahami saturasi kritis pada pasien covid. <https://rsud-soekarno.babelprov.go.id/content/memahami-saturasi-kritis-pada-pasien-covid-19>. Sumber kementerian kesehatan republik indonesia

Liu B, dkk, 2020d. Can we use IL-6 (IL-6) blockade for coronavirus disease 2019 (COVID-19)-induced cytokine release syndrome(CRS),<https://doi.org/10.1016/j.jaut.2020.102452>, ELSEVIER..p.1-7

Narazaki M. 2018. The Two-Faced Cytokine IL-6 in Host Defense and Diseases. *Int. J. Mol. Sci.* 2018, 19, 3528; doi:10.3390/ijms19113528

Neuman BW,dkk. (2006): Supramolecular architecture of severe acute respiratory syndrome coronavirus revealed by electron cryomicroscopy. *Journal of Virology*, 80, 7918–7928.

Pramana, I.G.A.A.S.P, dkk. 2021. Nilai rasio neutrofil-limfosit sebagai prediktor kasus Covid-19 serangan berat pada pasien dewasa. <https://isainsmedis.id/index.php/ism/article/download/1093/841/0>

Prasetyowati, A. 2020 biotrend vol 11 no 1 tahun 2020. Pusat Penelitian Bioteknologi – LIPI. <https://terbitan.biotek.lipi.go.id/index.php/biotrends/article/download/275/235>.

Ristante, Riki, and Amin Zakaria. 2018. “Hubungan Respiratory Rate (RR) Dan Oxygen Saturation (SpO2) Pada Klien Cedera Kepala.” *Jurnal Kesehatan Hesti Wira Sakti* 5(2):85–90.

Ruiz SJ, Ventura PS, Vazquez JM, Adasme SIG, Garcia MM, Pol PT et al., 2020. Prognostic implication of neutrophil-lymphocyte ratio in COVID-19. In *Original Article*. WILEY. P.1-9

satriawan R, 2021 [https://perpustakaan.fk.ui.ac.id/opac/index.php?p=show\\_](https://perpustakaan.fk.ui.ac.id/opac/index.php?p=show_), di kutip 15 agustus 2022

Sudigdo Sastroasmoro, D., Sofyan Ismael, S., & -, S. (n.d.), 2011. *Dasar-dasar Metodologi Penelitian Klinis Edisi Ke-4 2011*. Sagung Seto.

Sugiyono. (2017). *Metode Penelitian Kuantitatif Kualitatif dan R&D*. Alfabet.

Takahashi T, Ellingson MK, Wong P, Israelow B, Lucas C, White A et al., 2020. Sex difference in immuno responses that underlied COVID-19 disease outcomes. *BMJ*. P. 1-9

- Tank K, Chu KH, Tsang CS. Acute renal impairment in coronavirus-associated severe acute respiratory syndrome. In *Kidney international*, volume 67.P. 698-705.
- Wardika, I.K dan Sikesa I.G.P.H. 2021. Pengukuran IL-6 (IL-6), C-Reactive Protein (CRP) dan IL-6 sebagai prediktor prognosis pada pasien Covid-19 gejala berat: Sebuah tinjauan pustaka. <https://isainsmedis.id/index.php/ism/article/download/1158/918/0>
- Wang D, dkk. (2020a): Clinical characteristics of 138 hospitalized patients with 2019 novel coronavirus– infected pneumonia in Wuhan, China. *The Journal of the American Medical Association*, 323(11),1061- 1069. doi: 10.1001/jama.2020.1585
- WHO. 2020. WHO Coronavirus (COVID-19) Dashboard. <https://covid19.who.int/> diakses 19 Juli 2022.
- Xiao X, dkk. (2003): The SARS-CoV S glycoprotein: Expression and functional characterization. *Biochemical and Biophysical Research Communications*, 312, 1159–1164
- Zhang C, Wu Z, Li JW, Zhao, Wang GQ, 2020. The cytokine release syndrome (CRS) of severe COVID-19 and IL-6 receptor (IL-6R) antagonist tocilizumab may be the key to reduce the mortality. In *International journal of antimicrobial Agents*, ELSEVIER, P: 1-6
- Zhu Z, Cai T, Fan L, Lou K, Hua X, Huang Z, 2020. Clinical value of immuneinflammatory parameters to asses the severity of coronavirus disease 2019. In *International society for infectious diseases*. ELSEVIER, P.1-8