

## DAFTAR PUSTAKA

- A.J-Lee, Suk Suh H, Jeon CH, Kim SG 2017). *Effects of one directional pneumatic tube system on routine hematology and chemistry; A validation study at tertiary care hospital..* Retrived July 30,2022, from <https://brd.nci.nih.gov/brd/paper/pract-lab-med/2017/effects-of-one-directional-pneumatic-tube-system-on-routine-hematology/127090>
- Cakirca, G. & Erdal, H. 2017. The Effect of Pneumatic Tube System on the Hemolysis of Biochemistry Blood Samples. *Journal of emergency Nursing.* 2016;43:255-8. <http://dx.doi.org/10.1016/j.en.2016.09.007>
- D'Hiru. 2013. *Live Blood Analysis.* Jakarta: PT Gramedia Pustaka Utama.
- Durachim et al.(2018). *Hemostasis.* Jakarta : BPPSDMK
- Emel Kocak F.Y., M. Ontem , O. Yucel, M. Cilo, O. Genc, A. Meral. 2012. *The Effects of Transport by Pneumatic Tube System on Blood Cell Count, Erythrocyte Sedimentation and Coagulation Tests.* Biochem Medica. Vol 2 No.23 : 206 - 10.
- Endra.(2017).*Pengantar Metodologi Penelitian.* Sidoarjo : Penerbit Zifatama Jawara
- Evliyaoqlu O, Toprak G, Tekin A, Basarali MK, Kilinc C, --. Effect of Pneumatic Tube Delivery System Rate and Distance on Hemolysis of Blood Samples. *J Clin Lab Anal.* 2012; 26(2): 66–69.
- Felder, RA. *Preanalytical errors introduced by sample transportation systems: a means to asses them.* *Clin Chem* 2011; 57:1349-50. <http://dx.doi.org/10.1373/clinchem.2011.172452>
- Gunawan, H & Marpaung, F.R. The comparison of blood gas analysis (BGA) parameters in samples transported by the pneumatic tube system and manual transport at Dr. Soetomo Hospital, Surabaya, Indonesia. *Bali Medical Journal* 2019 Volume 8 Number 2: 400-403 P-ISSN.2089-1180, E-ISSN.2302-2914.
- Guss D.A., Chan TC, Killeen JP. *The impact of a Pneumatic Tube and computerized physician order management on laboratory turnaround time.* *Ann Emerg Med.* 2008;51(2):181-185.
- Indra I M et al.(2019).*Cara Mudah Memahami Metodologi Penelitian.* Yogyakarta : Penerbit Deepublish

Kapoula G V., Kontou PI, Bagos PG. 2017. *The Impact of Pneumatic Tube system on laboratory parameters: A systematic review and meta-analysis*. Clin Chem Lab Med. 55(12): 1834-44.

Kara, H., Bayir, A., Ak, A., Degirmenci, S., Akinci, M., Agacayak, A., Marcil, E., & Azap, M. 2014. Hemolysis Associated with Pneumatic Tube System Transport for Blood Samples. *Pak J Med Sci*: 30(1). <http://dx.doi.org/10.12669/pjms.301.4228>

Kiswari, R. 2014. *Hematologi dan Transfusi*. Jakarta: Erlangga.

Kurniawan, Liong Boy, Asvin Nurulita & Uleng Bahrun. 2015. Pneumatic Tube terhadap darah rutin dan laktat dehydrogenase. Surabaya: Indonesia *Journal of Clinical Pathology and Medical Laboratory*.

Lippi, G., Alexander V. M., Janne C., dan Ana-Maria, S. 2018. *Blood Sample Quality*. *Journal of the Society to Improve Diagnosis in Medicine ( SIDM )* Vol. 6 No.

Mengko, R. dan Wahid, A. A. 2013. *Instrumen Laboratorium Klinik*. Bandung: Institut Teknologi Bandung.

Quellec, S., Paris, M., Nougier, C., Sobas, F., Rugeri, F., Girard, A., Bordet, J.C., Negrier, C., & Dargaud., Y. 2016. Pre-Analytical Effects Of Pneumatic Tube System Transport On Routine Haematologu And Coagulation Test, Global Coagulation Assays And Platelet Function Assays. Elsevier. Thrombosis Research 153 (2017) 7-13.<http://dx.doi.org/10.1016/j.thromres.2016.12.022>

Riswanto. 2013. *Pemeriksaan Laboratorium Hematologi*. Yogyakarta: Alfamedia dan Kanal Medisa.

Sacher, R. A. dan McPherson. 2004. *Tinjauan Klinis Hasil Pemeriksaan Laboratorium* Edisi 11. Jakarta : EGC.

Setiabudy, R. D. 2007. *Hemostasis dan Trombosis*. Jakarta: Fakultas Kedokteran Universitas Indonesia

Setyaji,Y. Fitriasari,K.Novitasari,T. Agustin,N. 2020. Evaluasi Penggunaan Pneumatic Tube System (PTS) terhadap Hasil Pemeriksaan Hematologi Rutin, Plasma Prothrombin Time (PPT), Activated Partial Thromboplastin Time (APTT) dan Kalium. *Jurnal Rumah Sakit Akademik Universitas Gadjah Mada Yogyakarta*.

Sugiyono. 2010. *Metode Penelitian Kuantitatif Kualitatif dan R&D*. Bandung: Alfabeta.

Tiwari,A.K.,Prashant,P.,Surbhi,D., dan Vimarsh R. 2012. *Speed of Sample Transportation by a Pneumatic Tube System can Influence the Degree of Hemolysis*. Clin Chem Lab Med 2012;50(3):471-474.