

DAFTAR PUSTAKA

- Adnyani, I. A. A. (2019). Penngelolaan Risiko Hipotensi Pasien Sectio Caesara dengan Spinal Anestesi Melalui Leg Elevation di IBS RS Pantiwilasa Citarum. *Jurnal Keperawatan: Politeknik Kesehatan Kemenkes Semarang*.
- Afifuddin, Sitanggang, R. H., & Oktaliyah, E. (2017). Perbandingan Pemberian Efedrin 30 mcg/kgBB dengan Efedrin 70 mcg/kgBB Intravena terhadap Skala Nyeri dan Efek Hipotensi pada Penyuntikan Propofol di Rumah Sakit Dr. Hasan Sadikin Bandung. *Jurnal Anestesi Perioperatif*, 5(3), 147–154. <https://doi.org/10.15851/jap.v5n3.1164>
- Assen, S., Jemal, B., & Tesfaye, A. (2020). Effectiveness of Leg Elevation to Prevent Spinal Anesthesia-Induced Hypotension during Cesarean Delivery in the Resource-Limited Area : Open Randomized Controlled Trial. *Hindawi: Anesthesiology Research and Practice*, 2020, 8.
- Astuti, L. W. (2022). Gambaran Tekanan Darah Dan Skala Nyeri Menstruasi Hari Pertama Pada Mahasiswi Diii Keperawatan Universitas Samawa. *Jurnal Nursing Update*, 13(1), 16–22.
- Beni, I., Widodo, U., & Widyastuti, Y. (2016). Perbandingan Insidensi Hipotensi Saat Induksi Intravena Propofol 2 Mg / Kg Bb Pada Posisi Supine dengan Perlakuan dan Tanpa Perlakuan Elevasi Tungkai. *Jurnal: Fakultas Kedokteran Universitas Andalas*, 5(1), 238–242.
- Butterworth, J. F., Mackey, D. C., & Wasnick, J. D. (2018a). *Morgan & Mikhail's Clinical Anesthesiology sixth edition*. Mc. Graw Hill.
- Cavallaro, F., Sandroni, C., Marano, C., La Torre, G., Mannocci, A., De Waure, C., Bello, G., Maviglia, R., & Antonelli, M. (2010). Diagnostic accuracy of passive leg raising for prediction of fluid responsiveness in adults: Systematic review and meta-analysis of clinical studies. *Intensive Care Medicine*, 36(9), 1475–1483. <https://doi.org/10.1007/s00134-010-1929-y>
- Chasanah, S. U., & Sugiman, S. S. (2022). Hubungan Aktifitas Fisik Dengan Derajat Hipertensi Pada Lansia Di Wilayah Kerja Puskesmas Berbah Sleman Yogyakarta. *An-Nadaa Jurnal Kesehatan Masyarakat*, 9(2), 119. <https://doi.org/10.31602/ann.v9i2.6683>
- Chopra, S., Thompson, J., Shahangian, S., Thapamagar, S., Moretta, D., Gasho, C., Cohen, A., & Id, H. B. N. (2019). *Precision and consistency of the passive leg raising maneuver for determining fluid responsiveness with bioreactance non- invasive cardiac output monitoring in critically ill patients and healthy volunteers*. 1–10.
- Donsu, J. (2016). *Metodologi Penelitian Keperawatan*. PT Pustaka Baru.
- El-adly, A., & Arianingsih, A. (2022). Tanggapan Responden Terhadap Media Pembelajaran Game Kanji Tabi. *MAHADAYA: Jurnal Bahasa, Sastra, Dan*

- Budaya*, 2(1), 83–92. <https://doi.org/10.34010/mhd.v2i1.7065>
- Fakhari, S., Bilehjani, E., Farzin, H., Pourfathi, H., & Chalabianlou, M. (2018). The effect of passive leg-raising maneuver on hemodynamic stability during anesthesia induction for adult cardiac surgery. *Integrated Blood Pressure Control*, 11, 57–63. <https://doi.org/10.2147/IBPC.S126514>
- Ferré, F., Martin, C., Bosch, L., Kurrek, M., Lairez, O., & Minville, V. (2020). Control of Spinal Anesthesia-Induced Hypotension in Adults. *Dovepress*, 1(3), 39–46.
- Fithriana, D. (2019). Pengaruh Elevasi Kaki Terhadap Perubahan Tekanan Darah Pada Pasien Dengan Tindakan Anestesi Spinal Di Rsud Kota Mataram. *Prima*, 5(2), 14–23. file:///C:/Users/User/Downloads/fvm939e.pdf
- Fitri, M. N. (2020). Literature review : Pengaruh Passive Legs Raising Terhadap Penilaian Responsivitas Cairan pada Klien Syok Sepsis. *Literature Review. Universitas Bhakti Kencana*.
- Folino, T. B., & Mahboobi, S. K. (2022). *Regional Anesthetic Block* (I. StatPearls (ed.)). StatPearls Publishing.
- Fujiyanti, S. N. (2019). Pengaruh Elevasi Tungkai terhadap Kejadian Hipotensi Lima Menit Pertama Pasca Induksi Propofol di IBS RSUP Dr. Soeradji Tirtonegoro Klaten. *Skripsi. Poltekkes Kemenkes Yogyakarta*.
- Gaba, D. M., Fish, K., Howard, S., & Burden, A. (2014). *Crisis Management in Anesthesiology* (2nd Editio). USA: Elsevier.
- Geerts, B. F., Bergh, L. Van Den, Stijnen, T., Aarts, L. P. H., & Jansen, J. R. C. (2012). Comprehensive review : is it better to use the Trendelenburg position or passive leg raising for the initial treatment of hypovolemia ? *Journal of Clinical Anesthesia*, 24(8), 668–674. <https://doi.org/10.1016/j.jclinane.2012.06.003>
- Hasanin, A., Aiyad, A., Elsakka, A., Kamel, A., Fouad, R., Osman, M., Mokhtar, A., Refaat, S., & Hassabelnaby, Y. (2017). Leg Elevation Decreases The Incidence of Post-Spinal Hypotension in Cesarean Section : a randomized controlled trial. *Journal BMC Anesthesiology*, 1–6. <https://doi.org/10.1186/s12871-017-0349-8>
- Hasina, S. N., Nadatien, I., Noventi, I., & Mahyuni, T. (2021). Burguer Allen Exercise Berpengaruh Terhadap Ketidakefektifan Perfusi Jaringan Perifer pada Penderita Diabetes Melitus. *Jurnal Keperawatan*, 13(September), 553–562.
- He, H. W., & Liu, D. W. (2016). *Passive Leg Raising in Intensive Care Medicine*. 129(14), 1755–1758. <https://doi.org/10.4103/0366-6999.185866>

- Jawaid, Z., Tariq, G. B., Ahmad, R., Haq, I., & Saeed, S. (2020). *Prevention of hypotension in Patients Undergoing Elective Caesarean Section under Spinal Anesthesia: Effect of Preloading with Crystalloid versus Colloid Infusion.* June, 1–5.
- Keat, S., Bate, S. T., Bown, A., & Lanham, S. (2013). *Anaesthesia on The Move.* Jakarta :Indeks.
- Ma, G. G., Tu, G.-W. T., Zhu, D. M., Hao, G. W., & Hou, J. Y. (2020). *Changes in Stroke Volume Variation Induced by Passive Leg Raising to Predict Fluid Responsiveness in Cardiac Surgical Patients With Protective Ventilation.* J Cardiothorac Vasc Anesth. <https://doi.org/10.1053/j.jvca.2019.10.002>.
- Mahendra, D. P., Mendri, N. K., & Prabowo, T. (2018). Pengaruh Elevasi Kaki Terhadap Hemodinamik pada Pasien Lansia Pasca Spinal Anestesi di Ruang Pemulihian RSUD Wates Kulonprogo Yogyakarta. *Caring: Jurnal Keperawatan.*
- Mangku, G., & Senapathi, T. G. A. (2017). *Buku ajar ilmu anestesi dan reanimasi.* Jakarta : Indeks. PT. MACANAN JAYA CEMERLANG.
- Marwoto, & Primatika. (2013). *Anestesi Lokal/ Regional. Anestesiologi 2 Bagian Anestesiologi dan terapi intensif FK UNDIP/ RSUP Dr. Kariadi.* PERDATIN Semarang Jawa Tengah.
- Mendonça, F. T., Crepaldi Junior, L. C., Gersanti, R. C., & de Araújo, K. C. (2021). Effect of ondansetron on spinal anesthesia-induced hypotension in non-obstetric surgeries: a randomised, double-blind and placebo-controlled trial. *Brazilian Journal of Anesthesiology (English Edition)*, 71(3), 233–240. <https://doi.org/10.1016/j.bjane.2020.12.028>
- Monnet, X., & Teboul, J. L. (2015). Passive leg raising: Five rules, not a drop of fluid! *Critical Care*, 19(1), 18–20. <https://doi.org/10.1186/s13054-014-0708-5>
- Notoatmodjo, S. (2018). *Metodologi Penelitian Kesehatan.* Rineka Cipta.
- Nurbudiman, R. I., Mardalena, I., & Maryana. (2020). *Relationship Between the Amount of Bleeding and The Occurrence of Hypotension in Patients with Caesarean Spinal Anesthesia in RSUD Banjarnegara.* Skripsi Thesis: Poltekkes Kemenkes Yogyakarta.
- Nursalam. (2020). *Metodologi Penelitian Ilmu Keperawatan.* Penerbit Salemba Medika.
- Octavirani, D. I. P. (2022). *Pengaruh Elevasi Kaki Terhadap Kestabilan Tekanan Darah pada Pasien Sectio Caesarea dengan Spinal Anestesi: Literatur Review.*
- Pramono, A. (2017). *Buku Kuliah Anestesi.* Jakarta: EGC.

- Puspitasari, A. I., Hendarsih, S., & Ekwantini, R. D. (2019). *Faktor-faktor yang Mempengaruhi Kejadian Hipotensi pada Pasien dengan Spinal Anestesi di RSUP dr. Soeradji Tirtonegoro Klaten*. Diploma thesis, Poltekkes Kemenkes Yogyakarta. 1908, 1–235.
- Rathmell, J. P., Neal, J., & Visconti, C. M. (2013). *Regional Anesthesia, the Requisites in Anesthesiology*. Elsevier. Mosby: Philadelphia.
- Rehatta, N. M., Hanindito, E., Tantri, A. R., Redjeki, I. S., Soenarto, R. F., Bisri, D. Y., Musba, A. M. T., & Lestari, M. I. (2019). *Anestesiologi dan Terapi Intensif Edisi Pertama*. Gramedia Pustaka Utama.
- Rouby, J. J., Monsel, A., Lucidarme, O., & Constantin, J. M. (2019). Trendelenburg Position and Morbid Obesity: A Respiratory Challenge for the Anesthesiologist. *American Society of Anesthesiologists*, 131(1), 10–13. <https://doi.org/10.1097/ALN.0000000000002779>
- Rustini, R., Fuadi, I., & Surahman, E. (2016). Insidensi dan Faktor Risiko Hipotensi pada Pasien yang Menjalani Seksio Sesarea dengan Anestesi Spinal di Rumah Sakit Dr. Hasan Sadikin Bandung. *Jurnal Anestesi Perioperatif*, 4(1), 42–49. <https://doi.org/10.15851/jap.v4n1.745>
- Soenarto, Ratna, F., & Susilo, C. (2012). *Buku Ajar Anestesiologi*. Fakultas Kedokteran Universitas Indonesia.
- Stoelting, R. K., & Hillier, S. C. (2014). *Stoelting's Pharmacology & Physiology in Anesthetic Practice Fifth Edition*. Lippincott Williams & Walkins Companies. Inc.
- Sudoyo, A. W., Setiyohadi, B., Idrus, A., Simadibrata, M., & Setiati, S. (2014). *Buku Ajar Ilmu Penyakit Dalam 4th ed*. Jakarta : Interna Publishing. Fakultas Kedokteran Universitas Indonesia.
- Sugiyono. (2013). *Metodologi Penelitian Administrasi*. CV. Alfabeta.
- Susalit, E., Kapojos, E., & Lubis, H. R. (2017). *Buku Ajar Ilmu Penyakit Dalam*. Balai Penerbit FKUI.
- Tamamilang, C. D., Kandou, G. D., Nelwan, J. E., Kesehatan, F., Universitas, M., & Ratulangi, S. (2018). Hubungan Antara Umur dan Aktivitas Fisik dengan Derajat Hipertensi Di Kota Bitung Sulawesi Utara. *Jurnal KESMAS*, 7(5).
- Villeco, J. P., & Otr, L. (2012). Edema: A Silent but Important Factor. *Journal of Hand Therapy*, 25(2), 153–162.