

**HUBUNGAN DUKUNGAN SUAMI DENGAN PENGGUNAAN
IUD POST PLACENTA SEBAGAI KB PASCA PERSALINAN
DI KLINIK PRATAMA KUSUMA MEDISCA
WATES KULON PROGO**

Dian Maliana PS¹, Wafi Nur Muslihatun², Ana Kurniati³

^{1,2,3} Jurusan Kebidanan Poltekkes Kemenkes Yogyakarta

Jl. Tatabumi No. 3 Banyuraden, Gamping Sleman

Email: dian981maliana@gmail.com, wafinur@yahoo.com, ana.calystara@gmail.com

ABSTRAK

Latar Belakang: Salah satu program KB yang digalakkan oleh pemerintah adalah KB pasca persalinan, dan alat kontrasepsi pasca persalinan yang dapat langsung dipasang pada 10 menit pertama setelah plasenta lahir adalah *Intra Uterine Device* (IUD). Cakupan peserta KB pasca persalinan di Indonesia menurut data provinsi tahun 2019 baru mencapai 34,3% dengan jenis kontrasepsi suntik terbanyak 63,7%, dan ada dua provinsi yang belum melaporkan cakupan KB pasca persalinan yaitu DI Yogyakarta dan Sulawesi Utara. Rendahnya minat IUD *post placenta* dipengaruhi oleh persepsi individu yang dipengaruhi oleh beberapa faktor pemodifikasi, salah satunya adalah dukungan suami.

Tujuan: Untuk mengetahui hubungan dukungan suami dengan penggunaan IUD *post placenta* sebagai KB pasca persalinan.

Metode: Jenis penelitian ini adalah observasional analitik dengan pendekatan *cross sectional*. Sampel yang digunakan adalah ibu bersalin di Klinik Pratama Kusuma Medisca yang memenuhi kriteria inklusi. Jumlah sampel adalah 62, pemilihan sampel menggunakan *simple random sampling*. Instrumen penelitian menggunakan angket dukungan suami dengan 13 pernyataan. Analisis data dilakukan dengan menggunakan program IBM SPSS *Statistics* versi 23.0.

Hasil: Ibu pasca bersalin yang memilih untuk menggunakan IUD *post placenta* lebih banyak pada ibu yang mendapatkan dukungan dari suaminya, yaitu 40,3% dibandingkan dengan ibu yang tidak mendapatkan dukungan dari suaminya. Secara statistik ada hubungan yang signifikan antara dukungan suami dengan penggunaan IUD *post placenta* sebagai KB pasca persalinan dengan $p\text{-value } 0,000 \leq \alpha = 0,05$, tingkat prevalensi $5,26 > 1$, dengan rentang interval kepercayaan 0,064-0,561.

Kesimpulan: Ada hubungan yang signifikan antara dukungan suami dengan penggunaan IUD *post placenta* sebagai KB pasca persalinan. Dukungan suami merupakan faktor risiko penggunaan IUD *post placenta* sebagai KB pasca persalinan.

Kata Kunci: Dukungan suami, IUD *post placenta*, KB pasca persalinan.

**THE RELATION OF HUSBAND'S SUPPORT WITH THE USE OF POST
PLACENTAL IUD AS A POST PARTUM FAMILY PLANNING
AT KLINIK PRATAMA KUSUMA MEDISCA
WATES KULON PROGO**

Dian Maliana PS¹, Wafi Nur Muslihatun², Ana Kurniati³
^{1,2,3}Departement of Midwifery Poltekkes Kemenkes Yogyakarta
Jl. Tatabumi No.3 Banyuraden, Gamping, Sleman

Email: dian981maliana@gmail.com, wafinur@yahoo.com, ana.calystara@gmail.com

ABSTRACT

Background: One of the family planning programs promoted by the government is post-partum family planning, and postpartum contraception that can be directly installed in the first 10 minutes after delivery of the placenta is Intra Uterine Device (IUD). The coverage of post partum family planning participants in Indonesia according to provincial data in 2019 only reached 34.3% with the most types of injectable contraception at 63.7%, and there are two provinces that have not reported post partum family planning coverage, namely DI Yogyakarta and North Sulawesi. The low post-placental interest is influenced by individual perceptions which are influenced by some modifying factors, and one of them is husband's support.

Objective: To determine the relation between husband support and the use of post-placental IUD as post partum family planning.

Methods: The type of this research was observational analytic with cross sectional approach. The samples used were mothers who gave birth at Klinik Pratama Kusuma Medisca who met the inclusion criteria. The number of samples was 62, simple random sampling was used in sample selection. The research instrument used a husband's support questionnaire with 13 statements. Data analysis was performed using the IBM SPSS Statistics program version 23.0.

Result: Post partum mothers who choose to use the post placental IUD are more likely to receive support from their husbands, which is 40.3% compared to mothers who do not receive support from their husbands. Statistically there is a significant relation between husband's support and the use of post placental IUD as post partum family planning with $p\text{-value } 0.000 \leq \alpha = 0.05$, prevalence rate $5.26 > 1$, with a confidence interval range of 0.064-0.561.

Conclusion: There was a significant correlation between husband's support and the use of post placental IUD as post partum family planning. The husband's support is a risk factor for the use of post placental IUD as post partum family planning.

Keyword: Husband support, IUD post placenta, post partum family planning.