

## DAFTAR PUSTAKA

- Al-Ghanem, S. *et al.* (2019) '*Predictors of nausea and vomiting risk factors and its relation to anesthesia in a teaching hospital*', *Trends in Medicine*, 19(1). Available at: <https://doi.org/10.15761/TiM.1000171>.
- American Society of PeriAnesthesia Nurses PONV/PDNP Strategic Work Team (2006) '*ASPAN'S evidence-based clinical practice guideline for the prevention and/or management of PONV/PDNP*', *Journal of PeriAnesthesia Nursing: Official Journal of the American Society of PeriAnesthesia Nurses*, 21(4), pp. 230–250. Available at: <https://doi.org/10.1016/j.jopan.2006.06.003>.
- Ananda, F.R. (2020) *Skripsi Hubungan Lama Operasi Dengan Kejadian Post Operative Nausea Vomiting (Ponv) Pasca General Anestesi di RSUD Panembahan Senopati Bantul*. skripsi. Poltekkes Kemenkes Yogyakarta. Available at: <http://poltekkesjogja.ac.id> (Accessed: 22 January 2024).
- Apfel, C.C. *et al.* (2012) '*Evidence-based analysis of risk factors for postoperative nausea and vomiting*', *BJA: British Journal of Anaesthesia*, 109(5), pp. 742–753. Available at: <https://doi.org/10.1093/bja/aes276>.
- Arikunto, S. (2010) *Prosedur Penelitian Suatu Pendekatan Praktik (Edisi Revisi 2010)*. Rineka Cipta.
- Arikunto, S. (2014) *Prosedur penelitian: suatu pendekatan praktik*. Jakarta: Rineka Cipta.
- Aziz, M.A., Palestin, B. and Induniasih, I. (2023) '*Faktor-Faktor yang Mempengaruhi Mual dan Muntah Pasca Bedah pada Pasien Anestesi Umum di Rumah Sakit Umum Daerah Dr Soedirman Kebumen*', *Anaesthesia Nursing Journal*, 1(1). Available at: <https://doi.org/10.29238/anj.v1i1.1156>.
- Cao, X., White, P.F. and Ma, H. (2017) '*An update on the management of postoperative nausea and vomiting*', *Journal of Anesthesia*, 31(4), pp. 617–626. Available at: <https://doi.org/10.1007/s00540-017-2363-x>.
- Chatterjee, S., Rudra, A. and Sengupta, S. (2011) '*Current Concepts in the Management of Postoperative Nausea and Vomiting*', *Anesthesiology Research and Practice*, 2011, p. e748031. Available at: <https://doi.org/10.1155/2011/748031>.
- Cing, M.T.G.C., Hardiyani, T. and Hardini, D.S. (2022) '*Faktor Yang Mempengaruhi Kejadian Mual Muntah Post Operasi*', *Poltekita : Jurnal Ilmu Kesehatan*, 16(1), pp. 16–21. Available at: <https://doi.org/10.33860/jik.v16i1.537>.

- Collins, A.S. (2011) '*Postoperative Nausea and Vomiting in Adults: Implications for Critical Care*', *Critical Care Nurse*, 31(6), pp. 36–45. Available at: <https://doi.org/10.4037/ccn2011470>.
- Craigo, P (2006) '*Physiologic and Pharmacologic Bases of Anesthesia; Williams and Wilkins.*', Philadelphia, USA [Preprint].
- Elvir-Lazo, O.L. *et al.* (2020) '*Management strategies for the treatment and prevention of postoperative/postdischarge nausea and vomiting: an updated review*', *F1000Research*, 9, p. F1000 Faculty Rev-983. Available at: <https://doi.org/10.12688/f1000research.21832.1>.
- Fernández-Guisasola, J. *et al.* (2010) '*Association between nitrous oxide and the incidence of postoperative nausea and vomiting in adults: a systematic review and meta-analysis*', *Anaesthesia*, 65(4), pp. 379–387. Available at: <https://doi.org/10.1111/j.1365-2044.2010.06249.x>.
- Fithrah, B.A. (2014) '*Penatalaksanaan Mual Muntah Pasca bedah di Layanan Kesehatan Primer*', *Cermin Dunia Kedokteran*, 41(6), 407-411. [Preprint].
- Gan, T.J. *et al.* (2014) '*Consensus Guidelines for the Management of Postoperative Nausea and Vomiting*', *Anesthesia & Analgesia*, 118(1), p. 85. Available at: <https://doi.org/10.1213/ANE.0000000000000002>.
- Golembiewski, J., Chernin, E. and Chopra, T. (2005) '*Prevention and treatment of postoperative nausea and vomiting*', *American Journal of Health-System Pharmacy*, 62(12), pp. 1247–1260. Available at: <https://doi.org/10.1093/ajhp/62.12.1247>.
- Gondim, C.R.N. *et al.* (2009) '*Prevention and treatment of postoperative nausea and vomiting*', *Revista Brasileira de Terapia Intensiva*, 21, pp. 89–95. Available at: <https://doi.org/10.1590/S0103-507X2009000100013>.
- Gupta, Meenakashi and Rhee, Douglas. (2015) *Ophthalmic Anesthesia*.
- Guyton, Arthur C. and John E (2008) *Buku Ajar Fisiologi Kedokteran edisi 11, Cetakan II*. Jakarta: EGC.
- Gwinnutt, C. L. (2017) *Catatan Kuliah Anestesi Klinis*. Jakarta: EGC.
- Harahap, A., Kadarsah, R. and Oktaliansah, E. (2014) '*Angka Kejadian Hipotermia dan Lama Perawatan di Ruang Pemulihan pada Pasien Geriatri Pascaoperasi Elektif Bulan Oktober 2011–Maret 2012 di Rumah Sakit Dr. Hasan Sadikin Bandung*', *Jurnal Anestesi Perioperatif*, 2, pp. 36–44. Available at: <https://doi.org/10.15851/jap.v2n1.236>.
- HARTOYO, E.P. (2015) *Hubungan Antara Karakteristik Demografi Dengan Pengetahuan Mobilisasi Dini Pada Pasien Post Operasi Laparatomi Di*

*Rs Pku Muhammadiyah Bantul*. S1. Universitas Muhammadiyah Yogyakarta. Available at: <https://etd.umy.ac.id/id/eprint/18327/> (Accessed: 20 December 2023).

- Hendro, R.T., Pradian, E. and Indriasari, I. (2018) ‘*Penggunaan Skor Apfel Sebagai Prediktor Kejadian Mual Dan Muntah Pascaoperasi Di RSUP Dr. Hasan Sadikin Bandung*’, *Jurnal Anestesi Perioperatif*, 6(2), pp. 89–97. Available at: <https://doi.org/10.15851/jap.v6n2.1425>.
- Howard S. Smith, Eric J. Smith and Benjamin R. Smith (2012) ‘*Postoperative Nausea And Vomiting*’, *Annals of Palliative Medicine*, 1(2), pp. 94–102. Available at: <https://doi.org/10.3978/j.issn.2224-5820.2012.07.05>.
- Jokinen, J. *et al.* (2012) ‘*Management of Postoperative Nausea and Vomiting: How to Deal with Refractory PONV*’, *Anesthesiology Clinics*, 30(3), pp. 481–493. Available at: <https://doi.org/10.1016/j.anclin.2012.07.003>.
- Karnina, R. and Salmah, M. (2022) ‘*Hubungan Usia, Jenis Kelamin, Lama Operasi dan Status ASA dengan Kejadian PONV pada Pasien Pasca Operasi Laparotomi Bedah Digestif*’, *Health and Medical Journal*, 4(1), pp. 16–22. Available at: <https://doi.org/10.33854/heme.v4i1.867>.
- Kim, T.H. *et al.* (2007) ‘*The Reliability and Validity of the Rhodes Index of Nausea, Vomiting and Retching in Postoperative Nausea and Vomiting.*’, *Korean Journal of Anesthesiology*, 52(6), pp. S59–S65.
- Kristanti, R., Sukmaningtyas, W. and Ulfah, M. (2022) ‘*Hubungan Lama Puasa dengan Kejadian Post Operative Nausea Vomiting (PONV) pada Pasien General Anestesi di RSUI Harapan Anda Tegal*’, *Seminar Nasional Penelitian dan Pengabdian Kepada Masyarakat*, pp. 61–65. Available at: <https://doi.org/10.35960/snppkm.v2i1.1080>.
- Latief, S (2010) *Buku Petunjuk Praktis Anestesiologi Edisi Kedua*. Jakarta: Bagian Anastesiologi dan Terapi Intensif FK-UI.
- Leslie, K. *et al.* (2008) ‘*Risk factors for severe postoperative nausea and vomiting in a randomized trial of nitrous oxide-based vs nitrous oxide-free anaesthesia*’, *BJA: British Journal of Anaesthesia*, 101(4), pp. 498–505. Available at: <https://doi.org/10.1093/bja/aen230>.
- M Yusuf Gunawan, - *et al.* (2020) ‘*Sensitivity and specificity comparison between Apfel, Koivuranta, and Sinclair score as PONV predictor in post general anesthesia patient*’, *Qanun Medika Jurnal Kedokteran*, 4(1). Available at: <https://journal.um-surabaya.ac.id/index.php/qanunmedika/article/view/2826> (Accessed: 1 January 2024).

- Mangku, G. and Senapathi, T. G. A. (2010) *Buku ajar ilmu anestesia dan reanimasi*. Jakarta: indeks. Available at: <https://dpk.kepriprov.go.id/opac/detail/rjsct> (Accessed: 16 December 2023).
- McHardy, F.E. and Chung, F. (1999) 'Postoperative sore throat: cause, prevention and treatment', *Anaesthesia*, 54(5), pp. 444–453. Available at: <https://doi.org/10.1046/j.1365-2044.1999.00780.x>.
- Millizia, A. et al. (2021) 'Faktor-Faktor yang Berhubungan dengan Kejadian Postoperative Nausea and Vomiting pada Pasien Anestesi Umum di Rumah Sakit Umum Cut Meutia Aceh Utara', *AVERROUS: Jurnal Kedokteran dan Kesehatan Malikussaleh*, 7(2), pp. 13–23. Available at: <https://doi.org/10.29103/averrous.v7i2.5391>.
- MUNTHOLIB, M.I. (2018) *Pengaruh Pemberian Terapi Akupressur Terhadap Kejadian Mual Muntah Pada Pasien Paska Anestesi Umum di RSUD Wates Kulon Progo*. diploma. Poltekkes Kemenkes Yogyakarta. Available at: <http://poltekkesjogja.ac.id> (Accessed: 26 December 2023).
- Myles, P.S. et al. (2016) 'Severe Nausea And Vomiting In The Evaluation Of Nitrous Oxide In The Gas Mixture For Anesthesia II Trial', *Anesthesiology*, 124(5), pp. 1032–1040. Available at: <https://doi.org/10.1097/ALN.0000000000001057>.
- Ndruru, R.K., Sitorus, S. and Barus, N. (2019) 'Gambaran Diagnostik Dan Penatalaksanaan Gastritis Rawat Inap BPJS Di RSUD Royal Prima Medan Tahun 2017', *Jurnal Kedokteran dan Kesehatan*, 15(2), pp. 209–216. Available at: <https://doi.org/10.24853/jkk.15.2.209-216>.
- Nithyashri, J. and Kulanthaivel, G. (2012) 'Classification Of Human Age Based On Neural Network Using FG-NET Aging Database And Wavelets', in. *4th International Conference on Advanced Computing, ICoAC 2012*, pp. 1–5. Available at: <https://doi.org/10.1109/ICoAC.2012.6416855>.
- Notoatmodjo, S. (2002) *Metodologi Penelitian Kesehatan, Edisi Revisi*. PT. Mahasatya.
- Notoatmodjo, S. (2010) *Metode Penelitian Kesehatan*. Jakarta: Rineka cipta.
- Notoatmodjo, S. (2012) *Metodologi Penelitian Kesehatan Tahun 2012*. Rineka Cipta. Available at: [//perpus.poltekkesjkt2.ac.id/index.php?p=show\\_detail&id=3341&keyword=s](http://perpus.poltekkesjkt2.ac.id/index.php?p=show_detail&id=3341&keyword=s) (Accessed: 2 January 2024).
- Notoatmodjo, S. (2018) *Metodologi penelitian kesehatan (2018)*. Rineka Cipta. Available at:

//opac.poltekkestasikmalaya.ac.id%2Findex.php%3Fp%3Dshow\_detail%26id%3D3190 (Accessed: 2 January 2024).

- Nurleli, N., Mardhiah, A. and Nilawati, N. (2021) '*Faktor yang Meningkatkan Kejadian Post-operative Nausea And Vomiting (Ponv) pada Pasien Laparatomi*', *Jurnal Keperawatan Priority*, 4(2), pp. 58–69. Available at: <https://doi.org/10.34012/jukep.v4i2.1722>.
- Nursalam (2008) *Konsep dan Penerapan Metodologi Penelitian Ilmu Keperawatan*. Jakarta: Salemba Medika.
- Omoigui, S (2009) *Buku Saku Obat-obatan*. Edisi 11. Jakarta: EGC.
- Pierre, S. and Whelan, R. (2013) '*Nausea and vomiting after surgery*', *Continuing Education in Anaesthesia Critical Care & Pain*, 13(1), pp. 28–32. Available at: <https://doi.org/10.1093/bjaceaccp/mks046>.
- Potter, P. A and Perry, A. G. (2010) *Buku Ajar Ilmu Bedah*. Edisi 7. Jakarta: EGC.
- Pramono, A. (2015) '*Buku kuliah anestesi*', Jakarta: EGC [Preprint]. Available at: <https://scholar.google.com/scholar?cluster=7401883584627153532&hl=en&oi=scholar> (Accessed: 7 December 2023).
- Rahmatisa, D., Rasman, M. and Saleh, S.C. (2019) '*Komplikasi Mual Muntah Pascaoperasi Bedah Saraf*', *Jurnal Neuroanestesi Indonesia*, 8(1), pp. 72–82. Available at: <https://doi.org/10.24244/jni.vol8i1.202>.
- Rahmatisa, Rasman, M., and D& Saleh, S. C. (2019) '*Komplikasi Mual Muntah Pascaoperasi Bedah Saraf.*', *Jurnal Neuroanestesi Indonesia*, 8(1), 72-82. [Preprint].
- Ramadhan, D., Faizal, K.M. and Fitri, N. (2023) '*Pengaruh Konseling dengan Pendekatan, Thinking, Feeling dan Acting (TFA) terhadap Tekanan Darah pada Pasien Pre Operasi*', *Jurnal Penelitian Perawat Profesional*, 5(2), pp. 637–644. Available at: <https://doi.org/10.37287/jppp.v5i2.1522>.
- Rihiantoro, T., Oktavia, C. and Udani, G. (2018) '*Pengaruh Pemberian Aromaterapi Peppermint Inhalasi terhadap Mual Muntah pada Pasien Post Operasi dengan Anestesi Umum*', *Jurnal Ilmiah Keperawatan Sai Betik*, 14(1), pp. 1–10. Available at: <https://doi.org/10.26630/jkep.v14i1.1000>.
- Rismawan, W. (2019) '*Tingkat Kecemasan Pasien Pre-Operasi di RSUD Dr.Soekardjo Kota Tasikmalaya*', *Jurnal Kesehatan Bakti Tunas Husada: Jurnal Ilmu-ilmu Keperawatan, Analis Kesehatan dan Farmasi*, 19(1). Available at: <https://ejurnal.universitas->

bth.ac.id/index.php/P3M\_JKBTH/article/view/451 (Accessed: 20 December 2023).

- Saryono (2010) *Metodologi penelitian kesehatan penuntun praktis bagi pemula*. Cet. III. Mitra Cendikia Press.
- Seok, Y. *et al.* (2021) ‘*Effectiveness of Integrated Education to Reduce Postoperative Nausea, Vomiting, and Dizziness after Abdominal Surgery under General Anesthesia*’, *International Journal of Environmental Research and Public Health*, 18(11), p. 6124. Available at: <https://doi.org/10.3390/ijerph18116124>.
- Setiadi, N. J. (2013a) ‘*Perilaku Konsumen (Revisi)*’, *Kencana Prenada Media Group*.
- Setiadi, N. J. (2013b) *Perilaku Konsumen (Revisi)*. Jakarta: Kencana Prenada Media Group.
- Shaikh, S.I. *et al.* (2016) ‘*Postoperative nausea and vomiting: A simple yet complex problem*’, *Anesthesia, Essays and Researches*, 10(3), pp. 388–396. Available at: <https://doi.org/10.4103/0259-1162.179310>.
- Sholihah, A., Sikumbang, K.M. and Husairi, A. (2015) ‘*Gambaran Angka Kejadian Post Operative Nausea And Vomiting (Ponv) di RSUD Ulin Banjarmasin Mei-Juli 2014*’, *Berkala Kedokteran*, 11(1), pp. 119–129. Available at: <https://doi.org/10.20527/jbk.v11i1.192>.
- Siregar, F.F., Wibowo, T.H. and Handayani, R.N. (2024) ‘*Faktor-faktor yang Memengaruhi Post Operative Nausea and Vomiting (PONV) Pada Pasien Pasca Anestesi Umum*’, *Jurnal Penelitian Perawat Profesional*, 6(2), pp. 821–830. Available at: <https://doi.org/10.37287/jppp.v6i2.2296>.
- Soerasdi (2010) *Buku Saku Obat-Obat Anesthesia Sehari-Hari*. Keperawatan Anestesi dan Gawat Darurat Medik. Bandung.
- Son, J. and Yoon, H. (2018) ‘*Factors Affecting Postoperative Nausea and Vomiting in Surgical Patients*’, *Journal of PeriAnesthesia Nursing*, 33(4), pp. 461–470. Available at: <https://doi.org/10.1016/j.jopan.2016.02.012>.
- Sudjito, M.H., Mulyata, M. and Setyawati, T. (2018) ‘*Kejadian Mual Muntah Pasca-Laparotomi (PONV) Setelah Pemberian Granisetron Dibandingkan Setelah Pemberian Kombinasi Ondansetron - Deksametason*’, *Cermin Dunia Kedokteran*, 45(3), pp. 172–175. Available at: <https://doi.org/10.55175/cdk.v45i3.185>.
- Sugiyono (2017) *Metode Penelitian Kuantitatif, Kualitatif Dan R&D*. Bandung: Alfabeta.

- Sweis, I., Yegiyants, S.S. and Cohen, M.N. (2013) 'The management of postoperative nausea and vomiting: current thoughts and protocols', *Aesthetic Plastic Surgery*, 37(3), pp. 625–633. Available at: <https://doi.org/10.1007/s00266-013-0067-7>.
- Tinsley, M.H. and Barone, C.P. (2013) 'Preventing postoperative nausea and vomiting', *Nursing2023*, 43(12), p. 42. Available at: <https://doi.org/10.1097/01.NURSE.0000428698.64345.c8>.
- Vacanti, C. *et al.* (2011) *Essential Clinical Anesthesia*. Cambridge University Press.
- Visser, K. *et al.* (2001) 'Randomized Controlled Trial of Total Intravenous Anesthesia with Propofol versus Inhalation Anesthesia with Isoflurane–Nitrous Oxide: Postoperative Nausea and Vomiting and Economic Analysis', *Anesthesiology*, 95(3), pp. 616–626. Available at: <https://doi.org/10.1097/00000542-200109000-00012>.
- Wu, J., Dai, L. and Lou, W. (2020) 'Incidence and risk factor for short term postoperative cough after thyroidectomy', *BMC Cancer*, 20, p. 888. Available at: <https://doi.org/10.1186/s12885-020-07392-1>.
- Yağan, Ö. *et al.* (2017) 'Comparison of the effects of sugammadex and neostigmine on postoperative nausea and vomiting', *Revista Brasileira de Anestesiologia*, 67, pp. 147–152. Available at: <https://doi.org/10.1016/j.bjane.2015.08.003>.
- Yi, M.S. *et al.* (2018) 'Relationship between the incidence and risk factors of postoperative nausea and vomiting in patients with intravenous patient-controlled analgesia', *Asian Journal of Surgery*, 41(4), pp. 301–306. Available at: <https://doi.org/10.1016/j.asjsur.2017.01.005>.
- Zainumi, C.M. (2009) *Perbandingan antara Skor Apfel dengan Skor Koivuranta terhadap Prediksi Terjadinya Post Operative Nausea and Vomiting pada Anestesi Umum*. Thesis. Universitas Sumatera Utara. Available at: <https://repositori.usu.ac.id/handle/123456789/33655> (Accessed: 28 December 2023).