

DAFTAR PUSTAKA

- Anggraeni, G.D., Nissa, C. and Candra, A. (2023) ‘Analisis Kandungan Gizi dan Viskositas Formula Enteral Berbasis Tepung Sorgum dan Tepung Kedelai untuk Diabetes Mellitus’, *Jurnal of Nutrition College*, 12(4), pp. 287–295.
- Annisa, W.I. et al. (2020) ‘Microbiology Quality and Shelf Life Analysis of Enteral Formulas Based on Tempeh Flour and Yam Flour’, *Jurnal Gizi Indonesia (The Indonesian Journal of Nutrition)*, 8(2), pp. 85–91. Available at: <https://doi.org/10.14710/jgi.8.2.85-91>.
- Bischoff, S.C. et al. (2020) ‘ESPEN Guideline on Home Enteral Nutrition’, *Clinical Nutrition*, 39(1), pp. 5–22. Available at: <https://doi.org/10.1016/j.clnu.2019.04.022>.
- BKPK Kemenkes RI (2023) *Survei Kesehatan Indonesia (SKI) Tahun 2023*. Jakarta: Kementerian Kesehatan RI.
- Boullata, J.I. et al. (2017) ‘ASPEN Safe Practices for Enteral Nutrition Therapy’, *Journal of Parenteral and Enteral Nutrition*, 41(1), pp. 15–103. Available at: <https://doi.org/10.1177/0148607116673053>.
- Chi, R. et al. (2022) ‘Elevated BCAA Suppresses the Development and Metastasis of Breast Cancer’, *Frontiers in Oncology*, 12(June), pp. 1–12. Available at: <https://doi.org/10.3389/fonc.2022.887257>.
- Chudy, S. et al. (2020) ‘Colour of milk and milk products in CIE Lab space’, *Medycyna Weterynaryjna*, 76(2), pp. 77–81. Available at: <https://doi.org/10.21521/mw.6327>.
- DAA (2018) *Enteral Nutrition Manual for Adults in Health Care Facilities*. Australia: Dietitian Association of Australia.
- Darmawan, A.R.F. and Adriani, M. (2019) ‘Status Gizi, Asupan Energi dan Zat Gizi Makro Pasien Kanker yang Menjalani Kemoterapi di Rumkital Dr. Ramelan Surabaya’, *Amerta Nutrition*, 3(3), pp. 149–157. Available at: <https://doi.org/10.2473/amnt.v3i3.2019.149-157>.
- Dwiputra, D. et al. (2015) ‘Minyak Jagung Alternatif Pengganti Minyak yang Sehat’, *Jurnal Aplikasi Teknologi Pangan*, 4(2), pp. 5–6. Available at:

- [https://doi.org/10.17728/jatp.2015.09.](https://doi.org/10.17728/jatp.2015.09)
- Egayanti, Y. et al. (2019) *Pedoman Evaluasi Mutu Gizi dan Non Gizi Pangan*. Jakarta: Direktorat Standardisasi Pangan Olahan, BPOM.
- Food and Agriculture Organization of The United Nations (2013) *Dietary Protein Quality Evaluation In Human Nutrition. Report of an FAQ Expert Consultation, FAO food and nutrition paper*. Rome: FAO.
- Freitas, R.D.S. and Campos, M.M. (2019) ‘Protective Effects of Omega-3 Fatty Acids in Cancer-Related Complications Raquel’, *Nutrients*, 11(5), p. 945. Available at: <https://doi.org/https://doi.org/10.3390/nu11050945>.
- Gilani, G.S. (2012) ‘Impact of Antinutritional Factors in Food Proteins on the Digestibility of Protein and the Bioavailability of Amino Acids and on Protein Quality’, *British Journal of Nutrition*, 108(S2), pp. S315–S332. Available at: <https://doi.org/10.1017/S0007114512002371>.
- Gozalli, M., Nurhayati, N. and Nafi, A. (2015) ‘Karateristik Tepung Kedelai dari Jenis Impor dan Lokal (Varietas Anjasmoro dan Baluran) dengan Perlakuan Perebusan dan Tanpa Perebusan’, *Jurnal Agroteknologi*, 09(02), pp. 191–200.
- Ichimaru, S. and Amagai, T. (2014) ‘Viscosity Thickened Enteral Formula’, *Diet and Nutrition in Critical Care* [Preprint], (November 2014). Available at: <https://doi.org/10.1007/978-1-4614-8503-2>.
- Itou, M. (2009) ‘Heating Improves Poor Compliance With Branched Chain Amino Acid-Rich Supplementation In Patients With Liver Cirrhosis: A Before-After Pilot Study’, *Molecular Medicine Reports*, 02(06), pp. 667–671. Available at: https://doi.org/10.3892/mmr_00000202.
- Jaya, I.K.S. (2016) ‘Pengaruh Penambahan Tepung Kedelai Terhadap Cita Rasa dan Kadar Air Cookies Ubi Jalar Ungu’, *Jurnal Gizi Prima*, 1(1), pp. 1–10.
- kalbemed (2023) *Product Profile Nutrican*. Available at: <https://kalbemed.com/product/id/229> (Accessed: 12 December 2023).
- Kementerian Kesehatan RI (2018) *Tabel Komposisi Pangan Indonesia*. Jakarta: Direktorat Jenderal Kesehatan Masyarakat.
- Kristanti, D. (2021) ‘Karakteristik Fisikokimia MP-ASI Bubur Bayi Instan

- Berbasis Mocaf dengan Substitusi Tepung Tempe dan Susu Skim sebagai Sumber Protein’, *Jurnal Riset Teknologi Industri*, 15(1), pp. 12–22.
- Lieu, E.L. et al. (2020) ‘Amino Acids in Cancer’, *Experimental and Molecular Medicine*, 52(1), pp. 15–30. Available at: <https://doi.org/10.1038/s12276-020-0375-3>.
- Magan, J.B. et al. (2019) ‘Impact of Bovine Diet on Metabolomic Profile of Skim Milk and Whey Protein Ingredients’, *Metabolites*, 9(12), p. 305. Available at: <https://doi.org/10.3390/metabo9120305>.
- Mahan, K. and Raymond, J.L. (2017) *Krause’s Food & Nutrition Care Process*. 14th edn. St. Louis, Missouri: Elsevier Inc.
- Mandang, F.O., Dien, H. and Yelnetty, A. (2016) ‘Aplikasi Penambahan Konsentrasi Susu Skim terhadap Kefir Susu Kedelai (Glycine Max Semen)’, *J. Ilmu dan Teknologi Pangan*, 4(1), pp. 9–17.
- Marischa, S. et al. (2017) ‘Malnutrisi pada Kanker’, *Medula*, 7(4), pp. 107–111.
- Mattiuzzi, C. and Lippi, G. (2019) ‘Current Cancer Epidemiology’, *Journal of Epidemiology and Global Health*, 9(4), pp. 217–222.
- Miyanaga, Y. et al. (2004) ‘Suppression of the Bitterness of Enteral Nutrients Using Increased Particle Sizes of Branched-Chain Amino Acids (BCAAs) and Various Flavours: a Taste Sensor Study’, *Chemical and Pharmaceutical Bulletin*, 52(4), pp. 490–493. Available at: <https://doi.org/10.1248/cpb.52.490>.
- Mukai, J. et al. (2007) ‘Inhibitory Effect of Aroma On The Bitterness of Branched-Chain Amino Acid Solutions’, *Chemical and Pharmaceutical Bulletin*, 55(11), pp. 1581–1584. Available at: <https://doi.org/10.1248/cpb.55.1581>.
- Mundi, M.S., Epp, L. and Hurt, R.T. (2016) ‘Increased Force Required with Proposed Standardized Enteral Feed Connector in Blenderized Tube Feeding’, *Nutrition in Clinical Practice*, 31(6), pp. 795–798. Available at: <https://doi.org/10.1177/0884533616639126>.
- Muscaritoli, M. et al. (2021) ‘ESPEN Practical Guideline: Clinical Nutrition in Cancer’, *Clinical Nutrition*, 40(5), pp. 2898–2913. Available at: <https://doi.org/10.1016/j.clnu.2021.02.005>.

- Nelms, M., Roth, S.L. and Sucher, K. (2016) *Nutrition Therapy and Pathophysiology*. 3rd edn. Boston: Cengage learning.
- Ojo, O. et al. (2020) 'An Evaluation of the Nutritional Value and Physical Properties of Blenderised Enteral Nutrition Formula: A Systematic Review and Meta-Analysis', *Nutrients*, 12(6), p. 1840. Available at: <https://doi.org/10.3390/nu12061840>.
- Omosebi, M.O., Osundahuns, O.F. and Fagbemi, T.N. (2018) 'Effect of extrusion on protein quality , antinutritional factors , and digestibility of complementary diet from quality protein maize and soybean protein concentrate', *Journal of Food Biochemistry*, 42(4), p. e12508. Available at: <https://doi.org/10.1111/jfbc.12508>.
- Palupi, F.D. (2015) 'Pembuatan Formula Enteral Gagal Ginjal Kronik (Ggk) Menggunakan Tepung Mocaf, Tepung Ikan Gabus Dan Konsentrat Protein Kecambah Kedelai', *Jurnal Informasi Kesehatan Indonesia*, 1(1), pp. 42–57.
- Qin, P., Wang, T. and Luo, Y. (2022) 'A Review on Plant-Based Proteins From Soybean : Health Benefits and Soy Product Development', *Journal of Agriculture and Food Research*, 7(12), p. 100265.
- Rahmadanti, T.S. (2020) 'Pengembangan Formula Enteral Hepatogomax untuk Penyakit Hati berbasis Tepung Kedelai dan Tepung Susu Kambing', *Jurnal Gizi Indonesia*, 9(1), pp. 1–10.
- Rahmawati, W.N., Nasrullah, N. and Puspita, I.D. (2021) 'Pengaruh Subtitusi Biji Jali Terhadap Kandungan Gizi, Metionin dan Lisin Tempe Kedelai', *Ghidza : Jurnal Gizi dan Kesehatan*, 5(2), pp. 140–152.
- Rauf, R. and Utami, A. (2020) 'Nutrition value and viscosity of polymeric enteral nutrition products based on purple sweet potato flour with variation of maltodextrin levels', *Jurnal Gizi Indonesia*, 8(2), pp. 119–125.
- Santos, D.C. Dos et al. (2022) 'Blenderized Formulations In Home Enteral Nutrition: A Narrative Review About Challenges In Nutritional Security and Food Safety', *Nutrition Reviews*, 80(6), pp. 1580–1598. Available at: <https://doi.org/10.1093/nutrit/nuab121>.
- Sheng, S., Li, T. and Liu, R. (2018) 'Corn Phytochemicals and Their Health

- Benefits', *Food Science and Human Wellness*, 7(3), pp. 185–195. Available at: <https://doi.org/10.1016/j.fshw.2018.09.003>.
- Susetyowati *et al.* (2018) 'Asupan Makan, Status Gizi, Dan Kualitas Hidup Pasien Kanker Payudara Di RSUP Dr Sardjito Yogyakarta', *Jurnal Gizi Klinik Indonesia*, 14(4), pp. 146–153.
- Sutikno, V. *et al.* (2020) 'GLITEROS Enteral Formula Based on Tempeh Flour and Jicama Flour for Patients with Hyperglycemia', *Food Research*, 4(Suppl. 3), pp. 38–45.
- Utama, A.N. and Anjani, G. (2016) 'Subsitusi Isolat Protein Kedelai pada Daging Analog kacang Merah', *Journal of Nutrition College*, 5(3), pp. 402–411.
- Vazeille, C. *et al.* (2017) 'Relation Between Hypermetabolism, Cachexia, and Survival In Cancer Patients: A Prospective Study In 390 Cancer Patients Before Initiation of Anticancer Therapy', *American Journal of Clinical Nutrition*, 105(5), pp. 1139–1147. Available at: <https://doi.org/10.3945/ajcn.116.140434>.
- Xu, E. *et al.* (2023) 'Branched-Chain Amino Acids Catabolism and Cancer Progression : Focus on Therapeutic Interventions', *Front Oncology*, 13, p. 1220638. Available at: <https://doi.org/10.3389/fonc.2023.1220638>.
- Yanti *et al.* (2023) 'Branched Chain Amino Acid Content and Antioxidant Oral Nutrition Supplements', *foods*, 12(14), p. 2789.
- Zhao, T. *et al.* (2019) 'Dietary Isoflavones or Isoflavone-Rich Food Intake and Breast Cancer Risk : A Meta-Analysis of Prospective Cohort Studies', *Clinical Nutrition*, 38(1), pp. 136–145. Available at: <https://doi.org/10.1016/j.clnu.2017.12.006>.