

DAFTAR PUSTAKA

- Abdissa, D. *et al.* (2020) ‘Prevalence and Determinants of Peripheral Neuropathy among Type 2 Adult Diabetes Patients Attending Jimma University Medical Center, Southwest Ethiopia, 2019, an Institutional-Based Cross-Sectional Study’, *Journal of Diabetes Research*, 2020, pp. 1–8. Available at: <https://doi.org/10.1155/2020/9562920>.
- Aleidan, F.A. *et al.* (2020) ‘Prevalence and Risk Factors for Diabetic Peripheral Neuropathy Among Saudi Hospitalized Diabetic Patients: A Nested Case-Control Study’, *International Journal of General Medicine*, Volume 13, pp. 881–889. Available at: <https://doi.org/10.2147/IJGM.S273807>.
- Budiningsari, D. *et al.* (2023) ‘evaluasi penggunaan metode foto digital untuk pemantauan asupan makanan pasien di rumah sakit’, *gizi indonesia*, 46(1), pp. 23–34. Available at: <https://doi.org/10.36457/gizindo.v46i1.723>.
- Cahyati, F.& W.H. (2021) ‘Faktor Yang Berhubungan Dengan Kejadian Neuropati, Diabetik Pada Pasien DM’, *Jurnal Kesmas Indonesia*, 13(1), pp. 64–76.
- Callaghan, B.C. *et al.* (2020) ‘Diabetic neuropathy: what does the future hold?’, *Diabetologia*, 63(5), pp. 891–897. Available at: <https://doi.org/10.1007/s00125-020-05085-9>.
- Al Fariqi, M.Z. (2021) ‘Hubungan antara Status Gizi dengan Kejadian Hipertensi pada Lansia di Puskesmas Narmada Lombok Barat’, *Nutriology : Jurnal Pangan,Gizi,Kesehatan*, 2(2), pp. 15–22. Available at: <https://doi.org/10.30812/nutriology.v2i2.1584>.
- Hamarno R, Nurdiansyah M, T. (2016) ‘Hubungan antara kepatuhan kontrol dengan terjadinya komplikasi kronis pada penderita diabetes melitus tipe 2 di Puskesmas Janti Kota Malang’, 7(2), pp. 126–133.
- Harjatmo, T., HM, P. and S, W. (2017) *Penilaian Status Gizi*. Edited by Penerbit Buku Kedokteran ECG. Jakarta.
- Harreiter, J. and Roden, M. (2019) ‘Diabetes mellitus – Definition, Klassifikation, Diagnose, Screening und Prävention (Update 2019)’, *Wiener klinische Wochenschrift*, 131(S1), pp. 6–15. Available at: <https://doi.org/10.1007/s00508-019-1450-4>.
- Keyasa, M.M.R. *et al.* (2021) ‘hubungan lingkar pinggang dengan glukosa darah puasa pada wanita menopause di Semarang’, *Journal of Nutrition College*, 10(3), pp. 189–196. Available at: <https://doi.org/10.14710/jnc.v10i3.29168>.
- Landgraf, R. *et al.* (2019) ‘Therapy of Type 2 Diabetes’, *Experimental and Clinical Endocrinology & Diabetes*, 127(S 01), pp. S73–S92. Available at: <https://doi.org/10.1055/a-1018-9106>.
- Liu, X. *et al.* (2019) ‘The risk factors for diabetic peripheral neuropathy: A meta-

- analysis', *PLOS ONE*. Edited by A. Palazón-Bru, 14(2), p. e0212574. Available at: <https://doi.org/10.1371/journal.pone.0212574>.
- Manurung, N. (2018) *Orang dengan jenis diabetes ini biasanya resistensi terhadap insulin* (Manurung, 2018). Jakarta: Trans Indo Media.
- Mao, F. et al. (2019) 'Age as an Independent Risk Factor for Diabetic Peripheral Neuropathy in Chinese Patients with Type 2 Diabetes', *Aging and disease*, 10(3), p. 592. Available at: <https://doi.org/10.14336/AD.2018.0618>.
- Maulana, E.G.S., Adhani, R. and Heriyani, F. (2016) 'Faktor Yang Mempengaruhi Kehilangan Gigi Pada Usia 35-44 Tahun Di Kecamatan Juai Kabupaten Balangan Tahun 2014', *Dentino Jurnal Kedokteran Gigi*, 1(1), pp. 98–103.
- Meutia, Y.R. (2015) 'Standardization of Soy Sauce Sweet Product as Product Specialty of Indonesia', *Jurnal Standardisasi Volume*, 17(2), pp. 147–156.
- Murtiningsih, M.K., Pandelaki, K. and Sedli, B.P. (2021) 'Gaya Hidup sebagai Faktor Risiko Diabetes Melitus Tipe 2', *e-CliniC*, 9(2), p. 328. Available at: <https://doi.org/10.35790/ecl.v9i2.32852>.
- Ningsih, S.S. et al. (2021) 'Evaluation of morphology and viability of spheroid derived from Insulin-GLase cell line: A model system to understand Type 2 Diabetes Mellitus', *Journal of Experimental and Clinical Medicine (Turkey)*, 38(3), pp. 211–215. Available at: <https://doi.org/10.52142/omujecm.38.3.1>.
- PERKENI (2015) 'Konsesus Pengolahan dan Pencegahan Diabetes Mellitus Tipe 2 di Indonesia, PB'.
- Setyorogo, S. and Trisnawati, S.. (2013) 'Faktor Resiko Kejadian Diabetes Melitus Tipe II Di Puskesmas Kecamatan Cengkareng Jakarta Barat Tahun 2012', *Jurnal Ilmiah Kesehatan*, 5(1), pp. 6–11. Available at: https://d1wqtxts1xzle7.cloudfront.net/57531475/Jurnal_kesehatan_DM_ep_id_non_PDF_1_-libre.pdf?1539077113=&response-content-disposition=inline%3B+filename%3DFaktor_Risiko_Kejadian_Diabetes_Melitus.pdf&Expires=1695623794&Signature=VqxtcvmpYxcaTQRdBwfZYd7aI
- Susetyowati, S. et al. (2012) 'Pengembangan metode skrining gizi untuk pasien dewasa rawat inap', *Jurnal Gizi Klinik Indonesia*, 8(4), p. 188. Available at: <https://doi.org/10.22146/ijcn.18217>.
- Susilo, Y. (2011) *Cara Jitu Mengatasi Hipertensi : Perpustakaan Jawa Tengah*. Yogyakarta: CV.
- Teixeira-Lemos, E. et al. (2011) 'Regular physical exercise training assists in preventing type 2 diabetes development: Focus on its antioxidant and anti-inflammatory properties', *Cardiovascular Diabetology*, 10(2), pp. 1–15. Available at: <https://doi.org/10.1186/1475-2840-10-12>.

- Tribowo C (2017) *Home Care Konsep Kesahatan Masa Kini*. Nuha Medika. Yogyakarta: Nuha Medika.
- WHO, W.H.O. (2013) *A Global Brief on Hypertension: Silent Killer, Global Public Health Crisis* [Online], Available from: <http://www.thehealthwell.info/node/466541> [Accessed: 19th April 2016]. Edited by Ganeva.
- Zheng, Y., Ley, S.H. and Hu, F.B. (2018) ‘Global aetiology and epidemiology of type 2 diabetes mellitus and its complications’, *Nature Reviews Endocrinology*, 14(2), pp. 88–98. Available at: <https://doi.org/10.1038/nrendo.2017.151>.