

DAFTAR PUSTAKA

- Adiga, U., & Yogish. (2016). Hemolytic index-A tool to measure hemolysis in vitro. *IOSR Journal of Biotechnology and Biochemistry (IOSR-JBB)*, 2(2), 49–52. www.iosrjournals.org
- Ali, D., Sacchetto, É., Dumontet, E., Carrer, D. Le, Orsonneau, J.-L., Delaroche, O., & Bigot-Corbel, E. (2014). Interférence de l'hémolyse sur le dosage de vingt-deux paramètres biochimiques. *Annales de Biologie Clinique*, 72(3), 297–311. <https://doi.org/10.1684/abc.2014.0952>
- Arsyam, M., & Tahir, M. Y. (2021). Ragam Jenis Penelitian dan Perspektif. *Al-Ubudiyah: Jurnal Pendidikan Dan Studi Islam*, 2(1), 37–47. <https://doi.org/10.55623/au.v2i1.17>
- Ausvet. (2024). *Epitools - Epidemiological Calculators*. Ausvet. <https://epitools.ausvet.com.au/>
- Barbalato, L., & Pilarsetty, L. S. (2022). *Histology: Red Blood Cell*. PubMed. <https://www.ncbi.nlm.nih.gov/books/NBK539702/>
- Bazydlo, L. A. L., Needham, M., & Harris, N. S. (2014). Calcium, Magnesium, and Phosphate. *Lab Medicine*, 45(1), 44–50. <https://doi.org/10.1309/LMGLMZ8CIYMFNOGX>
- Betts, J. G., Desaix, P., Johnson, E., Johnson, J. E., Korol, O., Poe, B., Womble, M., & Young, K. A. (2022). *Anatomy & Physiology 2e*. Houston : OpenStax.
- Billett, H. H. (1990). Hemoglobin and Hematocrit. In H. K. W. Walker, D. Hall, & W. Hurst (Eds.), *Clinical Methods: The History, Physical, and Laboratory Examinations. 3rd edition*. (3rd ed.). Boston : Butterworth Publisher.
- Bishop, M. L., Fody, E. P., & Schoeff, L. E. (2018). *Clinical Chemistry Principle, Technique and Correlations*. China : Wolters Kluwer.
- Bogdanova, A., Makhro, A., Wang, J., Lipp, P., & Kaestner, L. (2013). Calcium in Red Blood Cells — A Perilous Balance. *International Journal of Molecular Science*, 14(5), 9848–9872. <https://doi.org/10.3390/ijms14059848>
- Borgers, M., Thone, F. J. M., Xhonneux, B. M., & De Clerck, F. F. P. (1983). Localization of Calcium in Red Blood Cells'. *The Journal of Histochemistry and Cytochemistry*, 31(9), 1109–1116.
- Bourguignon, C., Dupuy, A. M., Coste, T., Michel, F., & Cristol, J. P. (2014). Evaluation of NM-BAPTA method for plasma total calcium measurement on Cobas 8000®. *Clinical Biochemistry*, 47(7–8), 636–639. <https://doi.org/10.1016/j.clinbiochem.2013.12.027>
- Britigan, B. E., Rasmussen, G. T., & Cox, C. D. (1998). Binding of Iron and Inhibition of Iron-Dependent Oxidative Cell Injury by the “ Calcium Chelator ” 1, 2-Bis (2-Aminophenoxy) Ethane N, N, N', N'- tetraacetic Acid (BAPTA). *Biochemical Pharmacology*, 55(February 1997), 287–295.

- Brunel, V., & Wils, J. (2015). Calciuria Determined by New NM-BAPTA Calcium Assay is Not Free from Magnesium Interference. *Clinica Chimica Acta*, *440*, 113–114. <https://doi.org/10.1016/j.cca.2014.10.033>
- Burtish, C. A., Ashwood, E. R., & Bruns, D. E. (2012). *Tietz Textbook of Clinical Chemistry and Molecular Diagnostics* (Fifth Edit). USA : Elsevier Saunders.
- Cascella, M., & Vaqar, S. (2023). *Hypermagnesemia*. StatPearls. <https://www.ncbi.nlm.nih.gov/books/NBK549811/>
- Clase, C. M., Norman, G. L., Beecroft, M. L., & Churchill, D. N. (2000). Nephrology Dialysis Transplantation Albumin-corrected calcium and ionized calcium in stable haemodialysis patients. *Journal of Clinical Investigation*, *15*, 1841–1846.
- Cloos, A., Ghodsi, M., Stommen, A., Vanderroost, J., Terrasi, R., Muccioli, G. G., & Smissen, P. Van Der. (2020). Interplay Between Plasma Membrane Lipid Alteration , Oxidative Stress and Calcium-Based Mechanism for Extracellular Vesicle Biogenesis From Erythrocytes During Blood Storage. *Frontiers in Physiology*, *11*(July), 1–23. <https://doi.org/10.3389/fphys.2020.00712>
- Cornell University, C. of V. M. (2017). *Interference Indices*. EClinpath. <https://eclinpath.com/chemistry/interference-indices/#:~:text=Hemolysis from ruptured red blood,sample can%2C in some cases%2C>
- Dahlan, M. S. (2013). *Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan* (3rd ed.). Jakarta : Salemba Merdeka.
- Deyhimi, F., Arabieh, M., & Parvin, L. (2006). Optimization of the Emerson-Trinder enzymatic reaction by response surface methodology. *Biocatalysis and Biotransformation*, *24*(4), 263–271. <https://doi.org/10.1080/10242420600661943>
- DiaSys. (2021). *Calcium AS FS*.
- Drake, T. M., & Gupta, V. (2022). *Calcium*. PubMed. <https://www.ncbi.nlm.nih.gov/books/NBK557683/>
- Elrouf, M. B., Amanullah, M., & Zaman, G. S. (2014). Interference of Hemolysis in the Estimation of Plasma Aspartate Aminotransferase, Potassium and Phosphate. *Journal of Investigational Biochemistry*, *1*(1), 12–16. <https://doi.org/10.5455/jib.20130611094024>
- Farley, A., Hendry, C., & McLafferty, E. (2012). Blood components. *RCN Publishing*, *27*(13).
- Garcia, F. M. (2020). Methods for hemolysis interference study in laboratory medicine – a critical review. *Journal of the International Federation of Clinical Chemistry and Laboratory Medicine*, *31*, 85–97.
- Gils, C., Hansen, D. L., Nybo, M., & Frederiksen, H. (2023). Elevated Hemolysis Index is associated with higher risk of cardiovascular diseases. *Clinical Chemistry and Laboratory Medicine*, *61*(8), 1497–1505.

<https://doi.org/10.1515/cclm-2023-0114>

- Goldstein, D. A. (1990). Serum Calcium. In *Clinical Methods: The History, Physical, and Laboratory Examinations*. 3rd edition. (pp. 677–679). Boston : Butterworths.
- Gosink, B. J. (2015). Parathyroid hormone , calcitonin and vitamin D testing in calcium and bone metabolic disorders. *Medlab Magazine*, 2, 26–28.
- Hand, H. (2001). Blood and the classification of anaemia. *Nursing Standard*, 15(39), 45–53.
- Howanitz, P. J., Lehman, C. M., Jones, B. A., Meier, F. A., & Horowitz, G. L. (2015). Clinical laboratory quality practices when hemolysis occurs. *Archives of Pathology and Laboratory Medicine*, 139(7), 901–906. <https://doi.org/10.5858/arpa.2014-0252-CP>
- James, M. T., Zhang, J., Lyon, A. W., & Hemmelgarn, B. R. (2008). Derivation and internal validation of an equation for albumin-adjusted calcium. *BMC Clinical Pathology*, 8(1), 1–6. <https://doi.org/10.1186/1472-6890-8-12>
- Jassam, N., Thomas, A., Hayden, K., Dearman, R., & Barth, J. H. (2020). The Impact of The Analytical Performance Specifications of Calcium and Albumin on Adjusted Calcium. *Annals of Clinical Biochemistry*, 57(5), 382–388. <https://doi.org/10.1177/0004563220944426>
- Knezevic, C. E., Ness, M. A., Tsang, P. H. T., Tenney, B. J., & Marzinke, M. A. (2020). Establishing Hemolysis and Lipemia Acceptance Thresholds for Clinical Chemistry Tests. *Clinica Chimica Acta*, 510(July), 459–465. <https://doi.org/10.1016/j.cca.2020.08.004>
- Kocak, F. E., Meral, A., & Kocak, H. (2014). Assessment of Serum Indices Implementation on Roche Cobas 6000 Analyzer. *European Journal of Medical Sciences*, 1(2), 43–52. <https://doi.org/10.12973/ejms.CITATIONS>
- Koseglu, M., Hur, A., Aysenur, A., & Cuhadar, S. (2011). Effects of hemolysis interferences on routine biochemistry parameters. *Biochemia Media*, 21, 79–85.
- Krasowski, M. D. (2019). Educational Case: Hemolysis and Lipemia Interference With Laboratory Testing. *Academic Pathology*, 6, 2374289519888754. <https://doi.org/10.1177/2374289519888754>
- Kuhn, V., Diederich, L., Keller, T. C. S., Kramer, C. M., Lückstädt, W., Panknin, C., Suvorava, T., Isakson, B. E., Kelm, M., & Cortese-Krott, M. M. (2017). Red Blood Cell Function and Dysfunction: Redox Regulation, Nitric Oxide Metabolism, Anemia. *Antioxidants and Redox Signaling*, 26(13), 718–742. <https://doi.org/10.1089/ars.2016.6954>
- Lippi, G., Blanckaert, N., Bonini, P., Green, S., Kitchen, S., Palicka, V., Vassault, A. J., & Plebani, M. (2008). Haemolysis: An overview of the leading cause of unsuitable specimens in clinical laboratories. *Clinical Chemistry and Laboratory Medicine*, 46(6), 764–772.

<https://doi.org/10.1515/CCLM.2008.170>

- Lippi, G., Mattiuzzi, C., & Bovo, C. (2018). Are we getting better at the preanalytical phase or just better at measuring it? *Journal of Laboratory and Precision Medicine*, 3(3), 11–11. <https://doi.org/10.21037/jlpm.2018.01.03>
- Lippi, G., Salvagno, G. L., Montagnana, M., Brocco, G., & Guidi, G. C. (2006). Influence of hemolysis on routine clinical chemistry testing. *Clinical Chemistry and Laboratory Medicine*, 44(3), 311–316. <https://doi.org/10.1515/CCLM.2006.054>
- Lippi, G., Von Meyer, A., Cadamuro, J., & Simundic, A. M. (2019). Blood sample quality. *Diagnosis*, 6(1), 25–31. <https://doi.org/10.1515/dx-2018-0018>
- LTC, L. T. C. A. (2016). *Procedure for Serum Processing of Whole Blood Collected in Clot (NON) or SST Tube*. 1–23.
- MedChemExpress. (2024). BAPTA. MedChemExpress. https://www.medchemexpress.com/BAPTA.html?utm_source=google&utm_medium=CPC&utm_campaign=Europe&utm_term=HY-100168&utm_content=BAPTA&gad_source=1&gclid=CjwKCAjwrcKxBhBMEiwAIVF8rM4AowBwmap1UdnLs0Zid68Jz73_it_ZEIOeH4Jp5-pZEw_Rh-c8ZBoCsTYQAvD_BwE
- Monneret, D., Mestari, F., Atlan, G., Corlouer, C., Ramani, Z., Jaffre, J., Dever, S., Fressart, V., Alkouri, R., Lamari, F., Devilliers, C., Imbert-Bismut, F., & Bonnefont-Rousselot, D. (2015). Hemolysis Indexes for Biochemical Tests and Immunoassays on Roche Analyzers: Determination of Allowable Interference Limits According to Different Calculation Methods. *Scandinavian Journal of Clinical and Laboratory Investigation*, 75(2), 162–169. <https://doi.org/10.3109/00365513.2014.993691>
- Moore, C. D., Newman, R. C., & Caridi, J. G. (2006). Spurious Hypocalcemia After Resonance Imaging : A Case Report and Review of the Literature. *Reviews in Urology*, 8(3), 165–168.
- Ni, J., Zhu, W., Wang, Y., Wei, X., Li, J., Peng, L., Zhang, K., & Bai, B. (2021). A Reference chart for clinical biochemical tests of hemolyzed serum samples. *Journal of Clinical Laboratory Analysis*, 35(1), 1–7. <https://doi.org/10.1002/jcla.23561>
- Notoatmodjo, S. (2010). *Metodologi Penelitian Kesehatan*. Jakarta : Rineka Cipta.
- Perović, A., & Dolčić, M. (2019). Influence of Hemolysis on Clinical Chemistry Parameters Determined with Beckman Coulter Tests – Detection of Clinically Significant Interference. *Scandinavian Journal of Clinical and Laboratory Investigation*, 0(0), 1–6. <https://doi.org/10.1080/00365513.2019.1576099>
- Priadana, S., & Sunarsi, D. (2021). *Metode Penelitian Kuantitatif*. Tangerang : Pascal Books.
- Rawung, D. T. (2020). Metode penarikan sampel. In *Pusat Pendidikan dan Pelatihan Badan Pusat Statistik RI*. Bogor : Pusat Pendidikan dan Pelatihan

- Badan Pusat Statistik Republik Indonesia.
https://pusdiklat.bps.go.id/diklat/bahan_diklat/BA_2144.pdf
- Research, L. (2018). *Sphericity*. Laerd Statistics.
<https://statistics.laerd.com/statistical-guides/sphericity-statistical-guide.php>
- Rifai, N., Horvarth, A. R., & Wittwer, C. T. (2018). *Tietz Fundamentals of Clinical Chemistry and Molecular Diagnostics Eight Edition* (8th ed.). Boston : Elsevier.
- Riswanto. (2013). *Pemeriksaan Laboratorium Hematologi*. Yogyakarta : Alfabedia.
- Roche, D. (2018). *CA2-Calcium Gen.2*. USA : Roche Diagnostic.
- Roche, D. G., & Roche, F. H.-L. A. (2015). Method for Measurment of Calcium Ions. *European Patent Specification*, 1(19), 1–30.
[https://doi.org/10.1016/0009-8981\(59\)90101-9](https://doi.org/10.1016/0009-8981(59)90101-9)
- Shin, D. H., Yoon, K. J., Kwon, S. K., & Kang, C. G. (1994). Determination of Total Calcium in Serum with Arsenazo III method. *Korean Journal Clinical Pathology*, 14(1), 12–19.
- Simundic, A., Baird, G., Cadamuro, J., & Costelloe, S. J. (2019). Managing hemolyzed samples in clinical laboratories. *Critical Reviews in Clinical Laboratory Sciences*, 0(0), 1–21.
<https://doi.org/10.1080/10408363.2019.1664391>
- Siotto, M., Germanotta, M., Santoro, M., Blasi, C. Di, Loreti, C., Mastropaolo, S., & Aprile, I. (2020). Total Serum Calcium and Recovery after Rehabilitation in Patients with Stroke. *Applied Sciences*, 4–11.
- Smith, J. E. (1987). Erythrocyte Membrane: Structure, Function, and Pathophysiology. *Veterinary Pathology*, 24(6), 471–476.
<https://doi.org/10.1177/030098588702400601>
- Sugiyono. (2012). *Metode Penelitian Kuantitatif, Kualitatif dan R&D*. Bandung : CV Alfabeta.
- Sugiyono. (2017). *Statistika untuk Penelitian Cetakan Ke-28*. Bandung : Alfabeta.
- Suhartati, T. (2017). Dasar-dasar Spektrofotometri UV-Vis dan Spektrometri Massa untuk Penentuan Struktur Senyawa Organik. In *Aura*. Lampung : Aura.
- Tsien, R. Y. (1980). New Calcium Indicators and Buffers with High Selectivity Against Magnesium and Protons: Design, Synthesis, and Properties of Prototype Structures. *American Chemical Society*, 19(11), 2396–2404.
- Warekois, R. S., & Robinson, R. (2016). Phlebotomy Worktext and Procedures Manual. In *Elsevier*. USA : Elsevier. <https://www.pdfdrive.com/phlebotomy-worktext-and-procedures-manual-e189962130.html>
- Wong, W. W. (2018). Risk management in clinical laboratories. *Journal of Hong Kong Institute of Medical Laboratory Science*, 15(1).

- Wu, A. H. B. (2006). *Tietz Clinical Guide to Laboratory Test* (4th editio). USA : Saunders Elsevier.
- Yan, R., Tarr, H., McNally, M., Cartier, L. J., & Chen, Y. (2014). Interference of gadolinium-based contrast agents on colorimetric calcium assays. *Clinical Biochemistry*, 47(7–8), 648–653.
<https://doi.org/10.1016/j.clinbiochem.2013.12.012>
- Yu, E., & Sharma, S. (2020). *Physiology, Calcium*. PubMed.
<https://www.ncbi.nlm.nih.gov/books/NBK482128/>