

DAFTAR PUSTAKA

- Adiputra, I. M. S. dkk. (2021). *Metodologi Penelitian Kesehatan* (R. & J. S. Watrianthos, Ed.). Yayasan Kita Menulis.
- Asfaw, G., & Eshetie, A. (2020). A case of total spinal anesthesia. *International Journal of Surgery Case Reports*, 76, 237–239. <https://doi.org/10.1016/j.ijscr.2020.09.177>
- Ali, S., Athar, M., & Ahmed, S. M. (2019). Basics of CPB. *Indian Journal of Anaesthesia*, 49(4), 257–262.
- Bajwa SJ, Kulshrestha A, Jindal R. Co-loading or pre-loading for prevention of hypotension after spinal anaesthesia! a therapeutic dilemma. *Anesth Essays Res.* 2013 May-Aug;7(2):155-9. doi: 10.4103/0259-1162.118943. PMID: 25885825; PMCID: PMC4173526.
- Benevides, M. L., Andrade, B. W. B., Zambardino, H. M. D., & Benevides, M. A. M. (2023). A Prospective Single-Center Brazilian Study Investigating the Efficacy and Safety of Prophylactic Phenylephrine Infusion for the Management of Hypotension During Cesarean Section Under Spinal Anesthesia. *Cureus*. <https://doi.org/10.7759/cureus.42156>
- Djari, T. O. S., I Made Artawan, Rahel Rara Woda, & Jojor Sihotang. (2021). Pencegahan Kejadian Hipotensi Pasca Anestesi Spinal pada Pembedahan Seksio Sesarea. *Cendana Medical Jurnal*.
- Fakherpour, A., Haleh Ghaem, Zeinabsadat Fattahi, & Samaneh Zaree. (2018). Maternal and anaesthesia-related risk factors and incidence of spinal anaesthesia-induced hypotension in elective caesarean section: A multinomial logistic regression. *Indian Journal of Anaesthesia*, 62(1), 36–46. https://doi.org/10.4103/ija.IJA_416_17
- Gaba, D. M., Kevin J. Fish, Steven K. Howard, & Amanda Burden. (2015). *Crisis Management in Anesthesiology* (2nd ed.). ELSEVIER.
- Guarracino, F., & Pietro Bertini. (2022). Perioperative hypotension: causes and remedies. *Journal of Anesthesia, Analgesia and Critical Care*, 2(1). <https://doi.org/10.1186/s44158-022-00045-8>
- Hadzic A. (Ed). (2017). *Hadzic's Textbook of Regional Anesthesia and Acute Pain Management* (2nd ed.). New York, NY: McGraw-Hill Publishing.
- Hajian, P., Nikooseresht, M., & Lotfi, T. (2017). Comparison of 1- and 2-minute sitting positions versus immediately lying down on hemodynamic variables after spinal anesthesia with hyperbaric bupivacaine in elective cesarean

- section. *Anesthesiology and Pain Medicine*, 7(2). <https://doi.org/10.5812/aapm.43462>
- Ibrahim, A., Asrul Haq Alang, Madi, & Baharudin. (2018). *Metode Penelitian* (I. Ismail, Ed.; 1st ed.). Gunadarma Ilmu.
- Kayetanus, D. B., Pratama, A., Stikes, M., Kediri, R. B., David, S., Dosen, R., & Kediri, S. R. B. (2011). Kajian Indeks Massa Tubuh (Imt) Terhadap Tekanan Darah Pada Perawat Di Rumah Sakit Baptis Kediri. In *Jurnal STIKES RS. Baptis Kediri* (Vol. 4, Issue 2).
- Katori, N., Yamakawa, K., Kida, K., et al. The incidence of hypotension during general anesthesia: a single-center study at a university hospital. *JA Clin Rep* 9, 23 (2023). <https://doi.org/10.1186/s40981-023-00617-9>
- Kim Hye Young, Lee Meong Jong, Kim Mi-Na, Kim Ji-Sub, Lee Wong Sang, Lee Kyu Chang. Effect of position changes after spinal anesthesia with low-dose bupivacaine in elderly patients: sensory block characteristics and hemodynamic changes. *Korean J Anesthesiol*. 2013 Mar;64(3):234-9. doi: 10.4097/kjae.2013.64.3.234. Epub 2013 Mar 19. PMID: 23560189; PMCID: PMC3611073.
- Latief, S., Suryadi K.A, & Dachlan M.R. (2015). *Petunjuk Praktis Anestesiologi* (Edisi Kedua). Jakarta: Bagian Anestesiologi dan Terapi Intensif Fakultas Kedokteran Universitas Indonesia, 107-12
- Majid, A., Judha, M., & Istianah, U. (2011). *Keperawatan Perioperatif*. Yogyakarta:Gosyen Publishing
- Marwoto & Primatika. (2013). *Anestesi Lokal/Regional Anestesiologi 2 Bagian Anestesiologi dan Terapi Intensif FK UNDIP/RSUP Dr. Kariadi*. PERDATIN Semarang.
- Maturoh, I., & Naura Anggita T. (2018). *Metode Penelitian Kesehatan*.
- Melchor, J. R., Espinosa, Á., Hurtado, E. M., Casans Francés, R., Navarro Pérez, R., Gurumeta, A. A., & Calvo Vecino, J. M. (2015). Colloids versus crystalloids in the prevention of hypotension induced by spinal anesthesia in elective cesarean section. A systematic review and meta-analysis. In *Minerva Anestesiologica* (Vol. 81).
- Morgan, G. E., Maged S. Mikhail, John F. Butterworth, David C. Mackey, & John D. Wasnick. (2018). *Clinical Anesthesiology* (6th ed.).
- Mulyono, I., Nugroho, A. M., & Kurnia, A. (2017). Faktor Prognostik Kejadian Hipotensi pada Ibu Hamil yang Menjalani Operasi Sesar Dengan Anestesia Spinal. *Anesthesia and Critical Care*, 35, 103–110

- Negara, I. C. (2018). *Penggunaan Uji Chi-Square*.
- Ngabalin (2017). Hubungan Ketinggian dengan Komplikasi Dini Spinal Anestesi di RSUD Prof. Dr. Margono Soekarjo (*skripsi*) Poltekkes Kemenkes Yogyakarta.
- Notoatmodjo, S. (2010). *pdf-metodologi-penelitian-kesehatan-notoatmodjo_compress* (1st ed.).
- Obasuyi, B. I., S. Fyneface-Ogan., & C. N.Mato. (2013). A comparison of the haemodynamic effects of lateral and sitting positions during induction of spinal anaesthesia for caesarean section. *International Journal of Obstetric Anesthesia*, 22(2), 124–128. <https://doi.org/10.1016/j.ijoa.2012.12.005>
- Pardo, M. C., & Miller, R. D. (2018). *Basics of anesthesia* (7th ed.).
- Pramono, A. (2015). *Buku Kuliah Anestesi*. Jakarta: EGC
- Rustini, R., Iwan Fuadi, & Eri Surahman. (2016). Insidensi dan Faktor Risiko Hipotensi pada Pasien yang Menjalani Seksio Sesarea dengan Anestesi Spinal di Rumah Sakit Dr. Hasan Sadikin Bandung. *Jurnal Anestesi Perioperatif*, 4(1), 42–49. <https://doi.org/10.15851/jap.v4n1.745>
- Shitemaw, T., Bedru Jemal, Mamo, T., & Akalu, L. (2020). Incidence and associated factors for hypotension after spinal anesthesia during cesarean section at Gandhi Memorial Hospital Addis Ababa, Ethiopia. *PLoS ONE*, 15(8 August). <https://doi.org/10.1371/journal.pone.0236755>
- Soenarjo, & Heru Dwi Jatmiko. (2015). *Anestesiologi* (2nd ed.). PERDATIN.
- Syafitri, H., Amila, & Juneris Aritonang. (2021). *Buku Ajar Metodologi Penelitian Kesehatan* (A. H. Nadana, Ed.). AHLIMEDIA PRESS. www.ahlimediapress.com
- Yuniar. (2020). Pengaruh Posisi Duduk Selama 3 Menit Setelah Induksi Spinal Anestesi terhadap Kejadian Hipotensi pada Pasien dengan Spinal Anestesi (*skripsi*) Poltekkes Kemenkes Yogyakarta.