

## DAFTAR PUSTAKA

- Abadi, M. F., Hasanah, F. H., & Rahwiniyanto, D. (2022). *Lebih Mudah Memahami Biologi Molekuler*. CV Jejak.
- Adi, N., Jangga, & Isma, F. (2019). Perbedaan Kadar Kolesterol dan Trigliserida Serum Dari Darah yang Dibekukan Sebelum Disentrifus dan yang Langsung Disentrifus. *Jurnal Media Analis Kesehatan*, 10(2), 152. <https://doi.org/10.32382/mak.v10i2.1316>
- Alwi, I. (2015). Kriteria Empirik dalam Menentukan Ukuran Sampel Pada Pengujian Hipotesis Statistika dan Analisis Butir. *Formatif: Jurnal Ilmiah Pendidikan MIPA*, 2(2), 140–148. <https://doi.org/10.30998/formatif.v2i2.95>
- Arques, S. (2018). Human serum albumin in cardiovascular diseases. *European Journal of Internal Medicine*, 52(April), 8–12. <https://doi.org/10.1016/j.ejim.2018.04.014>
- Ayala-Lopez, N., Conklin, S. E., Tenney, B. J., Ness, M., & Marzinke, M. A. (2021). Comparative evaluation of blood collection tubes for clinical chemistry analysis. *Clinica Chimica Acta*, 520(February), 118–125. <https://doi.org/10.1016/j.cca.2021.05.019>
- Bowen, R. A. R., & Remaley, A. T. (2014). Interferences from blood collection tube components on clinical chemistry assays. *Biochimia Medica*, 24(1), 31–44. <https://doi.org/10.11613/BM.2014.006>
- Budiyono, I., R, T., & Indrayani. (2011). *Pengelolaan Tahapan Pemeriksaan di Laboratorium Klinik*. Badan Penerbit Universitas Diponegoro.
- Burtis, C. A., Ashwood, E. R., & Bruns, D. E. (2012). *Tietz Textbook of Clinical Chemistry and Molecular Diagnostic*. Elsevier.
- Clinical Laboratory Improvement Amendments (CLIA). (2022). Clinical Laboratory Improvement Amendments of 1988 (CLIA) Proficiency Testing Regulations Related to Analytes and Acceptable Performance. *Federal Register*, 87(131), 41994–41242. <https://www.federalregister.gov/documents/2022/07/11/2022-14513/clinical-laboratory-improvement-amendments-of-1988-clia-proficiency-testing-regulations-related-to>
- Cuhadar, S., Atay, A., Koseoglu, M., Dirican, A., & Hur, A. (2012). *Cuhadar S. et al.-Stability of biochemical analytes in serum separator tubes*. 6.
- Daves, M., Roccaforte, V., Giacomi, M., Riva, M., Leitner, M., Platzgummer, S., Goetsch, G., & Lippi, G. (2017). Effect of delayed centrifugation of whole

- blood on serum samples stability. *Rivista Italiana Della Medicina Di Laboratorio*, 13(1), 41–44. <https://doi.org/10.1007/s13631-017-0146-x>
- Daves, M., Trevisan, D., & Cemin, R. (2008). Different collection tubes in cardiac biomarkers detection. *Journal of Clinical Laboratory Analysis*, 22(6), 391–394. <https://doi.org/10.1002/jcla.20277>
- Demir, M. (2019). Abnormal Flotation of Separator Gel in Blood Test Tubes in the Hemodialysis Patients. *Eurasian Journal of Medical Investigation*, 3(4), 280–284. <https://doi.org/10.14744/ejmi.2019.82037>
- DiaLINE. (2014). *Procedural Kit: Total Protein*. Diagnostic Indonesia.
- Gandasoebrata. (2013). *Penuntun Laboratorium Klinis*. Dian Rakyat.
- Garrels, M., & Oatis, C. S. (2006). *Laboratory Testing for Ambulatory Settings*. Elsevier.
- Ghazy, S., Ahmadpour, A., Babakhani, B., & Ostad Movahed, S. (2022). Impact of a New Formulated Silicone-Based Separator Gel on Clinical Chemistry Assays. *Iranian Journal of Chemistry and Chemical Engineering*, 41(8), 2586–2594. <https://doi.org/10.30492/IJCCE.2022.125584.4104>
- Henok, J. N., Okeleye, B. I., Omodanisi, E. I., Ntwampe, S. K. O., & Aboua, Y. G. (2020). Analysis of reference ranges of total serum protein in Namibia: Clinical implications. *Proteomes*, 8(2), 1–10. <https://doi.org/10.3390/PROTEOMES8020007>
- Hupitoyo, & Mudayatiningsih, S. (2019). *Bahan ajar teknologi bank darah (TBD): Biokimia Darah*. Badan Pengembangan dan Pemberdayaan Sumber Daya Manusia Kesehatan.
- Ischak, N. I., Salimi, Y. K., & Botutihe, D. N. (2017). *Biokimia Dasar*. UNG Press.
- Jo, S. J., Chae, H., Lee, Y. W., Seo, J. Do, Song, S. H., & Lee, J. (2021). Evaluation of the quick-clotting serum separator tube, VQ-Tube<sup>TM</sup>, for clinical chemistry and thyroid hormone assays. *Annals of Clinical Biochemistry*, 58(5), 468–473. <https://doi.org/10.1177/00045632211018245>
- Kachhwaha, K., Kachhwaha, P., Varma, M., Behera, R., Agrawal, D., & Kumar, S. (2017). Study of the Stability of Various Biochemical Analytes in Samples Stored at Different Predefined Storage Conditions at an Accredited Laboratory of India. *Journal of Laboratory Physicians*, 9(01), 011–015. <https://doi.org/10.4103/0974-2727.187928>
- Katayev, A., Balciza, C., & Seccombe, D. W. (2010). Establishing Reference Intervals for Clinical Laboratory Test Results: Is There a Better Way? *Am. J. Clin. Pathol.*, 133, 180–186.

- Kee, J. L. (2007). *Pedoman Pemeriksaan Laboratorium dan Diagnostik* (S. Kurnianingsih & R. P. Kapoh (eds.)). EGC.
- Kemenkes RI. (2010). *Keputusan Menteri Kesehatan Republik Indonesia Nomor 1792/MENKES/SK/XII/2010 Tentang Pedoman Pemeriksaan Kimia Klinik* (p. 18).
- Kemenkes RI. (2013). Peraturan Menteri Kesehatan Republik Indonesia Nomor 43 Tahun 2013 Tentang Cara Penyelenggaraan Laboratorium Klinik Yang Baik. In *Permenkes RI* (Vol. 2, Issue 1, pp. 545–555). <https://www.slideshare.net/ALBICEE/lembar-observasi-siswa-50178674>
- Kösem, A., Topçuoğlu, C., Sezer, S., Turhan, T., Cevher, Ş. K., Yenigün, E. C., & Dede, F. (2020). Comparison of some biochemical tests in different blood collection tubes in hemodialysis patients. *Turkish Journal of Biochemistry*, 45(1), 26–36. <https://doi.org/10.1515/tjb-2018-0341>
- Koyama, A., Hashimoto, M., Tanaka, H., Fujise, N., Matsushita, M., Miyagawa, Y., Hatada, Y., Fukuhara, R., Hasegawa, N., Todani, S., Matsukuma, K., Kawano, M., & Ikeda, M. (2016). Malnutrition in Alzheimer's disease, dementia with Lewy bodies, and frontotemporal lobar degeneration: Comparison using serum albumin, total protein, and hemoglobin level. *PLoS ONE*, 11(6), 1–7. <https://doi.org/10.1371/journal.pone.0157053>
- Kuwabara, T., Mori, K., Mukoyama, M., Kasahara, M., Yokoi, H., Saito, Y., Yoshioka, T., Ogawa, Y., Imamaki, H., & Kusakabe, T. . (2009). Urinary Neutrophil Gelatinase-Associated Lipocalin Levels Reflect Damage to Glomeruli, Proximal Tubules, and Distal Nephrons. *Kidney Int*, 75, 285–294.
- Larson, D. (2017). *Chlinal Chemistry Fundamental and Laboratory Techniques*. Elsevier.
- Lestari, Y. D. (2017). *Perbedaan Hasil Pemeriksaan Kreatinin Serum dan Plasma EDTA* [Universitas Muhammadiyah Semarang]. <http://repository.unimus.ac.id/1167/>
- Lieseke, C. L., & Zeibig, E. A. (2017). *Buku Ajar Laboratorium Klinis* (E. Susanti, I. Latifah, & S. M. El Jannah (eds.)). EGC.
- Martsiningsih, M. A., Sujono, Supriyanta, B., Kasiyati, M., Surya, C., Martono, B., & Setiawan, B. (2023). Kadar Glukosa Pada Serum Lipemik Dengan Penggunaan Polyethylene Glycol 6000 8% Dan High Speed Sentrifugasi. *Jurnal Teknologi Laboratorium Medis Poltekkes Kemenkes Yogyakarta*, 11(1), 2338–1159.
- McCall, R. E., & Tankersley, C. M. (2012). *Phlebotomy Essential 5th Ed.* Lippincot Williams & Wilkin.

- Nachiappan, M., Guru, Ravi, R., Richard, M., Saritha, P., Amala, M., Prabhu, D., Rajamanikandan, S., Chitra, Jeyaraj, P., & Jeyakanthan, J. (2020). *Experimental and Computational Methods to Determine Protein Structure and Stability*. 23–55. [https://doi.org/10.1007/978-981-15-5530-5\\_2](https://doi.org/10.1007/978-981-15-5530-5_2)
- Nathan, S., W. (2015). *Forces Maintaining the Stability of Tertiary Structure*.
- Notoatmodjo, S. (2010). *Metodologi Penelitian Kesehatan*. Rineka Cipta.
- Nugraha, G., & Badrawi, I. (2021). Pedoman Teknik Pemeriksaan Laboratorium Klinik. *Trans Info Media*, 170.
- Nurmandari, I. (2019). Pengaruh Hemolisis Dalam Serum Terhadap Aktiviasi Enzim Alani Aminotransferase (ALT). *Journal of Chemical Information and Modeling*, 53(9), 1689–1699.
- Nurudin, M., Mara, M. N., & Kusnandar, D. (2014). *Ukuran sampel dan distribusi sampling dari beberapa variabel random kontinu*. 03(1), 1–6.
- Omar, J., Azman, W. N. W., Tan, S. K., Wahab, N. A. A., Xin-Yuin, S., Law, X. L., Chew, H. J., Husin, A., Rostenberghe, H. Van, & Abdullah, M. R. (2022). Effects of Time Delay in Processing Common Clinical Biochemical Parameters in an Accredited Laboratory. *IIUM Medical Journal Malaysia*, 21(4), 31–35. <https://doi.org/10.31436/imjm.v21i4.2070>
- Pum, J. K. W. (2020). Evaluating sample stability in the clinical laboratory with the help of linear and non-linear regression analysis. *Clinical Chemistry and Laboratory Medicine*, 58(2), 188–196. <https://doi.org/10.1515/cclm-2019-0596>
- Rhonda, S. .., Ball, D. W., & Hill, J. W. (2012). *Chapter 18 Amino Acids , Proteins , and Enzymes* (Vol. 0). <http://2012books.lardbucket.org/pdfs/introduction-to-chemistry-general-organic-and-biological/s21-amino-acids-proteins-and-enzym.pdf>
- Rosida, A. (2016). Pemeriksaan Laboratorium Penyakit Hati. *Berkala Kedokteran*, 12(1), 123. <https://doi.org/10.20527/jbk.v12i1.364>
- RSUD Panembahan Senopati. (2022). *Standar Prosedur Operasional Pengelolaan dan Pelacakan Spesimen di Instalasi Laboratorium RSUD Panembahan Senopati Bantul*.
- Sacher, R. A. (2004). *Tinjauan Klinis Hasil Pemeriksaan Laboratorium* (H. Hartanto (ed.); 11th ed.). EGC.
- Sastroasmoro, S., & Ismael, S. (2010). *Dasar-Dasar Metodologi Penelitian Klinis Edisi ke-3*. Sagung Seto.

- Sher, P. P. (1982). Drug Interferences with Clinical Laboratory Tests. *Drugs*, 24(1), 24–63. <https://doi.org/10.2165/00003495-198224010-00002>
- Simpson, R. J. (2010). Stabilization of proteins for storage. *Cold Spring Harbor Protocols*, 5(5). <https://doi.org/10.1101/pdb.top79>
- Sugiyono. (2013). *Metode Penelitian Bisnis*. Alfabeta.
- Sujono, Sistiyono, & Widada, S. T. (2023). Penggunaan Kalium Feri Sianida Untuk Pengolahan Serum Ikterik Use of Potassium Ferry Cyanide for Treatment of Icteric Serum. *Jurnal Analis Kesehatan*, 12, 13–18.
- Sulaiman, A., Akbar, N., Lesmana, L. A., & Noer, S. (2012). *Buku Ajar Ilmu Penyakit Hati*. CV Sagung Seto.
- Thomas Scientific. (2023). *Vacutainer CAT Serum clot Activator and SST Tubes*. [https://www.thomassci.com/nav/cat1/tubes/cat2/tubes\\_bloodcollectiontubes/0](https://www.thomassci.com/nav/cat1/tubes/cat2/tubes_bloodcollectiontubes/0)
- Ummaimah, L. (2023). *Protein total*. <https://www.ai-care.id/healthpedia-pemeriksaan/protein-total>
- Untari, D. T. (2018). Metodologi Penelitian: Penelitian Kontemporer Bidang Ekonomi dan Bisnis. In *Pena Persada, Banyumas, Jawa Tengah, Indonesia*. www.penapersada.com
- Utami, P., Lestari, S., Lestari, S. D., Teknologi, J., Perikanan, H., & Pertanian, F. (2016). FishtecH-Jurnal Teknologi Hasil Perikanan Pengaruh Metode Pemasakan Terhadap Komposisi Kimia dan Asam Amino Ikan Seluang (Rasbora argyrotaenia). *Jurnal Teknologi Hasil Perikanan*, 5(1), 73–84.
- Wahyudiat, D. (2017). *Biokimia*. Leppim Mataram.
- Westgard. (2014). *Desirable Biological Variation Database Specifications*. <https://www.westgard.com/clia-a-quality/quality-requirements/238-biodatabase1.html>
- Widmann, F. (2005). *Tinjauan Klinis atas Hasil Pemeriksaan Laboratorium*. EGC.
- Wild, D. (2013). *The Immunoassay Handbook: Theory and Applications of Ligand Binding, ELISA and Related Techniques*. Elsevier.
- Zheng, K., Wu, L., He, Z., Yang, B., & Yang, Y. (2017). Measurement of The Total Protein in serum by Biuret Method with Uncertainty Evaluation. *Measurement: Journal of the International Measurement Confederation*, 112, 16–21. <https://doi.org/10.1016/j.measurement.2017.08.013>