

DAFTAR PUSTAKA

- Adiga, U., & Yogish. (2016). Hemolytic index-A tool to measure hemolysis in vitro. *IOSR Journal of Biotechnology and Biochemistry (IOSR-JBB)*, 2(2), 49–52.
- Alivameita, & Andika, P. (2019). *Buku Ajar Hematologi* (1st ed.). Sidoarjo: UMSIDA PRESS. [https://doi.org/10.1016/S1773-035X\(15\)30080-0](https://doi.org/10.1016/S1773-035X(15)30080-0)
- Asri, N. I. N., & Alivameita, A. (2022). The The Effect of Variations of Serum Examination Time Lapse on Electrolyte Levels of Potassium and Chloride. *Medicra (Journal of Medical Laboratory Science/Technology)*, 5(2), 119–123. <https://doi.org/10.21070/medicra.v5i2.1639>
- Azman, W. N. W., Omar, J., Koon, T. S., & Ismail, T. S. T. (2019). Hemolyzed specimens: Major challenge for identifying and rejecting specimens in clinical laboratories. *Oman Medical Journal*, 34(2), 94–98. <https://doi.org/10.5001/omj.2019.19>
- Bandak, G., & Kashani, K. B. (2017). Chloride in intensive care units: A key electrolyte. *F1000Research*, 6(0), 1–8. <https://doi.org/10.12688/f1000research.11401.1>
- Barrett, K., Brooks, H., Boitano, S., & Barman, S. (2010). Ganong's Review of Medical Physiology. In *Cunningham's Textbook of Veterinary Physiology, Sixth Edition* (23rd ed.). New York: McGraw-Hill Companies. <https://doi.org/10.1016/B978-0-323-55227-1.00021-1>
- Bishop, M. L., Fody, E. P., & Schoeff, L. E. (2018). *Clinical Chemistry: Principles, Techniques and Correlations* (8th ed.). Philadelphia: Lippincott Williams & Wilkins, a Wolters Kluwer business.
- Burtis, C. A., Ashwood, E. R., & Bruns, D. E. (2012). *Tietz Textbook of Clinical Chemistry and Molecular Diagnostics* (5th ed.). St. Louis: Elsevier Saunders.
- Dahlan, M. S. (2010). *Statistik untuk Kedokteran dan Kesehatan: Deskriptif, Bivariat, dan Multivariat, Dilengkapi Aplikasi dengan Menggunakan SPSS* (3rd ed.). Jakarta: Salemba Medika.
- Delanghe, J. R. (2019). Management of electrolyte disorders: also the method matters! *Acta Clinica Belgica: International Journal of Clinical and Laboratory Medicine*, 74(1), 2–6. <https://doi.org/10.1080/17843286.2018.1474018>
- Donna, L. (2017). *Clinical Chemistry Fundamentals and Laboratory Techniques*. Elsevier/Saunders. <http://lccn.loc.gov/2015044074>
- Febryani, N., Amalia, I. N., Anggraeni, I. D., & Nugraha, G. (2019). Study of Hemoglobin Levels on Hemolysis Sample. *Indonesian Journal of Medical Laboratory Science and Technology*, 1(2), 74–79. <https://doi.org/10.33086/ijmlst.v1i2.1311>
- Fischbach, F., & Dunning, M. B. (2015). *A Manual of Laboratory and Diagnostic Test* (9th ed.). Philadelphia: Lippincott Williams & Wilkins, a Wolters Kluwer

business.

- Goff, J. P. (2018). Invited review: Mineral absorption mechanisms, mineral interactions that affect acid–base and antioxidant status, and diet considerations to improve mineral status. *Journal of Dairy Science*, *101*(4), 2763–2813. <https://doi.org/10.3168/jds.2017-13112>
- Kalaria, T., Gill, H., Sharrod-Cole, H., Ford, C., & Gama, R. (2022). Conflicting effects of haemolysis on plasma sodium and chloride are due to different haemolysis study protocols: A case for standardisation. *Annals of Clinical Biochemistry*, *59*(2), 101–109. <https://doi.org/10.1177/00045632211040691>
- Katzung, B. G., Masters, S. B., & Trevor, A. J. (2012). *Basic and Clinical Pharmacology* (12th ed.). New York: McGraw-Hill Companies.
- Khotimah, E., & Sun, N. N. (2022). Analisis Kesalahan Pada Proses Pra Analitik Dan Analitik Terhadap Sampel Serum Pasien Di Rsud Budhi Asih. *Jurnal Medika Hutama*, *03*(04), 402–406. <http://jurnalmedikahutama.com>
- Koseoglu, M., Hur, A., Atay, A., & Çuhadar, S. (2011). Effects of hemolysis interferences on routine biochemistry parameters. *Biochemia Medica*, *21*(1), 79–85. <https://doi.org/10.11613/bm.2011.015>
- Leeuwen, A. M. Van, & Bladh, M. L. (2019). Davis's Comprehensive Manual of Laboratory and Diagnostic Test with Nursing Implications. In *F. A. Davis Company* (8th ed.). Philadelphia: F.A. Davis Company.
- Lieseke, C. L., & Zeibig, E. A. (2018). *Buku Ajar Laboratorium Klinis*. Jakarta: EGC.
- Lippi, G., Salvagno, G. L., Montagnana, M., Brocco, G., & Guidi, G. C. (2006). Influence of hemolysis on routine clinical chemistry testing. *Clinical Chemistry and Laboratory Medicine*, *44*(3), 311–316. <https://doi.org/10.1515/CCLM.2006.054>
- MacDonald, S. A., Pagana, K. D., Pagana, T. J., & Pagana, T. N. (2022). *Pagana's Canadian Manual of Diagnostic and Laboratory Tests* (3rd ed.). Elsevier Health Sciences. [https://www.google.co.id/books/edition/Pagana_s_Canadian_Manual_of_Diagnostic_a/bHqWEAAAQBAJ?hl=id&gbpv=1&dq=diagnostic and laboratory test pagana 2022&pg=PA1173&printsec=frontcover](https://www.google.co.id/books/edition/Pagana_s_Canadian_Manual_of_Diagnostic_a/bHqWEAAAQBAJ?hl=id&gbpv=1&dq=diagnostic+and+laboratory+test+pagana+2022&pg=PA1173&printsec=frontcover)
- Mardiana; Rahayu, I. G. (2017). *Pengantar Laboratorium Medik* (tahun 2017). Jakarta: Pusat pendidikan sumber daya manusia kesehatan.
- Naik, V. A. (2016). Electrodes-an Overview. *International Journal Of Applied Research In Science And Engineering*, *November*, 178–182.
- Ni, J., Zhu, W., Wang, Y., Wei, X., Li, J., Peng, L., Zhang, K., & Bai, B. (2021). A Reference chart for clinical biochemical tests of hemolyzed serum samples. *Journal of Clinical Laboratory Analysis*, *35*(1), 1–7. <https://doi.org/10.1002/jcla.23561>
- Noor, T., Imran, A., Raza, H., Umer, S., Malik, N. A., & Chughtai, A. S. (2023). An Overview of Complete Blood Count Sample Rejection Rates in a Clinical

- Hematology Laboratory Due to Various Preanalytical Errors. *Cureus*, 15(1), 1–6. <https://doi.org/10.7759/cureus.34444>
- Notoatmodjo, S. (2010). *Metodologi Penelitian Kesehatan* (1st ed.). Jakarta: PT Rineka Cipta.
- Nugraha, G. (2022). Teknik Pengambilan dan Penanganan Spesimen Darah Vena Manusia untuk Penelitian. In *Teknik Pengambilan dan Penanganan Spesimen Darah Vena Manusia untuk Penelitian*. Jakarta: LIPI Press. <https://doi.org/10.14203/press.345>
- Pagana, K. D., & Pagana, T. J. (2018). *Mosby's Manual of Diagnostic and Laboratory Test* (6th ed.). Canada: Elsevier.
- Perović, A., & Dolčić, M. (2019). Influence of hemolysis on clinical chemistry parameters determined with Beckman Coulter tests—detection of clinically significant interference. *Scandinavian Journal of Clinical and Laboratory Investigation*, 79(3), 154–159. <https://doi.org/10.1080/00365513.2019.1576099>
- Rifai, N., Chiu, R. W. K., Young, I., Burnham, C. D., & Wittwer, C. T. (2022). *Tietz Textbook Of Laboratory Medicine* (7th ed.). Elsevier Health Sciences. <https://books.google.co.id/books?id=r6RcEAAAQBAJ>
- Rosita, L., Cahya, A. A., & Arfira, F. athiya R. (2019). *Hematologi Dasar*. In *Universitas Islam Indonesia*. Yogyakarta: Universitas Islam Yogyakarta.
- Rudiansyah. (2024). *Buku Ajar Manajemen Data Penelitian Kesehatan Menggunakan Program SPSS*. Deepublish. https://www.google.co.id/books/edition/Buku_Ajar_Manajemen_Data_Penelitian_Kese/Vy0DEQAAQBAJ?hl=id&kptab=overview
- Simundic, A. M., Baird, G., Cadamuro, J., Costelloe, S. J., & Lippi, G. (2020). Managing hemolyzed samples in clinical laboratories. *Critical Reviews in Clinical Laboratory Sciences*, 57(1), 1–21. <https://doi.org/10.1080/10408363.2019.1664391>
- Sugiyono. (2013). Metode penelitian kuantitatif kualitatif dan R&D. In *Penerbit Alfabeta*. Bandung: Alfabeta Bandung.
- Sukorini, U., Nugroho, D. K., Rizki, M., & B., H. (2010). *Pemantapan Mutu Internal Laboratorium Klinik* (1st ed.). Yogyakarta: Alfamedia Kanal Medika.
- Sun, K., Liu, H., Song, A., Manalo, J. M., D'Alessandro, A., Hansen, K. C., Kellems, R. E., Eltzschig, H. K., Blackburn, M. R., Roach, R. C., & Xia, Y. (2017). Erythrocyte purinergic signaling components underlie hypoxia adaptation. *Journal of Applied Physiology*, 123(4), 951–956. <https://doi.org/10.1152/jappphysiol.00155.2017>
- Syaifuddin. (2012). *Anatomi Fisiologi: Kurikulum Berbasis Kompetensi untuk Keperawatan & Kebidanan* (4th ed.). Jakarta: EGC.
- Syapitri, H., Amalia, & Aritonang, J. (2021). *Buku Ajar Metodologi Penelitian Kesehatan*. Malang: Ahlimedia Press.
- Usman, U., Ahmed Siddiqui, J., & Lodhi, J. (2015). Evaluation & Control of Pre

Analytical Errors in Required Quality Variables of Clinical Lab Services. *IOSR Journal of Nursing and Health Science*, 4(3), 54–71. <https://doi.org/10.9790/1959-04355471>

Warekois, R. S., & Robinson, R. (2016). *Phlebotomy Worktext and Procedures Manual*. In *Elsevier* (4th ed.). St. Louis: Elsevier. <https://www.pdfdrive.com/phlebotomy-worktext-and-procedures-manual-e189962130.html>

Yaswir, R., & Ferawati, I. (2012). Fisiologi dan Gangguan Keseimbangan Natrium, Kalium dan Klorida serta Pemeriksaan Laboratorium. *Jurnal Kesehatan Andalas*, 1(2), 80–85. <https://doi.org/10.25077/jka.v1i2.48>

Yılmaz, S., Uysal, H. B., Avcil, M., Yılmaz, M., Dağlı, B., Bakış, M., & Ömürlü, I. K. (2016). Comparison of different methods for measurement of electrolytes in patients admitted to the intensive care unit. *Saudi Medical Journal*, 37(3), 262–267. <https://doi.org/10.15537/smj.2016.3.13539>