

ABSTRACT

Condition means the sanitary Market Godean subdistrict observation have be made know, less availability of his toilet, waste management is not done the separation between organic and organic waste, disposal of waste water through open channels and not available hand washing. The purpose of this study is to determine the condition of facilities Market Godean subdistrict on each variable, namely the provision of clean water, toilet, drainage, waste management and hand washing facilities.

The type of research that used this is the survey and observation which is descriptive, descriptive surveys are generally used to make assessment of the situation in the present, then the results are used to draw up a plan improvement. Research results showed the score on each variable namely, the provision of clean water score 240, toilet score 262, waste management score 280, drainage score 200, and hand washing place score 0. Components that have not met the requirements of the variable water supply : The quality of clean water does not meet the health requirements of the MPN Coliform parameters, do not test the quality of clean water every 6 months. Components that have not met the requirements of the bathroom and toilet variables : the number of toilets is not proportional to the number of traders, there is no hand wash provided with soap and water flow. Components that have not met the requirements of the waste management variable : not available wet and dry bins. Components that do not meet the requirements of the drainage variable : drainage is not closed with metal grating, do not carry out periodic testing of liquid waste quality every 6 months. On variable hand washing is not available in the market area.

Sanitation facilities at Market Godean have known that sub variable is provision of clean water, drainage and hand washing place not yet in accordance with Minister of Health Decree number 519/MENKES/SK/VI/2008. Sanitation facilities in Godean Market did not meet the requirements with a score of 1,022.

Keywords : sanitation facilities, sanitation market

INTISARI

Kondisi sarana sanitasi Pasar Godean berdasarkan pengamatan yang telah dilakukan diketahui kurangnya ketersediaan toilet, pengelolaan sampah tidak dilakukan pemisahan antara sampah organik dan anorganik, pembuangan air limbah melalui saluran terbuka dan tidak tersedia tempat cuci tangan. Tujuan penelitian ini adalah untuk mengetahui kondisi sarana sanitasi Pasar Godean pada masing-masing variabel yaitu penyediaan air bersih, toilet, drainase, pengelolaan sampah, dan tempat cuci tangan.

Jenis penelitian yang digunakan ini adalah survey dan observasi yang bersifat deeskriptif, pada umumnya survey deskriptif digunakan untuk membuat penilaian terhadap suatu kondisi di masa sekarang, kemudian hasilnya digunakan untuk menyusun rencana perbaikan. Hasil penelitian menunjukkan skor pada masing-masing variabel yaitu, penyediaan air bersih skor 240, toilet skor 262, pengelolaan sampah skor 280, drainase skor 200, dan tempat cuci tangan skor 0. Komponen yang belum memenuhi persyaratan pada variabel penyediaan air bersih yaitu : Kualitas air bersih tidak memenuhi syarat kesehatan pada parameter MPN *Coliform*, tidak dilakukan uji kualitas air bersih setiap 6 bulan sekali. Komponen yang belum memenuhi persyaratan pada variabel kamar mandi dan toilet yaitu : jumlah toilet tidak sebanding dengan jumlah pedagang, tidak tersedia tempat cuci tangan (*wastafel*) yang dilengkapi dengan sabun dan air mengalir. Komponen yang belum memenuhi persyaratan pada variabel pengelolaan sampah yaitu : tidak tersedia tempat sampah basah dan kering. Komponen yang belum memenuhi persyaratan pada variabel drainase yaitu : drainase tidak tertutup dengan kisi-kisi yang terbuat dari logam, tidak melakukan uji kualitas limbah cair berkala setiap 6 bulan sekali. Pada variabel tempat cuci tangan tidak tersedia di area pasar.

Sarana sanitasi pada Pasar Godean diketahui bahwa variabel penyediaan air bersih, drainase dan tempat cuci tangan belum sesuai dengan Keputusan Menteri Kesehatan Nomor 519/MENKES/SK/VI/2008. Secara keseluruhan sarana sanitasi di Pasar Godean tidak memenuhi persyaratan dengan skor 1.022.

Kata kunci : Sarana sanitasi, Sanitasi pasar