

LAMPIRAN

Lampiran 1

ANGGARAN PENELITIAN

No.	Kegisatan	Harga	Jumlah	Total
1	Penyusunan proposal			
	a. Penggandaan	Rp 20.000,-	5 bendel	Rp100.000,-
	b. Jilid	Rp 3.000,-	5 bendel	Rp 15.000,-
2	Revisi Proposal Skripsi	Rp 20.000,-	3 kali	Rp 60.000,-
3	Persiapan Penelitian	Rp 50.000,-		Rp 50.000,-
4	Pelaksanaan Penelitian			
	a. <i>Ethical Clearence</i>	Rp 50.000 -	1	Rp 50.000 -
	b. Perijinan	Rp 75.000,-	1	Rp 75.000,-
	c. Transportasi	Rp 20.000,-	10 kali	Rp200.000,-
	d. Pengaminjaman RM	Rp 1.000,-	112 buah	Rp112.000,-
5	Penyusunan Hasil Penelitian			
	a. Penggandaan	Rp 20.000,-	5 bendel	Rp100.000,-
	b. Jilid	Rp 3.000,-	5 bendel	Rp 15.000,-
8	Revisi Hasil Penelitian	Rp 20.000,-	3 kali	Rp 60.000,-
9	Biaya tak terduga	Rp200.000,-		Rp200.000,-
	TOTAL			Rp1.037.000,-

Lampiran 2

JADWAL PENELITIAN

[illegible]

Lampiran 3

FORMAT PENGUMPULAN DATA

No. Responden :

No. RM :

Data Ibu

1. Tanggal lahir :
2. Usia : tahun
3. Paritas :
4. Pekerjaan :
5. Jarak persalinan : tahun
6. Lama Persalinan :
7. Tekanan Darah :mmHg
8. Kadar Hb :

DISTRIBUSI FREKUENSI

FREQUENCIES

		Statistics				
		perdarahanpostpartumprimer	paritas	jarakpersalinan	usia	pekerjaan
N	Valid	112	112	112	112	112
	Missing	0	0	0	0	0

FREQUENCY TABLE

perdarahanpostpartumprimer					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	13	11.6	11.6	11.6
	2	99	88.4	88.4	100.0
	Total	112	100.0	100.0	

paritas					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	46	41.1	41.1	41.1
	2	66	58.9	58.9	100.0
	Total	112	100.0	100.0	

jarakpersalinan					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	49	43.8	43.8	43.8
	2	63	56.3	56.3	100.0
	Total	112	100.0	100.0	

usia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	19	17.0	17.0	17.0
	2	93	83.0	83.0	100.0
	Total	112	100.0	100.0	

pekerjaan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	21	18.8	18.8	18.8
	2	91	81.3	81.3	100.0
	Total	112	100.0	100.0	

usia * perdarahanpostpartumprimer Crosstabulation

			perdarahanpostpartumprimer		
			1	2	Total
usia	1	Count	3	16	19
		% within usia	15.8%	84.2%	100.0%
	2	Count	10	83	93
		% within usia	10.8%	89.2%	100.0%
Total		Count	13	99	112
		% within usia	11.6%	88.4%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	.390 ^a	1	.532		
Continuity Correction ^b	.054	1	.817		
Likelihood Ratio	.363	1	.547		
Fisher's Exact Test				.460	.384
Linear-by-Linear Association	.387	1	.534		
N of Valid Cases	112				

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 2.21.

b. Computed only for a 2x2 table

pekerjaan * perdarahanpostpartumprimer Crosstabulation

			perdarahan	postpartum	primer	
			1	2		Total
pekerjaan	1	Count	1	20		21
		% within pekerjaan	4.8%	95.2%		100.0%
	2	Count	12	79		91
		% within pekerjaan	13.2%	86.8%		100.0%
Total		Count	13	99		112
		% within pekerjaan	11.6%	88.4%		100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	1.180 ^a	1	.277		
Continuity Correction ^b	.502	1	.479		
Likelihood Ratio	1.415	1	.234		
Fisher's Exact Test				.456	.251
Linear-by-Linear Association	1.170	1	.279		
N of Valid Cases	112				

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 2.44.

b. Computed only for a 2x2 table

jarakpersalinan * perdarahanpostpartumprimer Crosstabulation

			perdarahanpostpartumprimer			
			1	2	Total	
jarakpersalinan	1	Count	9	40	49	
		% within jarakpersalinan	18.4%	81.6%	100.0%	
	2	Count	4	59	63	
		% within jarakpersalinan	6.3%	93.7%	100.0%	
Total			Count	13	99	112
			% within jarakpersalinan	11.6%	88.4%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	3.880 ^a	1	.049		
Continuity Correction ^b	2.797	1	.094		
Likelihood Ratio	3.888	1	.049		
Fisher's Exact Test				.073	.047
Linear-by-Linear Association	3.846	1	.050		
N of Valid Cases	112				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5.69.

b. Computed only for a 2x2 table

HASIL PENGUJIAN CHI SQUARE
HUBUNGAN PARITAS DENGAN PERDARAHAN POSTPARTUM
PRIMER

CROSSTABS

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
paritas * perdarahanpostpartumprimer	112	100.0%	0	0.0%	112	100.0%

paritas * perdarahanpostpartumprimer Crosstabulation

		perdarahanpostpartumprimer		
		1	2	Total
paritas	1	Count	9	37
		% within paritas	19.6%	80.4%
	2	Count	4	62
		% within paritas	6.1%	93.9%
Total		Count	13	99
		% within paritas	11.6%	88.4%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	4.818 ^a	1	.028		
Continuity Correction ^b	3.592	1	.058		
Likelihood Ratio	4.765	1	.029		
Fisher's Exact Test				.037	.030
Linear-by-Linear Association	4.775	1	.029		
N of Valid Cases	112				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5.34.

b. Computed only for a 2x2 table

Symmetric Measures

		Value	Approximate Significance
Nominal by Nominal	Contingency Coefficient	.203	.028
N of Valid Cases		112	

Keterangan:

C=0,203 = rendah

Teori

Jika nilai X^2 diketahui bermakna, dilanjutkan dengan analisis koefisien kontingensi (C) untuk mengetahui keeratan hubungan kedua variabel.

Tingkat Hubungan	Interval Koefisiensi
Sangat rendah	0,0—0,1999
Rendah	0,2-0,399
Sedang	0,4-0,599
Kuat	0,6-0,799
Sangat kuat	0,8-1,00