

LAMPIRAN

Lampiran 1.

ANGGARAN PENELITIAN

No	Kegiatan	Keterangan	Biaya
1	Penyusunan	Studi Pendahuluan	Rp. 150.000,00
		Pengetikan, penjilidan	Rp. 300.000,00
		Transportasi Peneliti	Rp. 100.000,00
2	<i>Etichal Clearance</i>	Biaya mengajukan etik penelitian	Rp. 50.000,00
3	Pengambilan Data	Biaya perizinan pengambilan data di Rekam Medis RSUD Muntilan	Rp. 150.000,00
4	Pelaksanaan Penelitian	Transportasi Peneliti	Rp. 200.000,00
5	Penyusunan Skripsi	Pencetakkan dan penjilidan	Rp. 400.000,00
JUMLAH			Rp. 1.350.000,00

Lampiran 2.

JADWAL PENELITIAN

N O	KEGIATAN	Okto ber	November				Desember				Januari				Februari				Maret				April				Mei				Juni			
		3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4			
1	Penyusunan Skripsi																																	
2	Konsultasi Pembimbing																																	
3	Ujian																																	
4	Perbaikan																																	
5	Mengurus ijin																																	
6	Pengumpulan Data																																	
7	Analisis Hasil																																	
8	Penyusunan Laporan Penelitian																																	
9	Konsultasi Pembimbing																																	
10	Sidang Skripsi																																	
11	Revisi Skripsi																																	

Lampiran 3.

FORMAT PENGUMPULAN DATA

No	:
No RM	:
Nama	:
Tanggal lahir	:
Paritas	:
Pekerjaan	:
Kejadian Preeklampsia	:
Kadar Hb	:
Jumlah Janin	:
Riwayat Penyakit*	: Diabetes Mellitus, Jantung, Infeksi Saluran Kencing, Ginjal, Hipertensi Kronis, Riwayat Preeklampsia.

Keterangan *= lingkari bagi pasien yang terdapat riwayat penyakit tersebut

Lampiran 4.

MASTER TABEL PENELITIAN

No	No Rekam Medis	Inisial	Kejadian Preeklampsia	Umur	Paritas	Status Pekerjaan	Status Anemia
1	296252	S	1	1	1	2	1
2	128792	MI	1	2	1	2	2
3	82219	R	1	2	1	1	1
4	295991	SR	1	1	2	1	1
5	293978	S	1	1	2	2	1
6	8489	H	1	2	2	2	1
7	106866	S	1	1	1	2	1
8	175598	RW	1	1	1	2	2
9	294295	SP	1	2	1	1	1
10	216315	RN	1	2	2	2	2
11	293594	R	1	1	1	1	2
12	293594	DL	1	2	1	2	1
13	296373	WM	1	1	2	2	2
14	295902	SW	1	1	2	2	2
15	157640	SM	1	1	1	1	2
16	151053	SN	1	1	2	2	2
17	298554	IM	1	2	2	2	1
18	296403	LE	1	2	2	2	1
19	298474	ES	1	2	2	2	2
20	294518	PL	1	2	2	2	1
21	295991	SR	1	1	2	1	1
22	267770	UC	1	2	1	2	1
23	297641	PL	1	1	2	2	1
24	305962	MI	1	2	2	2	2
25	299293	SM	1	1	2	1	1
26	299369	LA	1	1	2	2	2
27	298988	S	1	1	2	2	2
28	173159	EWU	1	2	2	2	2
29	288287	SSN	1	1	2	2	2
30	298865	DA	1	2	1	2	1
31	296835	R	1	1	2	2	2
32	298364	T	1	1	2	1	2
33	167294	SH	1	1	2	2	2
34	165694	AT	1	1	2	2	2
35	298611	SA	1	2	2	2	2

36	302494	UV	1	2	1	2	1
37	302724	IL	1	2	1	1	1
38	300876	FP	1	2	2	1	2
39	156896	SSN	1	1	2	2	1
40	299906	S	1	1	1	1	2
41	299378	R	1	1	1	1	2
42	300349	SL	1	1	1	2	1
43	301629	DCA	1	2	1	1	2
44	232917	YSS	1	2	2	1	2
45	301257	SN	1	1	1	2	1
46	299897	S	1	2	2	1	2
47	299597	I	1	1	2	1	2
48	53354	EF	1	2	1	2	2
49	247133	AK	1	1	2	2	1
50	251032	FA	1	2	2	1	2
51	302560	SSN	1	2	1	2	2
52	301971	FF	1	2	1	2	2
53	298661	T	1	1	2	1	2
54	180944	S	1	2	2	2	2
55	305372	I	1	2	1	1	2
56	269948	NIL	1	2	1	1	2
57	143698	SZ	1	2	2	2	2
58	296501	BH	1	1	2	2	1
59	305972	SC	1	1	2	2	1
60	302782	A	1	1	2	2	2
61	304333	RM	1	2	2	1	1
62	295558	S	1	2	1	2	1
63	304004	W	1	2	2	2	2
64	133384	YK	1	2	2	2	1
65	304689	S	1	1	2	2	1
66	306127	SK	1	2	1	2	1
67	294704	HAW	1	1	2	2	1
68	222360	R	2	1	1	2	1
69	296700	ES	2	2	1	1	1
70	295620	FS	2	2	2	2	2
71	296760	UH	2	1	1	2	2
72	306119	R	2	2	2	1	1
73	294963	A	2	2	1	2	2
74	296626	SL	2	2	1	2	1
75	296746	SL	2	1	2	2	2
76	294795	AH	2	2	1	2	2

77	306132	A	2	2	2	2	2
78	295628	DS	2	2	1	1	2
79	311113	P	2	2	1	2	2
80	295336	RT	2	2	1	2	1
81	294207	UK	2	2	1	1	2
82	175447	A	2	2	2	2	1
83	295335	NH	2	1	2	2	2
84	297603	S	2	2	1	1	2
85	297663	WS	2	2	1	2	2
86	297622	EF	2	2	1	1	2
87	265112	YL	2	1	2	1	2
88	296942	S	2	1	2	1	1
89	296922	YM	2	1	2	1	2
90	296876	VS	2	2	1	1	1
91	296822	I	2	2	2	2	1
92	296656	Y	2	2	1	1	1
93	195821	S	2	2	2	1	2
94	64833	N	2	1	2	1	2
95	296893	EA	2	2	1	2	2
96	271064	MU	2	2	1	2	2
97	203004	SL	2	2	2	2	1
98	294934	MU	2	1	2	2	2
99	243967	KH	2	2	1	2	2
100	141075	NH	2	1	1	1	2
101	297160	S	2	2	2	2	2
102	138760	FL	2	2	1	2	2
103	7924	HY	2	2	2	2	2
104	299674	RW	2	2	1	1	2
105	295022	S	2	2	1	2	1
106	299202	R	2	2	1	2	2
107	142571	DM	2	2	2	1	1
108	298570	SA	2	2	2	2	2
109	299590	A	2	1	2	2	2
110	301139	A	2	2	1	2	1
111	297818	R	2	2	1	1	1
112	290827	LM	2	2	1	2	1
113	301948	W	2	2	2	2	2
114	303166	E	2	2	1	1	2
115	297365	NK	2	2	1	2	2
116	114745	EYA	2	2	2	2	2
117	296975	UM	2	2	1	1	2

118	299895	HK	2	2	1	1	2
119	297804	EAY	2	2	1	2	1
120	299434	F	2	2	1	1	2
121	309580	D	2	2	2	2	2
122	309770	TR	2	2	1	2	2
123	297511	A	2	2	1	2	2
124	240121	IF	2	2	1	2	2
125	309851	RA	2	2	2	1	2
126	311341	SR	2	1	2	2	2
127	237073	PR	2	2	2	2	1
128	311914	DNU	2	2	1	2	2
129	306129	I	2	2	2	2	2
130	309275	R	2	2	1	2	2
131	311935	MU	2	2	1	2	2
132	311475	SA	2	1	2	2	2
133	305774	M	2	2	2	2	2
134	309609	DA	2	2	2	2	2

Lampiran 5.

HASIL ANALISIS

UNIVARIAT

Frequencies

		Statistics			
		Usia	Paritas	Pekerjaan	Anemia
N	Valid	134	134	134	134
	Missing	0	0	0	0
Sum		222	205	225	220

Frequency Table

		Usia			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Berisiko	46	34.3	34.3	34.3
	Tidak berisiko	88	65.7	65.7	100.0
	Total	134	100.0	100.0	

		Paritas			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Berisiko	63	47.0	47.0	47.0
	Tidak berisiko	71	53.0	53.0	100.0
	Total	134	100.0	100.0	

Pekerjaan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Bekerja	43	32.1	32.1	32.1
	Tidak Bekerja	91	67.9	67.9	100.0
	Total	134	100.0	100.0	

Anemia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Anemia	48	35.8	35.8	35.8
	Tidak anemia	86	64.2	64.2	100.0
	Total	134	100.0	100.0	

BIVARIAT

Crosstabs

Usia * Preeklampsia

Crosstab

			Preeklampsia		Total
			Preeklampsia	Tidak preeklampsia	
Usia	Berisiko	Count	33	13	46
		% within Usia	71.7%	28.3%	100.0%
	Tidak berisiko	Count	34	54	88
		% within Usia	38.6%	61.4%	100.0%
Total	Count	67	67	134	
	% within Usia	50.0%	50.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	13.241 ^a	1	.000	.000	.000
Continuity Correction ^b	11.950	1	.001		
Likelihood Ratio	13.578	1	.000		
Fisher's Exact Test					
Linear-by-Linear Association	13.142	1	.000		
N of Valid Cases ^b	134				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 23,00.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Usia (Berisiko / Tidak berisiko)	4.032	1.863	8.725
For cohort Preeklampsia = Preeklampsia	1.857	1.349	2.556
For cohort Preeklampsia = Tidak preeklampsia	.461	.282	.751
N of Valid Cases	134		

Paritas * Preeklampsia

Crosstab

			Preeklampsia		Total
			Preeklampsia	Tidak preeklampsia	
Paritas	Berisiko	Count	25	38	63
		% within Paritas	39.7%	60.3%	100.0%
	Tidak berisiko	Count	42	29	71
		% within Paritas	59.2%	40.8%	100.0%
Total		Count	67	67	134
		% within Paritas	50.0%	50.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	5.063 ^a	1	.024	.037	.019
Continuity Correction ^b	4.314	1	.038		
Likelihood Ratio	5.096	1	.024		
Fisher's Exact Test					
Linear-by-Linear Association	5.025	1	.025		
N of Valid Cases ^b	134				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 31,50.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Paritas (Berisiko / Tidak berisiko)	.454	.227	.907
For cohort Preeklampsia = Preeklampsia	.671	.468	.962
For cohort Preeklampsia = Tidak preeklampsia	1.477	1.047	2.083
N of Valid Cases	134		

Pekerjaan * Preeklampsia

Crosstab

			Preeklampsia		Total
			Preeklampsia	Tidak preeklampsia	
Pekerjaan	Bekerja	Count	21	22	43
		% within Pekerjaan	48.8%	51.2%	100.0%
	Tidak Bekerja	Count	46	45	91
		% within Pekerjaan	50.5%	49.5%	100.0%
Total		Count	67	67	134
		% within Pekerjaan	50.0%	50.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.034 ^a	1	.853	1.000	.500
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.034	1	.853		
Fisher's Exact Test					
Linear-by-Linear Association	.034	1	.854		
N of Valid Cases ^b	134				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 21,50.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Pekerjaan (Bekerja / Tidak Bekerja)	.934	.452	1.929
For cohort Preeklampsia = Preeklampsia	.966	.669	1.395
For cohort Preeklampsia = Tidak preeklampsia	1.035	.723	1.481
N of Valid Cases	134		

Anemia * Preeklampsia

Crosstab

			Preeklampsia		
				Tidak preeklampsia	
			Preeklampsia		Total
Anemia	Anemia	Count	30	18	48
		% within Anemia	62.5%	37.5%	100.0%
	Tidak anemia	Count	37	49	86
		% within Anemia	43.0%	57.0%	100.0%
Total		Count	67	67	134
		% within Anemia	50.0%	50.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	4.674 ^a	1	.031	.047	.023
Continuity Correction ^b	3.928	1	.047		
Likelihood Ratio	4.712	1	.030		
Fisher's Exact Test					
Linear-by-Linear Association	4.640	1	.031		
N of Valid Cases ^b	134				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 24,00.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Anemia (Anemia / Tidak anemia)	2.207	1.070	4.551
For cohort Preeklampsia = Preeklampsia	1.453	1.047	2.015
For cohort Preeklampsia = Tidak preeklampsia	.658	.437	.991
N of Valid Cases	134		