

DAFTAR PUSTAKA

- Aftab S, Abdul BK, and Ghulam R. (2008). The assessment of risk factors of postoperative nausea and vomiting. *Journal of the College Physicians and Surgeons Pakistan.* 18(3):137-141
- Amponsah G. (2007). Postoperative nausea and vomiting in korle bu teaching hospital. *Ghana Medical Journal.* 41(4)
- Apfel CC., Heidrich FM., Jukar-Rao., et al. (2012). Evidence-based analysis of risk factors for postoperative nausea and vomiting. *British Journal of Anaesthesia.* 109 (5): 742–53.
- Apfel CC., Kranke P., Eberhart LHJ., Roos A., Roewer N. (2002). Comparsion of predictive model for postoperative nausea and vomiting. *British Journal of Anaesthesia.* 88(2): 234-240.
- Apfel CC., Laara E., Koivuranta M., Greim CA., Roewer N. (1999). A Simplified Risk Score for Predicting Postoperative Nausea and Vomiting: Conclusions from Cross-validations between Two Centers, Anesthesiology. *American Society of Anesthesiologists, Inc.* 91:693-700.
- ASPN. (2006). ASPAN'S Evidence-Based Clinical Practice Guideline for the Prevention and/or Management of PONV/PDNV. *Journal of PeriAnesthesia Nursing.* 21(4): 230-250.
- Bagir, M. (2015). Perbandingan Skor Apfel dengan Sinclair Sebagai Prediktor PONV pada Pasien Dewasa dengan Anestesi Umum. *Thesis Pascasarjana Universitas Gajah Mada.*
- Collins, Angela, Smith. (2011). Postoperative Nausea and Vomiting in adults: implications for critical care. *American Association of Critical – Care Nurses Journal.* 31(6):36-64.
- Chatterjee S., A Rudra., S Sengupta. (2011). Review Article: Current concepts in the management of postoperative nausea and vomiting. *Anesthesiology Research and Practice.*
- Choi DH, Ko JS, Ahn HJ, and Kim JA. (2005). A Korean predictive model for postoperative nausea and vomiting. *J Korean Med Sci.* 20:811-5
- Dipiro, J.T., Wells, B.G., Schwinghammer, T.L., Dipiro, C.V., 2015, Pharmacotherapy Handbook Ninth Edition-Section 4 Chapter 19, *The McGraw-Hill Companies, Inc*, United States.
- Depkes RI. (2009). *Profil Kesehatan Indonesia.* Jakarta.

- Dahlan, M.S. (2011). Penentuan titik potong, *Penelitian Prognostik dan Sistem Skoring*, Edisi ke-1. Bandung: Alqaprint Jatinagor.
- Dahlan, M.S. (2009). *Penelitian Diagnostik: Teori Dan Praktik Dengan SPSS Dan Stata*. Jakarta: Salemba Medika.
- Doubravská, L., Dostálková, K., Fritscherová, S., Zapletalová, J., Adamus, M. (2010). Incidence of Postoperative Nausea and Vomiting in Patients at A University Hospital. *Biomed Pap Med Fac Univ Palacky Olomouc Czech Repub.* 154(1): 69-76.
- Ebell, M.H. (2007). Predicting Postoperative Nausea and Vomiting. *American Family Physician*. Vol. 75 (10), No: 1537-1538.
- Eu-Gene K, Hye JP, Hyoseok K, Juyoun C, and Hyun JL. (2014). Antiemetic effect of propofol administered at the end of surgery in laparoscopic assisted vaginal hysterectomy. *Korean J Anesthesiol*.6(23):210-15.
- Fithrah BA. (2014). Penatalaksanaan mual muntah pascabedah dilayanan kesehatan primer. *CDK*. 41(6).
- Gan TJ., Diemunsch P., Habib AS., et al. (2014). Consensus guidelines for the management of postoperative nausea and vomiting. *Anesth Analg.*, 118:85-113.
- Gan TJ. (2006). Risk factors for postoperative nausea and vomiting. *Anesth Analg.*, 102:1884-98.
- Giesecke J. (2002). Modern Infection Disease Epidemiology. Second Edition ed. USA: Oxford University Press Inc.
- Hidayat A. (2009). *Metode Penelitian Keperawatan dan Teknik Analisis Data*. Jakarta: Salemba Medika.
- Hutapea R. (2013). Why rokok?: Tembakau dan peradaban manusia. Jakarta: Bee Media Indonesia.
- Indrawati A. (2010). Efektivitas Rangsangan Kombinasi Titik Akupuntur Pc-6 (Neiguan) & St-25 (Tianshu) Dibandingkan Pemberian Ondansetron untuk Mencegah Mual dan Muntah Pasca Bedah Orthopedi dengan anestesi Umum.
- Islam S., Jain PN. (2004). Postoperative Nausea and Vomiting (PONV). A Review Article. *Indian J. Anesth.* 48(4): 253-258.
- Juliana YH., Irawan D., Hamidy MY. (2013). Gambaran Kejadian Post Operative Nausea And Vomiting (PONV) pada pasien yang menjalani Anestesi

- Umum dengan Menggunakan *Laryngeal Mask Airway* (LMA) di RSUD Arifin Achmad Provinsi Riau. Diunduh dari UNRI website: <http://repository.unri.ac.id/jspui/handle/123456789/2531>. Diperoleh pada tanggal 28 September 2019.
- Last JM. (2001). A Dictionary of Epidemiology. Edition F, editor. *New York: Oxford University Press.*
- Miller, R., & Pardo, M. J. (2011). Intravenous Anesthetics. In : Eilers H, *Basics of Anesthesia*. 6th ed. Philadelphia: Elsevier Saunders.
- Morgan GE, Mikhail MS, Murray MJ. (2013). *Chronic Pain Management*. In :*Clinical Anesthesiology*, 5th ed. Lange Medical Books/McGraw-Hill.p.1023-85.
- Mohamed H. Rahman, Jane Beattie. (2004). Post Operative Nausea and Vomiting. *The Pharmaceutical Journal*. 273 : 786-8.
- Mangku, G., Tjokorda,G.A.S. (2010). *Buku Ajar Ilmu Anesthesia dan Reanimasi*. Vol.1. Jakarta: Indeks.
- Murti B. (2011). Validitas dan Realibilitas Pengukuran. Journal. Diunduh dari UNS website : <http://fk.uns.ac.id/index.php/download/file/61>. Diperoleh pada tanggal 23 september 2019.
- Nortcliffe, S.A., Shah, J., Buggy, D.J. (2003). Prevention of Postoperative Nausea and Vomiting After Spinal Morphine for Cesarean Section : Comparison of Cyclizine, Dexamethasone and Placebo. *British Journal of Anaesthesia*.Vol. 90 (5), No: 665-670.
- Notoatmodjo, Soekidjo. (2010). *Metodologi Penelitian Kesehatan*. Jakarta: Rineka Cipta.
- Nursalam. 2017. *Metodologi Penelitian Ilmu Keperawatan Pendekatan Praktis Edisi 4*. Jakarta: Salemba Medika.
- Nursalam. 2013. *Metodologi Penelitian Ilmu Keperawatan: Pendekatan Praktis* : Jakarta : SalembaMedika.
- O.T. Orewole, aremu SK, Bolaji BO, and Kolawole IK. (2014). Comparative trial of combined metoclopramide and dexamethason postoperative in postoperative nausea and vomiting in gynaecological surgery. *American Journal of Research Communication*. 2(5)
- Press, CD. (2013). General Anesthesia.*Medscape*.
- Pierre S., Whwelan R. (2013). *Nausea and vomiting after surgery*. Contin Educt Anesht Crit Care Pain., 13: 28-32.

- Pierre S., Conro G., Benais, H., Apfel CC. (2004). A risk score-dependent antiemetic approach effectively reduces postoperative nausea and vomiting – a continuous quality improvement initiative. *Can J Anesth.* 51(4): 320-325.
- Palupi I. (2014). Perbandingan antara Skor Apfel dan Skor Koivuranta terhadap prediksi terjadinya mual dan muntah pasca operasi pada anestesi umum di RSUP Dr. Sardjito. *Tesis Akhir Penelitian*. Diunduh dari UGM website : <http://etd.repository.ugm.ac.id/> pada tanggal 18 September 2019.
- Pusponegoro HD, Wirya IGN, Pudjiadi AH, Bisanto J, Zulkarnain SZ. (2008). *Uji diagnostik*. In: Sastroasmoro S, editor. Dasar – dasar metodologi penelitian klinis. Jakarta: sagung seto. 193 – 214.
- Silaban JH. (2015). Perbandingan Penurunan Resiko Kejadian Mual Muntah Pasca Operasi dengan Pemberian Midazolam 0,035 mg/kg iv dan Ondansentron 4 mg iv pada pasien dengan skor Apfel 3-4 yang dilakukan anestesi. Diunduh dari USU website: <http://repository.usu.ac.id/handle/123456789/52932>. Diperoleh pada tanggal 26 September 2019
- Smith HS., Smith EJ., Smith BR. (2012). Postoperative nausea and vomiting. *Ann Palliat Med.* 1:94-102.
- Smith HS, Joshua MS, Pya S. (2012). Review Article: Opioid-induced nausea and vomiting. *Ann Palliat Med.* 1(2):121-29.
- Sweis I, S Sara Y, and Mimis NC. (2013). The management of postoperative nausea and vomiting: current thoughts and protocols. Springer Science of Aesthetic Plastic Surgery. 37:625-633.
- Supatmi & Agustiningsih. (2015). Efek Aromatherapy Papermint Inhalasi terhadap mual dan muntah pada Pasien dengan Pemberian Kemoterapi. diunduh dari Askes Karya Husada website : <http://jurnal.akeskaryahusada.ac.id/index.php/jkkh/article/view/19>. Diperoleh pada tanggal 30 September 2019.
- Sholihah A., Sikumbang KM., & Husairi A. (2015) . Gambaran Angka Kejadian Postoperative Nausea And Vomiting (PONV) di RSUD Ulin Banjarmasin Mei-Juli 2014. *Jurnal Berkala Kedokteran.* 11(1):119-129.
- Sastroasmoro, Sudigdo & Ismael, Sofyan.(2014). *Dasar – Dasar Metodologi Penelitian Klinis Edisi ke-5*. Jakarta: Sagung Seto.
- Sugiyono. 2017. *Metode Penelitian Kuantitatif, Kualitatif, dan R&D*. Bandung : CV. Alfabeta.

Wijaya AA., Fithrah BA., Marsaban AHM., & Hidayat J. (2014). Efektivitas Pemberian Cairan Praoperatif Ringer Laktat 2 mL/kgBB/jam Puasa untuk Mencegah Mual Muntah Pascaoperasi. *Jurnal Anestesi Perioperatif.*, 2(3):200-207

Woodall NM, Cook TM. (2011). National census of airway management techniques used for anaesthesia in the UK: first phase of the Fourth National Audit Project at the Royal College of Anaesthetists. *Br J Anaesth.* 106(2):266–71.

Webb P, Bain C, Pirozzo S. (2005). Essential Epidemiology, An Introduction for Students and Health Professionals. New York: Cambridge University Press.

Zainumi. (2009). Perbandingan antara Skor apfel dan Skor koivuranta terhadap prediksi terjadinya Post Operative Nausea and Vomiting pada Anestesi Umum di RSUP H. Adam Malik Medan. *Tesis Akhir Penelitian*.