

DAFTAR PUSTAKA

- Afzal, M., (2007). Airway Management In Pediatric Anesthesia: Laryngeal Mask Airway Vs Endotracheal Tube. *The Internet Journal of Anesthesiology*. Volume 13 Number 11.
- Ahmed, A., Abbasi, S., Ghafoor, H., Ishaq, M., (2007). Postoperative sore throat after elective surgical procedurs. *J Ayub Med Coll Abbottabad.*;19(2):12-4.
- Arikunto, S., (2010). *Prosedur Penelitian, Edisi VI*. Jakarta: PT. Rineka Cipta
- Cook, T., Walton, B., (2005). *The Laryngeal Mask Airway*. Update in Anesthesia: 32 – 42.
- Djauzi, S., (2003). *Perawatan paliatif dan bebas nyeri pada penderita kanker (panduan untuk petugas kesehatan)*. Jakarta: YPI PRESS.
- Dorsch, S.E, (2009). *Understanding Anesthesia Equipment 4 th ed*, William & Wilkins, Laryngeal mask, 463-482.
- Efrati, S., Deutsch, I., Gurman, G.M., (2012). Endotracheal tube cuff-small important part of a big issue. *J Clin Monit Comput*. 26 (1):53–60
- Ferdian, (2014), Perbandingan Penggunaan Triamcinolone Acetonide Dan Lidocaine Pada Pipa Endotrakea Terhadap Angka Kejadian Nyeri Tenggorok Pasca Intubasi Pada Anestesi Umum, *Jurnal Anestesiologi Indonesia*, Fakultas Kedokteran Universitas Diponegoro
- Gomillion, M.C., Han, J.H., (2008), *Magnetic Resonance Imaging a case of 2 years old boy*. *Anesthesiology Problem-Oriented Patient Management Yao & Artusio's*, 6th ed, Lippincott Williams & Wilkins, Philadelphia, USA,.
- Gunawan, (2011), Angka Kejadian Nyeri Tenggorok Pasca Operasi Setelah Pemasangan Laryngeal Mask Airway (LMA) Proseal (Uji Banding pada Pasien yang di Induksi dengan Propofol 2,5 mg/kgbb ditambahkan Atracurium 0,5 mg/kgbb dan Propofol 2,5 mg/kgbb saja), *Thesis*, UGM
- Hagberg, C.A., (ed). (2007). *Benum of 's Airway Management, 2nd edn*. Philadelphia: Mosby Elsevier
- Hara, K, Maruyama, K., (2005). Effect of additive in lidocaine spray on post operative sore throat, hoarseness and dysphagia after total intravenous anesthesia. *Acta anaesthesiol scand* 2005:49:463-7
- Hidayat, A. A., (2007). *Metode Penelitian Kebidanan dan Teknik Analisa Data*, Salemba Medika: Jakarta.

- Higgins, P.P., Chung, F., Mezei, G., (2002). Postoperative sore throat after ambulatory surgery. *Br J Anaesth* 2002;88:582-4
- Keijzer, C., Buitelaar, D., (2009). A Comparison of postoperative throat and neck complaints after the use of I-gel and the La Premiere Disposable laryngeal mask: a double-blinded, randomized, controlled trial. *Anaesth Analg*; 109(4);1092-4.
- Latief, A.S., (2007), *Petunjuk Praktis Anesthesiologi Edisi Kedua*, Bagian Anesthesiologi dan Terapi Intensif Fakultas Kedokteran Universitas Indonesia, Jakarta.
- Lunn, N.J., (2005), *Catatan Kuliah Anestesi*, Edisi 4, EGC, Jakarta.
- Mangku, G., & Senapathi, T.G.A., (2010), *Buku Ajar Ilmu Anastesia dan Reanimasi*, Indeks, Jakarta.
- Morgan, E., Mikhail, M., Murray, M., (2006). *Clinical anesthesiology. Edisi ke-4*. New York: McGraw-Hill;
- Mulia, A., (2014). Perbedaan Kejadian Nyeri Tenggorokan Pasca Pemasangan Laringeal Mask Airway (LMA) classic Dengan proseal di ruang perawatan RSUD Dr. Soedarso Pontianak, *Skripsi*, Poltekkes Yogyakarta
- Narasethakamol, A., Techanivate, A., Saothongthong, J., Yurakate, N., Cousnit, P., (2011). Application of Mometasone spray to reduce sore throat after tracheal intubation. *J Med Assoc Thai.*; 94(8):958-64.
- Nolan, J.P., Cook, T.M., Lee, G., (2005). The ProSeal laryngeal mask airway ; a review of the literature. *Can j Anesth* 2005 ; Aug-Sep;52(7):739-60.
- Notoatmodjo, S., (2010), *Metodologi Penelitian Kesehatan*, Jakarta : PT Rineka Cipta
- Park, S.H., Han, S.H., Do, S.H., Kim, J.W., Rhee, K.J., Kim, J.H., (2008). Prophylacticdexamethasone decrease the incidence of sore throat and hoarseness after tracheal extubation with a double lumen endotracheal tube. *Anesth analg* 2008; 107:1814-8
- Potter, P.A., & Perry, G.A., (2010). *Fundamental of nursing (Volume 2, 7th Ed.)*. ST. Louis: Mosby Year Book.
- Rudra, A., Ray, S., Chatterjee, S., (2009). Gargling with ketamine attenuates the postoperative sorethroat. *Indian Journal of Anesthesia* ;
- Setiawaty, (2012). *Laryngeal Mask Airway (LMA)*, Bagian Anestesi Universitas Hasanuddin

- Stone, J.D., Gal, J.T., (2008). *Airway management. In: Miller's Anaesthesia*. Philadelphia: Churchill Livingstone; p. 1326-27.
- Sumathi, P.A., Shenoy, T., Ambareesha, M., Krishna, H.M., (2008). Controlled Comparison between betamethasone gel and lidocaine jelly applied over tracheal tube to reduce postoperative sore throat, cough and hoarseness of voice. *Br J Anaesth* 2008;100:215-8
- Suyanto, (2011). *Metodologi Dan Aplikasi Penelitian Keperawatan. Cetakan Pertama*. Yogyakarta: Nuha Medika
- Tamsuri, (2007), *Konsep Dan Penatalaksanaan Nyeri*, Jakarta : EGC
- The Laryngeal Mask Company Limited, (2007). *Instruction Manual; LMA; Supreme*. English.
- Thomas, S., Beevi, S., (2007). Dexamethasone reduces the severity of postoperative sore throat. *Can J Anesth.*;54(11):897-901.
- Vipin, N.K., (2007). *Post intubation sore throat: a comparative study between intracuff alkalized lignocaine and intracuff plain lignocaine. Dissertation*. St. Johns Medical College and Hospital. Bangalore.
- Wirdiyana, (2013), Perbandingan Efektivitas Spray Mometasone Furoat dan Deksamethason Intravena dalam Mengurangi Nyeri Tenggorokan setelah Operasi pada Anestesi Umum Intubasi Endotrakeal. *Jurnal Anestesiologi Indonesia*, Volume V, Nomor 3, Tahun 2013