

SYSTEMATIC REVIEW
DETERMINAN KEJADIAN UNMET NEED PADA
PASANGAN USIA SUBUR

Lucia Devi Pramitasari¹, Yuliasti Eka Purnamaningrum², Mina Yumei Santi³
^{1,2,3}Jurusan Kebidanan Poltekkes Kemenkes Yogyakarta,
Jl. Tatabumi No.3 Banyuraden, Gamping, Sleman
¹Email: luciadevipramitasari@gmail.com

ABSTRAK

Latar belakang: Tingginya angka *unmet need* berpengaruh pada rapatnya jarak kelahiran dan banyaknya anak yang dilahirkan sehingga berisiko tinggi terhadap kematian ibu dan bayi. Wanita usia reproduksi yang tidak mengikuti keluarga berencana berpeluang besar untuk hamil dan mengalami komplikasi dalam masa kehamilan, persalinan dan nifas. **Tujuan:** Untuk mengetahui determinan kejadian *unmet need* pada pasangan usia subur. **Metode:** Metode yang digunakan menggunakan metode *Preferred Reporting Items for Systematic Reviews and Meta-analyses* (PRISMA). Data yang digunakan untuk mencari artikel melalui *Pubmed*. Artikel yang dipilih berdasarkan kriteria inklusi dan eksklusi sehingga terpilih enam artikel dengan terbitan lima tahun terakhir yang kemudian dilakukan review. **Hasil:** Faktor-faktor yang mempengaruhi kejadian *unmet need* dikelompokkan menjadi dua yaitu faktor internal dan faktor eksternal. Faktor internal yang mempengaruhi kejadian *unmet need* yaitu takut efek samping, pendidikan, usia, paritas. Sedangkan untuk faktor eksternal yaitu persetujuan pasangan, diskusi dengan pasangan tentang KB, dukungan suami, pekerjaan IRT/petani, jumlah anak hidup, memiliki anak kurang dari satu tahun, perempuan yang tinggal di pedesaan, wanita yang pernah mengalami kematian putranya lebih dari satu kali, kurangnya atau tidak pernah mendapat konseling mengenai KB, dan tidak adanya radio atau TV di rumah, keinginan suami memiliki anak. **Kesimpulan:** Faktor penyebab kejadian *unmet need* pada pasangan usia subur adalah faktor internal dan eksternal.

Kata Kunci: Determinan, unmet need, pasangan usia subur, keluarga berencana

SYSTEMATIC REVIEW
DETERMINANTS OF UNMET NEED FOR FAMILY PLANNING
AMONG MARRIED WOMEN OF REPRODUCTIVE AGE

Lucia Devi Pramitasari¹, Yuliasti Eka Purnamaningrum², Mina Yumei Santi³
^{1,2,3}Department of Midwifery Poltekkes Kemenkes Yogyakarta,
Jl. Tatabumi No.3 Banyuraden, Gamping, Sleman
¹Email: luciadevipramitasari@gmail.com

ABSTRACT

Background: The high number of unmet need influences the tightness of birth spacing and the number of children born as a result there is a high risk of maternal and infant mortality. Women of reproductive age who do not follow family planning have a high chance of becoming pregnant and experiencing complications during pregnancy, childbirth and the puerperium. **Objective:** To determine the determinants of unmet need events in couples of childbearing age. **Method:** The method used in this research is the Preferred Reporting Items for Systematic Reviews and Meta-analyses (PRISMA) methods. Data used to search for articles are through Pubmed. Articles were selected based on inclusion and exclusion criteria so that the six article were selected with the last five years of publication which were then reviewed. **Results:** The factors that influence the occurrence of unmet need are grouped into two namely internal and external factors. The internal factors are fear of side effects, education, age, parity. Meanwhile the external factors partner approval, discussion with partner about family planning, husband's support, house wife or farmer occupation, number of children living, having children less than one year old, women living in the countryside, women who have experienced death his son more than once, lack of or never received counseling about family planning, and the absence of radio or TV at home, husband's desire for children. **Conclusion:** Factors causing unmet need among married women of reproductive age is internal and external factors.

Keywords: Determinants, unmet need, couples of childbearing age, family planning