

DAFTAR PUSTAKA

- Akhtar, S., & Dhillon, P. (2017). Prevalence of diagnosed diabetes and associated risk factors: Evidence from the large-scale surveys in India. *Journal of Social Health and Diabetes*, 05(01), 028–036. <https://doi.org/10.4103/2321-0656.194001>
- Aldossari, K. K., Aldiab, A., Al-Zahrani, J. M., Al-Ghamdi, S. H., Abdelrazik, M., Batais, M. A., Javad, S., Nooruddin, S., Razzak, H. A., & El-Metwally, A. (2018). Prevalence of Prediabetes, Diabetes, and Its Associated Risk Factors among Males in Saudi Arabia: A Population-Based Survey. *Journal of diabetes research*, 2018, 2194604. <https://doi.org/10.1155/2018/2194604>
- Araújo, F. G., Velasquez-Melendez, G., & Felisbino-Mendes, M. S. (2019). Prevalence trends of overweight, obesity, diabetes and hypertension among Brazilian women of reproductive age based on sociodemographic characteristics. *Health Care for Women International*, 40(4), 386–406. <https://doi.org/10.1080/07399332.2019.1570516>
- Arifa, S. I., Azam, M., & Handayani, O. W. K. (2017). Faktor Yang Berhubungan Dengan Kejadian Penyakit Ginjal Kronik Pada Penderita Hipertensi Di Indonesia. *Media Kesehatan Masyarakat Indonesia*, 13(4), 319. <https://doi.org/10.30597/mkmi.v13i4.3155>
- Bailey, S. Lou, Ayles, H., Beyers, N., Godfrey-Faussett, P., Muyoyeta, M., du Toit, E., Yudkin, J. S., & Floyd, S. (2016). Diabetes mellitus in Zambia and the Western Cape province of South Africa: Prevalence, risk factors, diagnosis and management. *Diabetes Research and Clinical Practice*, 118, 1–11. <https://doi.org/10.1016/j.diabres.2016.05.001>
- Becker, J., Emmert-Fees, K. M. F., Greiner, G. G., Rathmann, W., Thorand, B., Peters, A., Karl, F. M., Laxy, M., & Schwettmann, L. (2020). Associations between self-management behavior and sociodemographic and disease-related characteristics in elderly people with type 2 diabetes — New results from the population-based KORA studies in Germany. *Primary Care Diabetes*, 14(5), 508–514. <https://doi.org/10.1016/j.pcd.2020.01.004>
- Burhan, H. (2019). Perbedaan Budaya, Sosial Ekonomi, Sikap dan Perilaku Penderita Diabetes Mellitus Tipe 2 pada Masyarakat Perkotaan dan Pedesaan di Provinsi Sulawesi Tenggara. In *Tesis Magister Kesehatan Masyarakat* (hal. 3). lib.unnes.ac.id. http://lib.unnes.ac.id/40232/1/UPLOAD_TESIS

HILDAYANTI.pdf

- Chhetri, J. K., Zheng, Z., Xu, X., Ma, C., & Chan, P. (2017). The prevalence and incidence of frailty in Pre-diabetic and diabetic community-dwelling older population: Results from Beijing longitudinal study of aging II (BLSA-II). *BMC Geriatrics*, 17(1), 1–8. <https://doi.org/10.1186/s12877-017-0439-y>
- De Oliveira, C. M. I., Tureck, L. V., Alvares, D., Liu, C., Horimoto, A. R. V. R., Balcells, M., De Oliveira Alvim, R., Krieger, J. E., & Pereira, A. C. (2020). Relationship between marital status and incidence of type 2 diabetes mellitus in a Brazilian rural population: The Baependi Heart Study. *PLoS ONE*, 15(8 August), 1–10. <https://doi.org/10.1371/journal.pone.0236869>
- Del Duca, G. F., Nahas, M. V., Garcia, L. M. T., Silva, S. G., Hallal, P. C., & Peres, M. A. (2016). Active commuting reduces sociodemographic differences in adherence to recommendations derived from leisure-time physical activity among Brazilian adults. *Public Health*, 134, 12–17. <https://doi.org/10.1016/j.puhe.2016.01.016>
- Dinas Kesehatan Daerah Istimewa Yogyakarta. (2020). *Profil Kesehatan Daerah Istimewa Yogyakarta Tahun 2019*.
- Fiarni, C., Sipayung, E. M., & Maemunah, S. (2019). Analysis and prediction of diabetes complication disease using data mining algorithm. *Procedia Computer Science*, 161, 449–457. <https://doi.org/10.1016/j.procs.2019.11.144>
- Goyal, Y., Verma, A. K., Bhatt, D., Rahmani, A. H., Yasheshwar, & Dev, K. (2020). Diabetes: Perspective and challenges in modern era. *Gene Reports*, 20, 100759. <https://doi.org/10.1016/j.genrep.2020.100759>
- Gudjinu, H. Y., & Sarfo, B. (2017). Risk factors for type 2 diabetes mellitus among out-patients in Ho, the Volta regional capital of Ghana: A case-control study. *BMC Research Notes*, 10(1), 1–10. <https://doi.org/10.1186/s13104-017-2648-z>
- Hosseini, Z., Whiting, S. J., & Vatanparast, H. (2019). Type 2 diabetes prevalence among canadian adults — dietary habits and sociodemographic risk factors. *Applied Physiology, Nutrition and Metabolism*, 44(10), 1099–1104. <https://doi.org/10.1139/apnm-2018-0567>

- Idris, H., Hasyim, H., & Utama, F. (2017). Analysis of Diabetes Mellitus Determinants in Indonesia: A Study from the Indonesian Basic Health Research 2013. *Acta medica Indonesiana*, 49(4), 291–298.
- International Diabetes Federation. (2019). *IDF DIABETES ATLAS Ninth edition 2019* (Ninth).
- Isnaini, N., & Ratnasari, R. (2018). Faktor risiko mempengaruhi kejadian Diabetes mellitus tipe dua. *Jurnal Kebidanan dan Keperawatan Aisyiyah*, 14(1), 59–68. <https://doi.org/10.31101/jkk.550>
- Kabosu, R. A. S., Adu, A. A., & Hinga, I. A. T. (2019). Faktor Risiko Kejadian Diabetes Melitus Tipe Dua di RS Bhayangkara Kota Kupang. *Timorese Journal of Public Health*, 1(1), 11–23.
- Kalangadan, A., Puthiyamadathil, S., Koottat, S., Hussain Rawther, S. C., & Beevi T M, A. (2020). Sociodemographics, clinical profile and health promotion behaviour of people with type 2 diabetes mellitus. *Clinical Epidemiology and Global Health*, 8(3), 845–849. <https://doi.org/10.1016/j.cegh.2020.02.011>
- Kalsum, U., Lesmana, O., & Pertiwi, D. R. (2019). Pola Penyakit Tidak Menular dan Faktor Risikonya pada Suku Anak Dalam di Desa Nyogan Provinsi Jambi. *Media Kesehatan Masyarakat Indonesia*, 15(4), 338. <https://doi.org/10.30597/mkmi.v15i4.7062>
- Kementerian Kesehatan RI. (2018). *Hasil Utama RISKESDAS 2018*.
- Khairani. (2019). Hari Diabetes Sedunia Tahun 2018. *Pusat Data dan Informasi Kementrian Kesehatan RI*, 1–8.
- Li Junming, Wang Sixian, Xiulan Han, Gehong Zhang, Zhao Min, & Ma Ling. (2020). Spatiotemporal trends and influence factors of global diabetes prevalence in recent years. *Social Science and Medicine*, 256(February), 113062. <https://doi.org/10.1016/j.socscimed.2020.113062>
- Mahmud, F. R., Sudirman, S., & Afni, N. (2018). Faktor-Faktor Yang Berhubungan Dengan Penyakit Diabetes Melitus Di Ruang Poli Interna Rsud Mokopido Kabupaten Tolitoli. *Jurnal Kolaboratif Sains*, 1(1), 168–175.

- Maryuni, S. (2019). Faktor Risiko Kejadian Tuberkulosis Paru pada Penderita Diabetes Melitus (Studi Kasus Di RSUP Dr. Kariadi). In *Skripsi Sarjana Kesehatan Masyarakat* (hal. 18). UNNES.
- Mirza, R. (2017). Memaksimalkan Dukungan Keluarga Guna Meningkatkan Kualitas Hidup Pasien Diabetes Melitus. *Jurnal JUMANTIK*, 2(Dm), 12–30.
- Musdalifah, & Setiyo Nugroho, P. (2020). Hubungan Jenis Kelamin dan Tingkat Ekonomi dengan Kejadian Diabetes Melitus di Wilayah Kerja Puskesmas Palaran Kota Samarinda Tahun 2019. *Borneo Student Research (BSR)*, 1(2), 2020. <https://journals.umkt.ac.id/index.php/bsr/article/view/483>
- Nuraini, A. (2016). *Control pada Penderita Diabetes Mellitus Tipe 2 Anggota Perkumpulan Senam Diabetes di Puskesmas Pakis Surabaya*. 2(4), 22–27.
- Ogurtsova, K., da Rocha Fernandes, J. D., Huang, Y., Linnenkamp, U., Guariguata, L., Cho, N. H., Cavan, D., Shaw, J. E., & Makaroff, L. E. (2017). IDF Diabetes Atlas: Global estimates for the prevalence of diabetes for 2015 and 2040. *Diabetes Research and Clinical Practice*, 128(3), 40–50. <https://doi.org/10.1016/j.diabres.2017.03.024>
- Oura, P., Rissanen, I., Junno, J. A., Harju, T., & Paananen, M. (2020). Lifelong smoking trajectories of Northern Finns are characterized by sociodemographic and lifestyle differences in a 46-year follow-up. *Scientific Reports*, 10(1), 1–10. <https://doi.org/10.1038/s41598-020-73334-3>
- Pahlawati, A., & Nugroho, P. S. (2019). Hubungan Tingkat Pendidikan dan Usia dengan Kejadian Diabetes Melitus di Wilayah Kerja Puskesmas Palaran Kota Samarinda Tahun 2019. *Borneo Student Research (BSR)*, 1(1), 1–5. <http://journals.umkt.ac.id/index.php/bsr/article/view/479>
- Park, S. Y., Shvetsov, Y. B., Kang, M., Setiawan, V. W., Wilkens, L. R., Le Marchand, L., & Boushey, C. J. (2020). Changes in Diet Quality over 10 Years Are Associated with Baseline Sociodemographic and Lifestyle Factors in the Multiethnic Cohort Study. *Journal of Nutrition*, 150(7), 1880–1888. <https://doi.org/10.1093/jn/nxaa102>
- Pham, N. M., & Eggleston, K. (2016). Prevalence and determinants of diabetes and prediabetes among Vietnamese adults. *Diabetes Research and Clinical Practice*, 113, 116–124. <https://doi.org/10.1016/j.diabres.2015.12.009>

- Prasetyani, D., & Sodikin. (2017). Analisis Faktor Yang Mempengaruhi Kejadian Diabetes Melitus (Dm) Tipe 2. *Analisis Faktor Yang Mempengaruhi Kejadian Diabetes Miletus Tipe 2*, 10(2), 1–9. <http://jka.stikesalirsyadclp.ac.id/index.php/jka/article/view/76>
- Price, A. J., Crampin, A. C., Amberbir, A., Kayuni-Chihana, N., Musicha, C., Tafatatha, T., Branson, K., Lawlor, D. A., Mwaiyeghele, E., Nkhwazi, L., Smeeth, L., Pearce, N., Munthali, E., Mwagomba, B. M., Mwansambo, C., Glynn, J. R., Jaffar, S., & Nyirenda, M. (2018). Prevalence of obesity, hypertension, and diabetes, and cascade of care in sub-Saharan Africa: a cross-sectional, population-based study in rural and urban Malawi. *The Lancet Diabetes and Endocrinology*, 6(3), 208–222. [https://doi.org/10.1016/S2213-8587\(17\)30432-1](https://doi.org/10.1016/S2213-8587(17)30432-1)
- Ramezankhani, A., Azizi, F., & Hadaegh, F. (2019). Associations of marital status with diabetes, hypertension, cardiovascular disease and all-cause mortality: A long term follow-up study. *PLoS ONE*, 14(4), 1–15. <https://doi.org/10.1371/journal.pone.0215593>
- Riskesdas. (2018). Laporan Nasional Riskesdas 2018. In *Badan Penelitian dan Pengembangan Kesehatan*. Lembaga Penerbit Badan Penelitian dan Pengembangan Kesehatan (LPB). http://labdata.litbang.kemkes.go.id/images/download/laporan/RKD/2018/Laporan_Nasional_RKD2018_FINAL.pdf
- Riyanto, & Maksum, Y. H. (2018). Obesitas Sebagai Faktor Risiko yang Paling Berpengaruh terhadap Kejadian Diabetes Mellitus Tipe 2 (Studi Kasus Kontrol) Obesity as the Dominant Risk Factor Influence on the Incidence of Type 2 Diabetes Mellitus (Case Control Study). *Jurnal Kesehatan Metro Sai Wawai*, 11(2), 83–91.
- S. Patel, S., U. Ram, U., F. Ram, F., & S. K. Patel, S. K. (2019). Socioeconomic and demographic predictors of high blood pressure, diabetes, asthma and heart disease among adults engaged in various occupations: Evidence from India. *Journal of Biosocial Science*. <https://doi.org/10.1017/S0021932019000671>
- Silarova, B., Douglas, F. E., Usher-Smith, J. A., Godino, J. G., & Griffin, S. J. (2018). Risk accuracy of type 2 diabetes in middle aged adults: Associations with sociodemographic, clinical, psychological and behavioural factors. *Patient Education and Counseling*, 101(1), 43–51. <https://doi.org/10.1016/j.pec.2017.07.023>

Susilo, J., Wahyuningsih, H. P., Rinawati, R. S. A. W., Iswanto, Kasjono, H. S., Iskandar, S., Palestin, B., & Pratamawati, D. A. (2020). *Pedoman Penyusunan Review Literatur Bagi Mahasiswa dan Dosen 2020*. POLTEKKES KEMENKES YOGYAKARTA.

Tim Penyusun Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia. (2019). Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia. In *PB PERKENI*. PERKENI. <https://doi.org/10.7748/NM.2020.E1928>

Tol, A., & Baghbanian, A. (2012). The introduction of self-management in type 2 diabetes care: A narrative review. *Journal of Education and Health Promotion*, 1(1), 35. <https://doi.org/10.4103/2277-9531.102048>

Tripathy, J. P., Thakur, J. S., Jeet, G., Chawla, S., Jain, S., Pal, A., Prasad, R., & Saran, R. (2017). Prevalence and risk factors of diabetes in a large community-based study in North India: results from a STEPS survey in Punjab, India. *Diabetology and Metabolic Syndrome*, 9(1), 1–8. <https://doi.org/10.1186/s13098-017-0207-3>

Vetter, C., Dashti, H. S., Lane, J. M., Anderson, S. G., Schernhammer, E. S., Rutter, M. K., Saxena, R., & Scheer, F. A. J. L. (2018). Night shift work, genetic risk, and type 2 diabetes in the UK biobank. *Diabetes Care*, 41(4), 762–769. <https://doi.org/10.2337/dc17-1933>

Wang, D., Shi, L., Li, L., Guo, X., Li, Y., Xu, Y., Yin, S., Wu, Q., Yang, Y., Zhuang, X., Gai, Y., Li, Q., & Liu, Y. (2018). Subthreshold depression among diabetes patients in Beijing: Cross-sectional associations among sociodemographic, clinical, and behavior factors. *Journal of Affective Disorders*, 237(December 2017), 80–86. <https://doi.org/10.1016/j.jad.2018.05.016>

WHO. (2018). *WHO | NCD mortality and morbidity*. WHO.

Xu, G., Liu, B., Sun, Y., Du, Y., Snetselaar, L. G., Hu, F. B., & Bao, W. (2018). Prevalence of diagnosed type 1 and type 2 diabetes among US adults in 2016 and 2017: Population based study. *BMJ (Online)*, 362. <https://doi.org/10.1136/bmj.k1497>

Yuliana, I. A. I., & Valentina, T. D. (2016). Dyadic Coping Dan Kepuasan Pernikahan Pasangan Suami Istri Dengan Suami Diabetes Melitus Tipe II. *Jurnal Psikologi Udayana*, 3(2), 324–331.

<https://doi.org/10.24843/jpu.2016.v03.i02.p14>

Zhao, Y., Crimmins, E. M., Hu, P., Shen, Y., Smith, J. P., Strauss, J., Wang, Y., & Zhang, Y. (2016). Prevalence, diagnosis, and management of diabetes mellitus among older Chinese: results from the China Health and Retirement Longitudinal Study. *International Journal of Public Health*, 61(3), 347–356.
<https://doi.org/10.1007/s00038-015-0780-x>