

## DAFTAR PUSTAKA

- Arslan, F., Karakoyun, I., Basok , B., Askit, M., Baysoy, A., Ozturk, Y., Dumam, C. 2017. *The Local Clinical Validation of A New Lithium Heparin Tube with Barrier*. BD Vacutainer Baricor LH Plasma Tube, 48.
- Bijanti, D. 2010. *Buku Ajar Patologi Klinik*. Surabaya: Universitas Airlangga.
- Bobby , L., Boyanton, J., & Kenneth , B. 2002. *Stability Studies of Twenty-Four Analytes in Human Plasma and Serum*. General Clinical Chemistry, 2242-2247.
- Byoungtrak, A., & Chang-Eun, P. 2014. *Evaluation of Stability of Serum on Different Storage Temperatures for Routine Chemistry Analytes*. Korean J Clinical Laboratory, 111-116.
- Byoungtrak, A., & Chang-Eun, P. 2014. *Evaluatioin of Stability of Serum on Different Storage Temperatures for Routine Chemistry Analytes*. Korea: Korean Journal of Clinical Laboratory Science.
- Carey , Jani, Johnson, Pearce, Hui, & Lacson. 2016. *Chemistry Testing on Plasma Versus Serum Samples in Dialysis Patients*. Clinical and Quality Improvement Implications, 9.
- Chindara, C., Kurnaeni, N., Nurhayati, B., & Rinaldi, F. S. 2019. *Stabilitas Aktivitas ALT Seum, Plasma Heparin dan Plasma EDTA pada Suhu Simpan 2-8 Derajat Celcius*. Jurnal Riset Kesehatan Poltekkes Depkes Baandung.
- Departemen Kesehatan RI. 2004. *Keputusan Menteri Kesehatan Republik Indonesia Nomor 1197/Menkes SK/X/2004. Standar Pelayanan Farmasi di Rumah Sakit*. Jakarta: Departemen Kesehatan RI.
- Fischbach, F. 2009. *Chlorida, Potassium, Sodium*. A Manual of Laboratory and Diagnostic Test, 997.
- Fischbach, F., Dunning, M., Barnet, M., Schweitzer, T., & Strandell, C. 2009. *Chlorida, Pottasium, Sodium* . Manual of Laboratory and Diagnostic Test, 8.
- Horne, M. (1995). *Keseimbangan Cairan, Elektrolit dan Asam-Basa*. Jakarta: Penerbit Kedokteran EGC.
- Kumar, V. 2007. *Buku Ajar Patologi* . Jakarta: EGC.
- Maffin, G., & Porth, C. 2009. *Disorders of Fluid and Electrolyte Balance*. Pathophysiology Concepts of Altered Health States, 761.

- Mardiana. 2017. *Pengantar Laboratorium Medik*. Jakarta: Pusat Pendidikan Sumber Daya Manusia Kesehatan.
- Miles, R. R., Roberts, R. F., & William, L. 2004. *Comparison of Serum and Heparinized Plasma Samples for Measurement of Chemistry Analytes*. *Clinical Chemistry*, 1704-1706.
- Nelson, D. L., & Cox, M. M. 2004. *Lehninger Principles of Biochemistry*. New York: W.H. Freeman.
- Nugraha, G. 2015. *Panduan Pemeriksaan Laboratorium Hematologi Dasar*. Jakarta: Trans Info Media.
- Peraturan Menteri Kesehatan Republik Indonesia Nomor 411 Tahun 2010. *Laboratorium Klinik*. 25 Maret 2010. Jakarta: Lembaran Negara Republik Indonesia.
- Praptomo, A. J. 2018. *Pengendalian Mutu Laboratorium Medis*. Yogyakarta: Deepublish.
- Priest, G. 1996. *Electrolyte Analyzer Operation's Manual*. AVL Scientific Corporation, 1-120.
- Refardt, J., Imber, C., Sailer, C., Jeanloz, N., Potasso, L., Kutz, A., Urwyler, S. 2020. *A Randomized Trial of Empagliflozin to Increase Plasma Sodium Levels in Patients with the Syndrome of Inappropriate Antidiuresis*. *Clinical Research*.
- Riswanto. 2009. *Pemeriksaan Laboratorium Hematologi*. Yogyakarta: Alfabedia Kanal Medika.
- Sacher, R. 2012. *Tinjauan Klinis Hasil Pemeriksaan Laboratorium*. Jakarta: Buku Penerbit Kedokteran EGC.
- Sadikin. 2014. *Biokimia Darah*. Jakarta: Widya Medika.
- Sastroasmoro, S. 2011. *Dasar-Dasar Metodologi Penelitian Klinis*. Jakarta: Sagung Seto.
- Setiawan, Y. 2021. *Hipernatremia dan Penatalaksanaannya*. *Medical Scope Jurnal*, 93-99.
- Silbernagl, S., & Lang, F. 2007. *Teks dan Atlas Bewarna Patofisiologi*. Jakarta: Penerbit Buku Kedokteran EGC.
- Staiger, Sarthein, Wiesli, Schmid, & Bernays. 2012. *Prognostic Factors for Impaired Plasma Sodium Homeostasis after Transsphenoidal Surgery*. *Zurich Open Repository Archive*.

- Tamsuri, A. 2009. *Klien Gangguan Keseimbangan Cairan dan Elektrolit Seri Asuhan Keperawatan*. Jakarta: Penerbit Buku Kedokteran EGC.
- Vijayasamundeeswari, Ananthi, & Sudha. 2017. *Comparison of Electrolyte Levels in Serum and Plasma. Original Research Article*.
- Wei, Y., Zhang, C., Yang, X., & Ji, M. 2010. *The Feasibility of Using Lithium-Heparin Plasma from a Gel Separator Tube as a Substitute for Serum. Clinical Biochemical* , 2115-2119.