

DAFTAR PUSTAKA

- Myles, P. S., Hunt, J. O., Nightingale, C. E., Fletcher, H., Beh, T., Tanil, D., Nagy, A., Rubinstein, A., & Ponsford, J. L. (1999). Development and psychometric testing of a quality of recovery score after general anesthesia and surgery in adults. *Anesthesia and analgesia*, 88(1), 83–90. <https://doi.org/10.1097/00000539-199901000-00016>
- Myles, P. S., Weitkamp, B., Jones, K., Melick, J., & Hensen, S. (2000). Validity and reliability of a postoperative quality of recovery score: the QoR-40. *British journal of anaesthesia*, 84(1), 11–15.
- Myles P. S. (2018). Measuring Quality of Recovery in Perioperative Clinical Trials. *Current opinion in anaesthesiology*, 31(4), 396–401. <https://pubmed.ncbi.nlm.nih.gov/>
- Myles, P. S., Myles, D. B., Galagher, W., Chew, C., MacDonald, N., & Dennis, A. (2016). Minimal Clinically Important Difference for Three Quality of Recovery Scales. *Anesthesiology*, 125(1), 39–45. <https://pubmed.ncbi.nlm.nih.gov/>
- Lee, W. K., Kim, M. S., Kang, S. W., Kim, S., & Lee, J. R. (2015). Type Of Anaesthesia And Patient Quality Of Recovery: a Randomized Trial Comparing Propofol-Remifentanil Total i.v. Anaesthesia With Desflurane Anaesthesia. *British Journal of Anaesthesia*, 114(4), 663–668. <https://pubmed.ncbi.nlm.nih.gov/>
- Lee, J. H., Kim, D., Seo, D., Son, J. S., & Kim, D. C. (2018). Validity and Reliability of the Korean Version of the Quality of Recovery-40 Questionnaire. *Korean Journal of Anesthesiology*, 71(6), 467–475. <https://pubmed.ncbi.nlm.nih.gov/>

- Guimarães-Pereira, L., Costa, M., Sousa, G., & Abelha, F. (2016). Quality of Recovery After Anaesthesia Measured with QoR-40: a prospective observational study. *Brazilian journal of anesthesiology (Elsevier)*, 66(4), 369–375. <https://pubmed.ncbi.nlm.nih.gov/>
- Chen, Y., Wang, J., Liu, S., Lai, W., Liu, J., Wang, Z., Li, B., Mao, Y., Wang, Y., Deng, G., & Chen, J. (2020). Development and Validation of the Chinese Version of the Quality of Recovery-40 Questionnaire. *Therapeutics and clinical risk management*, 16, 1165–1173. <https://pubmed.ncbi.nlm.nih.gov/33293817/>
- Gornall BF, Myles PS, Smith CL, Burke JA, Leslie K, Pereira MJ, dkk. (2013). Measurement Of Quality Of Recovery Using The QoR-40: A Quantitative Systematic Review. *British Journal of Anaesthesia*, 111(2),161–169. www.researchgate.net
- Harijanto, Eddy, Andi Ade Wijaya, Dini Handayani. (2016). Uji Kesahihan dan Keandalan QoR-40 versi Indonesia sebagai Instrumen untuk Menilai Kualitas Pemulihan Pasca-anestesia Umum. *Anesthesia & Critical Care*, Vol. 34 No. 2, 101-108. <http://journal.perdatin.org>
- Ghozali, Imam. (2012). Aplikasi Analisis Multivariate dengan Program IBM SPSS. Yogyakarta: Universitas Diponegoro
- Baradero *et al.*, (2009). *Prinsip dan Praktik Keperawatan Perioperatif*. Jakarta: Penerbit Buku Kedokteran EGC
- Sugiyono. (2020). *Statistika Untuk Penelitian*. Bandung: Alfabeta
- Terkawi, A. S., Myles, P. S., Riad, W., Nassar, S. N., Mahmoud, M., AlKahtani, G. J., Sala, F. J., Abdulrahman, A., Doais, K. S., Terkawi, R.

S., & Tsang, S. (2017). Development And Validation Of Arabic Version Of The Postoperative Quality Of Recovery-40 Questionnaire. *Saudi Journal of Anaesthesia*, *11* (Suppl1), S40–S52. https://doi.org/10.4103/sja.SJA_77_17

Vignaud, M., Morel, C., Henault, A., Futier, E., Pereira, B., Lambert, C., & Beloeil, H. (2021). Variability and Reliability of the French Version of the Quality of Recovery-40 Questionnaire (QoR-40). *Anaesthesia, critical care & pain medicine*, *40*(2), 100822 <https://doi.org/10.1016/j.accpm.2021.100822>

Nazir, M. (2008). *Metode Penelitian*. Jakarta: Ghalia Indonesia

Notoatmojo, S. (2010). *Metodologi Penelitian Kesehatan*. Jakarta: Rineka Cipta

Nursalam. (2017). *Konsep dan Penerapan Metodologi Penelitian ilmu Keperawatan*. Jakarta: Salemba Medika

Chen, Y., Wang, J., Liu, S., Lai, W., Liu, J., Wang, Z., Li, B., Mao, Y., Wang, Y., Deng, G., & Chen, J. (2020). <p>Development and validation of the Chinese version of the quality of recovery-40 Questionnaire</p>. *Therapeutics and Clinical Risk Management*, *16*, 1165-1173. <https://doi.org/10.2147/tcrm.s281572>

Eduardo, A. H., Santos, C. B., Carvalho, A. M., & Carvalho, E. C. (2016). Validação Da versão brasileira do questionário quality of recovery - 40 items. *Acta Paulista de Enfermagem*, *29*(3), 253-259. <https://doi.org/10.1590/1982-0194201600036>

Karaman, S., Arici, S., Dogru, S., Karaman, T., Tapar, H., Kaya, Z., Suren, M., & Gurler Balta, M. (2014). Validation of the Turkish version of the quality of recovery-40 questionnaire. *Health and Quality of Life Outcomes*, 12(1), 8. <https://doi.org/10.1186/1477-7525-12-8>

Pitimana-aree, S., Udompanthurak, S., Lapmahapaisan, S., Tareerath, M., & Wangdee, A. (2015). Validity and reliability of quality of recovery-35 Thai version: A prospective questionnaire-based study. *BMC Anesthesiology*, 16(1). <https://doi.org/10.1186/s12871-016-0229-7>

Tanaka, Y., Wakita, T., Fukuhara, S., Nishiwada, M., Inoue, S., Kawaguchi, M., & Furuya, H. (2011). Validation of the Japanese version of the quality of recovery score Qor-40. *Journal of Anesthesia*, 25(4), 509-515. <https://doi.org/10.1007/s00540-011-1151-2>

Terkawi, A., Myles, P., Riad, W., Nassar, S., Mahmoud, M., AlKahtani, G., Sala, F., Abdulrahman, A., Doais, K., Terkawi, R., & Tsang, S. (2017). undefined. *Saudi Journal of Anaesthesia*, 11(5), 40. https://doi.org/10.4103/sja.sja_77_17

Yaghoobi, S., Hamidfar, M., M. Lawson, D., Fridlund, B., Myles, P. S., & Pakpour, A. H. (2015). Validity and reliability of the Iranian version of the quality of recovery-40 questionnaire. *Anesthesiology and Pain Medicine*, 5(2). <https://doi.org/10.5812/aapm.20350>