

DAFTAR PUSTAKA

- Arslan, F. D., Karakoyun, I., Basok, B. I., Askit, M. Z., Baysoy, A., Ozturk, Y. K., Glucu, Y. A., Dumam, C. 2017. *The Local Clinical Validation of a new Lithium Heparin Tube with a Barrier: BD Vacutainer® Barricor LH Plasma Tube. Biochemia Medica Volume 27 Issue 3* dari www.biochemia-medica.com. Diakses pada tanggal 10 Maret 2018.
- Ayu, N. P. 2010. Hubungan Antara Beberapa Parameter Anemi Dan Laju Filtrasi Glomerulus Pada Penyakit Ginjal Kronik Pradialisis. *Journal of Internal Medicine*.
- Bayhakki. 2012. *Asuhan Keperawatan Klien Gagal Ginjal Kronik*. Jakarta : EGC.
- Bhattacharyaa, D., Thio, C.L. 2010. *Review of Hepatitis B Theurapeutics. PubMed. www.ncbi.nlm.nih.gov* . Diakses pada tanggal 10 Agustus 2018
- Becton Dickinson (BD). 2014. *Product Catalogue*. AmerikaSerikat: BD Diagnostic. www.pulsnorge.no/media/256641/pas-product-catalogue-2014-2015.pdf. Diakses pada 10 Juli 2018.
- Bowen, R.A., Hortin, G.L., Csako, G., Otanez, O.H., Remaley, A.T. 2010. Impact Of Blood Collection Devices On Clinical Chemistry Assays. *Clin Biochem* 43:4–25
- Bush, V.J., Janu, M.R., Bathur, F., Wells, A., Dasgupta, A.. Comparison of BD Vacutainer SST Plus Tubes with BD SST II Plus Tubes for common analytes. *Clin Chim Acta*. 2001;306:139–43. 10.1016/S0009-8981(01)00396-5
- Candrasoma, P dan Taylor ,C.R . 2006 . *Patologi Anatomi Edisi 2*. Jakarta: EGC.
- Carey, R. N., Jani, C., Jhonson, C., Pearce, J., Hui-Ng, P., Lacson, E. 2016. Chemistry Testing on Plasma Versus Serum Samples in Dialysis Patients: Clinical and Quality Improvement Implications. *Clinical Journal of the American Society of Nephrology Volume 11 No. 9*.
- Davies, J., Jabbar, Z., Gagan, F., Baird, R.W. 2012. *Blood-Borne Viruses In The Haemodialysis Dependent Population Attending Top End Northern Territory Facilities 2000–2009*. Asia : Apsneph
- Dimeski, G., Masci, P. P., Trabi, M., Lavin, M. F., de Jersey, J. 2010. Evaluation of the Becton-Dickinson Rapid Serum Tube : Does it provide a suitable Alternative to Lithium Heparin Plasma Tubes?. *Clinical Chemistry and Laboratory Medicine Volume 48 Issue 5*.

- Fabrizi, F., Lunghi, G., Ganeshan, S.V., Martin, P., Messa, P. 2007. Hepatitis C Virus Infection and The Dialysis Patient. *PubMed*.
- Fabrizi, F., Lunghi, G., Finazzi, S., dkk. 2001. *Decreased Serum Aminotransferase Activity in Patients with Chronic Renal Failure: Impact on The Detection of Viral Hepatitis*. *Am J Kidney Dis* 38:1009.
- Furqon, Ayi., Nurmukhlis, Hilman., Sussylawati, Kasiman. Stabilitas Konsentrasi Glukosa Darah Simpan Jangka Pendek dalam Tabung Berteknologi Pemisah Jel. *Jurnal Pharmacia*.
- Gandasoebrata, R. 2007. *Penuntun Laboratorium Klinik*. Jakarta : Dian Rakyat.
- Guder, W.G., Narayanan, S., Wisser, H., Zawta, B.. 2009. *Diagnostic Samples: From The Patient To The Laboratory: The Impact Of Preanalytical Variables On The Quality Of Laboratory Results*. 4th ed. Weinheim: Wiley-Blackwell.
- Hasan, I. 2004. *Analisis Data Penelitian dengan Statistik*. Jakarta : PT. Bumi Aksara
- Hawkins, R. 2012. *Managing The Pre- and Post- Analytical Phases of The Total Testing Process*. *Annals Of Laboratory Medicine*. Western
- Ide, P. 2007. *Seri Diet Korektif Diet Cabbage Soup*. Jakarta : Elex Media Komputindo.
- Kahar, H. 2005. Peningkatan Mutu Pemeriksaan di Laboratorium Klinik Rumah Sakit. *Indonesian Journal of Clinical Pathology and Medical Laboratory*, Vol. 12. No.1.,
- Kiswari, Rukman. 2014. *Hematologi & Transfusi*. Jakarta : Erlangga
- Kitchen, S., Olson, J., & Preston, F. (2008). Sample Integrity and Preanalytical Variables. In D. Adcock, *Quality in Laboratory Hemostasis and Trombosis* (p. Ch4). Oxfor: Wiley-Blackwell.
- Kushan, S., Emerson, J., Raghavan, S. 2012. *A New Method for Centrifugal Sparation of Blood Components: Creating a Rigid Barrier Between Density Stratified Layer Using a UV-curabele Thixotropic Gel*. *The Royal Society of Chemistry*.
- Lippi, G., Salvagno, G. L., Danese, E., Lima-Oliveira, G., Brocco, G., Guidi, G. C. 2014. Inversion of Lithium Heparin Gel Tube After Centrifugation is a Significant Source of Bias in Clinical Chemistry Testing. *Clinica Chimica Acta Volume* 436.

- Lutz, J., Menke, J., Sollinger, D., Schinzel, H., Thurmel, K. 2014. Haemostasis in chronic kidney disease. *Nephrol Dial Transplant* 29: 29–40.
- Muhammad, A. 2012. *Serba Serbi Gagal Ginjal*. Yogyakarta : DIVA Press.
- Notoadmojo, S. 2010. *Metodologi Penelitian Kesehatan*. Jakarta : Rineka Cipta.
- Ohzawa, M., Kato, K., Itai, K., Fujishima, Y., Konda, R. 2010. Standarized, Prevalence Ratio for Chronic Hepatitis C Virus Infection Among Adult Japanese Hemodialysis Pasien in Campo Grande MZ Brazil. *Jurnal Epidemiol* 20(1). 30-9.
- Pranata, D.C., 2016. Pengaruh Suhu dan Waktu Penyimpanan Sampel Darah EDTA terhadap Pemeriksaan Kadar Hematokrit. *Undergraduate Theses Universitas Muhammadiyah Semarang*.
- Pusparini. 2000. Perubahan Respon Imun Pada Penderita Gagal Ginjal Kronik Yang Menjalani Hemodialisis. *Jurnal Kedokteran Trisakti* 19(3):115 – 124.
- Ratnawati. 2014. Efektivitas Dialiser Proses Ulang (DPU) Pada Penderita Gagal Ginjal Kronik (Hemodialisa). *Jurnal Ilmiah WIDYA Volume 2 Nomer 1*
- Riswanto. 2013. *Pemeriksaan laboratorium hematologi*. Yogyakarta: Alfabeta
- Sacher, R. A. dan McPherson, R. A. 2004. *Tinjauan Klinis Hasil Pemeriksaan Laboratorium Edisi 11*. Alih Bahasa : Brahm U. Pendit, Dewi Wulandari. Jakarta : EGC.
- Sari, W. 2008. *Care Your self: Hepatitis*. Jakarta: Niaga Swadaya.
- Sastroasmoro, S. dan Ismael S. 2012. *Dasar-Dasar Metodologi Penelitian Klinis*. Jakarta : Binarupa Aksara.
- Sherlock, S. dan Dooley, J. 2002. *Disease of the Liver and Biliary System 11th Ed.* Oxford : Blackwell Science Ltd.
- Sudoyo, A.W., Setiyohadi, B., Alwi, I., Simadibrata, M., Setiati, S. 2009. *Buku Ajar Ilmu Penyakit Dalam Edisi V*. Jakarta : Interna Publishing.
- Suharyanto dan Madjid, A. 2009. *Asuhan Keperawatan Pada Klien dengan Gangguan Sistem Perkemihan*. Jakarta : Trans Info Media.
- Sugiyono. 2012. *Statistika untuk Penelitian*. Bandung : Alfabeta.

- Supeno, B. 2010. Studi Cara Kerja Hemodialisa Elektronik Ditinjau dari Sudut Pandang Asuhan Keperawatan. *Jurnal Rekayasa Vol.7 No.2*
- Suwitra, K. 2009. *Penyakit Ginjal Kronik Buku Ajar Ilmu Penyakit Dalam Jilid 2 Edisi 5*. Jakarta: Interna Publishing.
- Tortora, Gerard J. dan Bryan D. 2009. *Principles of Anatomy and Physiology*. Twelfth Edition. Asia: Wiley
- Turgeon, M. L. 2012. *Linne Ringsrud's Clinical Laboratory Science : The Basics and Routine Techniques Edition 6*. Maryland Heights : Elsevier Mosby.
- Wahyuni, Tri. 2017. Perbandingan Kadar Kalium Pada Serum dari Tabung Vakum Clot Activator, Plasma dari Tabung Vakum Litium Heparin, serta Plasma dari Tabung Vakum Litium Heparin dengan Gel Separator .*Tugas Akhir*. Jakarta : Fakultas Kedokteran Universitas Indonesia
- Widhani, A., Lydia, A., Gani R.A., Setiati, S. 2017. Serokonversi Hepatitis C pada Pasien Hemodialisis di Rumah Sakit Cipto Mangunkusumo. *Jurnal Penyakit Dalam*.
- Wijayakusuma, H. M. H. 2008. *Tumpas Hepatitis dengan ramuan herbal Edisi I*. Jakarta : Pustaka Bunda.
- Yazhid, Bashar LD. 2016. Jenis Warna Tabung Vacutainer. <http://www.atlm.web.id>. Diakses pada tanggal 20 Juli 2018
- Yuan-hua, W., Chun-bing, Z., Xue-wen, Y., Ming-de, J. 2010. The Feasibility of Using Lithium-Heparin Plasma From a Gel Separator Tube as a Substitute for Serum in Clinical Biochemical Test. *Laboratory Medicine Volume 41 Issue 4*
- Yuni, N. E. 2015. *Kelainan Darah*. Yogyakarta: Nuha Medika