

DAFTAR PUSTAKA

1. WHO. Preterm birth. *Preterm Birth*. 2018;(15):1966–85.
2. WHO. Low Birth Weight Policy Brief. *Glob Nutr Targets*. 2015;28:66.
3. Supiati S. Karakteristik Ibu Kaitannya Dengan Kejadian Bayi Berat Badan Lahir Rendah. *J Kebidanan dan Kesehat Tradis*. 2016;1(1):64–8.
4. Kementerian Kesehatan Republik Indonesia. *Profil Kesehatan Indonesia 2020*. Jakarta: Kementerian Kesehatan Republik Indonesia; 2021.
5. Kementrian Kesehatan Republik Indonesia. *Profil Kesehatan Indonesia Tahun 2019*. Jakarta: Kementerian Kesehatan Republik Indonesia; 2019.
6. Ferdigus In M. M. Yusuf, ST, M. Henny Maulida, ST S, Henny Maryanti, S. Ori Vertika, S. Suhaimi & AS (Eds. . *Profil Kesehatan Aceh 2018*. Aceh: Pemerintah Aceh; 2019.
7. DIY DKP. *Profil Kesehatan Daerah Istimewa Yogyakarta Tahun 2019*. Yogyakarta: Dinas Kesehatan Daerah Istimewa Yogyakarta; 2020.
8. Dinkes DIY. Data per Indikator Bulan Januari s/d Desember Tahun 2020. *Sist Inf Komun Data Kesehat Kel* [Internet]. 2020;2020–1. Available from: <http://kesgadiy.web.id/lihat-data>
9. Muula AS, Siziya S, Rudatsikira E. Parity and maternal education are associated with low birth weight in Malawi. *Afr Health Sci*. 2011;11(1):65–71.
10. Chowdhury TR, Chakrabarty S, Rakib M, Saltmarsh S, Davis KA. Socio-economic risk factors for early childhood underweight in Bangladesh. *Global Health*. 2018;14(1):1–12.
11. Mayanda V. Hubungan Status Gizi Ibu Hamil dengan Berat Badan Lahir Rendah (BBLR) RSIA Mutia Sari Keamatan Mandau. *Menara Ilmu*. 2017;11(74):230–8.
12. Pramono MS, Paramita A. Pola Kejadian dan Determinan bayi Dengan Berat Badan Lahir Rendah (BBLR) di Indonesia Tahun 2013 (Pattern of Occurrence and Determinants of Baby with Low Birth Weight in Indonesia 2013). *Bul Penelit Sist Kesehat*. 2015;18(1).
13. Zaveri A, Paul P, Saha J, Barman B, Chouhan P. Maternal determinants of low birth weight among Indian children: Evidence from the National Family Health Survey-4, 2015-16. *PLoS One* [Internet]. 2020;1–15. Available from: <http://dx.doi.org/10.1371/journal.pone.0244562>
14. Rahfiludin MZ DY. Risk Factors Associated with Low Birth Weight. *Kesmas Natl Public Heal J*. 2018;13 (2):75–80.

15. Permana P, Wijaya GBR. Analisis faktor risiko bayi Berat Badan Lahir Rendah (BBLR) di Unit Pelayanan Terpadu (UPT) Kesehatan Masyarakat (Kesmas) Gianyar I tahun 2016-2017. *Intisari Sains Medis*. 2019;10(3):674–8.
16. Novitasari A, Hutami MS, Pristya TYR. Pencegahan dan Pengendalian BBLR Di Indonesia: Systematic Review. *Indones J Heal Dev*. 2020;2(3):175–82.
17. Sabo S, Wightman P, McCue K, Butler M, Pilling V, Jimenez DJ, et al. Addressing maternal and child health equity through a community health worker home visiting intervention to reduce low birth weight: Retrospective quasi-experimental study of the Arizona Health Start Programme. *BMJ Open*. 2021;11(6):1–14.
18. Kosim M. YADR. SG& UA. Buku Ajar Neonatologi. Jakarta: IDAI; 2014.
19. WHO. International Statistical Classification of Diseases and Related Health Problems, 11th Revision. Geneva: World Health Organization; 2018.
20. Laopaiboon, Malinee; Lumbiganon, Pisake; Rattanakanokchai, Siwanon; Chaiwong, Warut; Souza JP et al. An outcome-based definition of low birthweight for births in low- and middle-income countries: a secondary analysis of the WHO global survey on maternal and perinatal health. *BMC Pediatr London*. 2019;19.
21. Tando NM. Asuhan Kebidanan Neonatus, Bayi dan Anak Balita. Jakarta: EGC; 2016.
22. Damelash. Risk Factors For Low Birth Weight in Bale Zone Hospitals, South East Ethiopia. *J Bio Med Cent [Internet]*. 2015; Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26463177>
23. Manuaba IB. Ilmu Kebidanan Penyakit dan Kandungan dan KB untuk Pendidikan Bidan. Jakarta: EGC; 2016.
24. BKKBN. PROVINSI DI INDONESIA : AKAR MASALAH & Direktorat Analisis Dampak Kependudukan Badan Kependudukan Keluarga Berencana. 2012;
25. Mengesha HG, Wuneh AD, Weldearegawi B, Selvakumar DL. Low Birth Weight and Macrosomia in Tigray, Northern Ethiopia: Who Are the Mothers at Risk? *BMC Pediatr*. 2017;17(1):1–9.
26. Agency ECS. Ethiopia Mini Demographic and Health Survey: World Bank. Ethiopia: Ministry of Health (Ethiopia); 2014.
27. Marmi dan Rahardjo K. Asuhan Neonatus, Bayi, Balita dan Anak Prasekolah. Yogyakarta: Pustaka Pelajar; 2015.
28. Suryati. Faktor-Faktor Yang Mempengaruhi kejadian BBLR di Wilayah Kerja Puskesmas Air Ding. *Artik Penelit*. 2018;6:19–28.

29. Bendhari, M. & Haralkar S. Study of maternal risk factors for low birth weight neonates: a case-control study. *Int J Med.* 2015;4.
30. Indonesia PR. Undang-Undang Republik Indonesia Nomor 20 Tahun 2003 tentang Sistem Pendidikan Nasional. Vol. 1. Jakarta: Negara Republik Indonesia; 2003. 1–15 p.
31. Tyastuti S. Asuhan Kebidanan Kehamilan. Jakarta: Pusdik SDM Kesehatan; 2016.
32. Kusmiyati K&. Faktor- Faktor Yang Berhubungan Dengan Kejadian Asfiksia Neonatrum di RSUD liun Kendage. *J Ilm Bidan.* 2015;3:139–48.
33. Macdonald J. History of pregnancy termination as a risk factor for preterm birth , History of pregnancy termination as a risk factor for preterm birth , Virginia 2000-2007 Department of Epidemiology and Community Health Master of Public Health Program MPH Research Pro. 2009;
34. Bili MLB, Liana DS, Buntoro IF. Hubungan Antara Jarak Kelahiran, Riwayat Hipertensi, dan Riwayat Abortus pada Ibu dengan Kejadian Bayi Berat Lahir Rendah di RSUD Prof. Dr. W.Z. Johannes. 2019;17(5):260–6.
35. Promotion NC for CDP and H. Pregnancy Complications. 2020.
36. Ekaningrum AY. Hubungan Komplikasi Kehamilan dengan Kejadian BBLR di Indonesia Tahun 2012 : Analisis SDKI 2012. 2021;1:16–24.
37. Hollingworth T. Diagnosis Banding Obstetri dan Ginekologi A-Z(Differential Diagnosis in Obstetri and Gynaecology: An A-Z). Dialihbahasakan oleh Aryandhito Widhi Nugroho. Jakarta: Penerbit Buku Kedokteran; 2012.
38. Irianti D. Asuhan Kehamilan Berbasis Bukti. Buku 1. Jakarta: Sagung Seto; 2014.
39. Supriasa, I.D.N., Bakri, B dan Fajar I. Penilaian Status Gizi. Jakarta: EGC; 2012.
40. Li L, Chen Y, Lin Z, Lin W, Liu Y, Ou W, et al. Association of pre-pregnancy body mass index with adverse pregnancy outcome among first-time mothers. *PeerJ.* 2020;8:1–15.
41. Thamaria N. Penilaian Status Gizi. Jakarta: PPSDM Kesehatan; 2017.
42. Fajriana A, Buanasita A. Faktor Risiko Yang Berhubungan Dengan Kejadian Bayi Berat Lahir Rendah Di Kecamatan Semampir Surabaya. *Media Gizi Indones.* 2018;13(1):71–80.
43. Quansaha, Daniel Boateng DY. Maternal dietary diversity and pattern during pregnancy is associated with low infant birth weight in the Cape Coast metropolitan hospital, Ghana: A hospital based cross-sectional study. *Clin Res* [Internet]. 2020;6(5). Available from:

<https://www.sciencedirect.com/science/article/pii/S2405844020307684>

44. WHO. WHO Recommendations on Antenatal Care for A Positive Pregnancy Experience. World Health Organization, editor. Switzerland; 2016. 196 p.
45. Khanal V, Zhao Y, Sauer K. Role of antenatal care and iron supplementation during pregnancy in preventing low birth weight in Nepal: Comparison of national surveys 2006 and 2011. *Arch Public Heal.* 2014;72(1):1–11.
46. Sukarni K WP. *Buku Ajar Keperawatan Maternitas.* Yogyakarta: Nuha Medika; 2013.
47. Suharman, Mochamad Rachmat SS. *Metodologi Penelitian.* Jakarta: Pusdik SDM Kesehatan; 2016.
48. Rahim F, K dan Muharry A. Hubungan Karakteristik Ibu dengan Kejadian (BBLR) di Wilayah Kabupaten Kuningan. *J Ilmu Kesehat Bhakti Husada.* 2018;09(02):125–31.
49. SR S, S G, U T, SS B, B B, K W, et al. Low birth weight at term and its determinants in a tertiary hospital of Nepal: a case-control study. *PLoS One.* 2015;
50. Assefa N, Berhane Y WA. Wealth Status, Mid Upper Arm Circumference (MUAC) and Antenatal Care (ANC) Are Determinants for Low Birth Weight in Kersa, Ethiopia. *PLoS One.* 2012;
51. Jayanti FA, Dharmawan Y, Aruben R. Faktor-Faktor yang Berhubungan dengan Kejadian Berat Badan Lahir Rendah di Wilayah Kerja Puskesmas Bangetayu Kota Semarang Tahun 2016. *J Kesehat Masy.* 2017;5:812–22.