

DAFTAR PUSTAKA

- American Society of Anesthesiologists. (2017). Practice Guidelines for Preoperative Fasting and the Use of Pharmacologic Agents to Reduce the Risk of Pulmonary Aspiration. *Anesthesiology*, 126(3), 376–393.
- American Society of Anesthesiologists. (2020). ASA Physical Status Classification System
- Arun, B. G., & Korula, G. (2013). Preoperative fasting in children: An audit and its implications in a tertiary care hospital. *Journal of anaesthesiology, clinical pharmacology*, 29(1), 88–91. <https://doi.org/10.4103/0970-9185.105810>
- Ayuningtyas, D. Oktarina, R., Misnaniarti, M., & Sutrisnawati, N. N. D. (2018). Etika Kesehatan pada Persalinan Melalui *Sectio caesarea* Tanpa Indikasi Medis. *Media Kesehatan Masyarakat Indonesia*, 14(1), 9–16. <https://doi.org/journal.unhas.ac.id/index.php/mkmi/article/view/2110>
- Bhatia, S. K., & Hemant D. (2015). Role of Tranexamic Acid in Reducing Blood Loss During and After Caesarean Section. *Medical Jurnal of Dr.D.Y. Patil University Vol 8 Issue 1*.
- Butterworth J. F., Mackey D., C., & Wasnick, J., D. (2013). *Morgan & Mikhail's Clinical Anesthesiology: 5th edition*. New York: McGraw-Hill Lange Medical Books
- Butterworth J.F., Mackey D.C., & Wasnick, J.D. (2020). *Morgan & Mikhail's Anesthesiology Cases*. New York: Mc. Graw Hill.
- Chen, W., Cao, Y., Chen, Quan Yong, Lu, Y., Wang, B., et al. (2020). The Analysis of Risk Factors to Hypotension Occurring after Caesarean Spinal Anesthesia for Parturients with Scarred Uterus. *Research Square*, 1–17. <https://doi.org/10.21203/rs.3.rs-19160/v1>
- Dausawati, A. F., Tavianto, D., & Kadarsah, R. K. (2015). Hubungan antara Lama Puasa Preanestesi dan Kadar Gula Darah Saat Induksi pada Pasien Pediatrik yang Menjalani Operasi Elektif. *Jurnal Anestesi Perioperatif*, 3(3), 203–208. <https://doi.org/10.15851/jap.v3n3.614>
- Depkes RI. (2009). *Klasifikasi Umur Menurut Kategori*. Jakarta. Ditjen Yankes
- Hadzic A. (Ed). (2017). *Hadzic's Textbook of Regional Anesthesia and Acute Pain Management (2nd ed.)*. New York, NY: McGraw-Hill Publishing.
- Hofhuizen, C., Lemson, J., Snoeck, M., & Scheffer, G. J. (2019). Spinal anesthesia-induced hypotension is caused by a decrease in stroke volume in elderly patients. *Local and Regional Anesthesia*, 12, 19–26. <https://doi.org/10.2147/LRA.S193925>

- Horne, M. M., & Swearingen, P. L. (2001). *Keseimbangan cairan, elektrolit dan asam basa*. Jakarta : EGC
- Jacob, M., & Chappell, D. (2012). Effects of perioperative fasting on haemodynamics and intravascular volumes. *Best Practice and Research: Clinical Anaesthesiology*, 26(4), 421–430. <https://doi.org/10.1016/j.bpa.2012.10.002>
- Lee, J. E., George, R. B., & Habib, A. S. (2017). Spinal-induced hypotension: Incidence, mechanisms, prophylaxis, and management: Summarizing 20 years of research. *Best Practice and Research: Clinical Anaesthesiology*, 31(1), 57–68. <https://doi.org/10.1016/j.bpa.2017.01.001>
- Lirk, P., Haller, I., & Wong, C. A. (2012). Management of spinal anaesthesia-induced hypotension for caesarean delivery: a European survey. *European journal of anaesthesiology*, 29(9), 452–453. <https://doi.org/10.1097/EJA.0b013e328352ab10>
- Mangku, G., & Senapathi, T. G. A. (2009). *Buku Ajar Ilmu Anesthesia Reaminasi*. Jakarta: Indeks.
- Marwoto, Primatika. (2013). *Anestesi Lokal/Regional. Anestesiologi 2 Bagian Anestesiologi dan terapi intensif FK UNDIP/RSUP Dr. Kariadi*. PERDATIN Semarang Jawa Tengah.
- Masturoh, I., & Anggita, N. (2018). *Modul Kemenkes Metodologi Penelitian Kesehatan untuk Program Studi Rekam Medis*.
- Morgan & Mikhail. (2011) *Panduan Pelayanan Anestesia dan Reaminasi klinik*. ISBN : 9781259834424. Jakarta : EGC
- Mulyono, I., Alfian M. N & Andri K. (2017). Faktor Prognostik Kejadian Hipotensi pada Ibu Hamil yang Menjalani Operasi Sesar Dengan Anestesia Spinal. *Anesthesia & Critical Care*. Vol. 35 No. 2
- Neal, J., & James, P. R. (2013). *Complication in Regional Anesthesia and Pain Medicine*. Philadelphia: Lippincot Williams & Wilkins.
- Bundgaard-Nielsen, M., Jørgensen, C. C., Secher, N. H., & Kehlet, H. (2010). Functional intravascular volume deficit in patients before surgery. *Acta anaesthesiologica Scandinavica*, 54(4), 464–469. <https://doi.org/10.1111/j.1399-6576.2009.02175.x>
- Nursalam. (2015). *Metodologi Penelitian Ilmu Keperawatan: Pendekatan Praktis Edisi 3*. Jakarta: Salemba Medika.
- P2PTM Kemenkes RI. (2019). Tabel Batas Ambang Indeks Massa Tubuh (IMT). <http://www.p2ptm.kemkes.go.id/infographic-p2ptm/obesitas/tabel-batas->

[ambang-indeks-massa-tubuh-imt](#). Diakses pada 5 Agustus 2021 pukul 23.50

- Pardo M. Jr., & Miller R.D. (2018). *Basics of Anesthesia 7th edition*. Philadelphia: Elsevier.
- Pramono, A. (2015). *Buku Kuliah Anestesi*. Jakarta: EGC
- Prawirohardjo, S. (2016). *Ilmu Kebidanan Sarwono Prawirohardjo*. Jakarta: PT. Bina Pustaka Sarwono Prawirohardjo.
- Puspitasari, A., I, Sri, H., & Rosa, D., E. (2019). Faktor-Faktor yang Mempengaruhi Kejadian Hipotensi pada Pasien dengan Spinal Anestesi Di RSUP Dr. Soeradji Tirtonegoro Klaten. *Skripsi*. Poltekkes Kemenkes Yogyakarta
- Riwidikho, H. (2009). *Statistik Kesehatan*. Yogyakarta: Mitra Cendikia Press
- Rodrigues, F. R., & Brandão, M. J. (2011). Regional anesthesia for cesarean section in obese pregnant women: a retrospective study. *Revista brasileira de anesthesiologia*, 61(1), 13–20. [https://doi.org/10.1016/S0034-7094\(11\)70002-2](https://doi.org/10.1016/S0034-7094(11)70002-2)
- Rustini, R., Fuadi, I., & Surahman, E. (2016). Insidensi dan Faktor Risiko Hipotensi pada Pasien yang Menjalani Seksio Sesarea dengan Anestesi Spinal di Rumah Sakit Dr. Hasan Sadikin Bandung. *Jurnal Anestesi Perioperatif*, 4(1), 42–49. <https://doi.org/10.15851/jap.v4n1.745>
- Sharma, S., Hashmi, M. F., & Bhattacharya, P.T. *Hypotension*. [Updated 2021 May 7]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2021 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK499961/>
- Simpao, A. F., Wu, L., Nelson, O., Gálvez, J. A., Tan, J. M., Wasey, J. O., et al. (2020). Preoperative Fluid Fasting Times and Postinduction Low Blood Pressure in Children: A Retrospective Analysis. *Anesthesiology*, 133(3), 523–533. <https://doi.org/10.1097/ALN.0000000000003343>
- Siswanti, H., Karyati, S., & Hidayah, F. N. (2020). Hubungan Lamanya Puasa Pre Anestesi Dengan Status Hemodinamik Pada Pasien Operasi Elektif Di Ruang Instalasi Bedah Sentral (IBS) Rsud Ra Kartini Kabupaten Jepara. *Proceeding of The URECOL*, 379-384.
- Sjamsuhidayat. (2010). *Buku Ajar Ilmu Bedah*. Jakarta : EGC
- Smith, R. P. (2018). *Netter's Obstetrics and Gynecology*. Third edition. Philadelphia: Elsevier.
- Sugiyono. (2010). *Statistics for Research*. Bandung: Alfabeta
- Sukarja, I., & Purnawan, I. K. (2015). Elevasi Kaki Efektif Menjaga Kestabilan

Tekanan Darah Pada Pasien Dengan Spinal Anestesi. *Jurnal Gema Keperawatan*, 8(1), 16-19.

Sukarya, W., Bharuddin M., & Yunizaf. (2017). Sebuah kajian Etik : Bolehkan Dokter Spesialis Obsgin Melakukan tindakan Sesar Berdasarkan Permintaan Pasien Tanpa Indikasi Obstretretri yang nyata?., *Jurnal Etika Kedokteran Indonesia*, Vol 15. No.4.

Sulistianingsih, A. R., & Bantas, K. (2018). Peluang Menggunakan Metode Sesar Pada Persalinan Di Indonesia (Analisis Data Sdki Tahun 2017). *Jurnal Kesehatan Reproduksi*, 9(2), 125–133. <https://doi.org/10.22435/kespro.v9i2.2046.125-133>

Suryati, T. (2012). (Analisis Lanjut Data Riskesdas 2010) Persentase Operasi Caesaria Di Indonesia Melebihi Standard Maksimal, Apakah Sesuai Indikasi Medis?. *Buletin Penelitian Sistem Kesehatan*, 15(4), 21358.

Syaifuddin. (2011). *Anatomi Fisiologi (Kurikulum Berbasis Kompetensi)*. Jakarta: ECG.

Tjokrowinoto, S., Sutiyono, D., & Wahyudi, F. (2012). *Perbedaan Tekanan Darah Pasca Anestesi Spinal Dengan Pemberian Preload Dan Tanpa Pemberian Preload 20cc/kgbb Ringer Asetat Malat* (Doctoral dissertation, Fakultas Kedokteran).

Wiknjosastro. (2016). *Ilmu Kebidanan*. Jakarta: Yayasan Bina Pustaka Sarwono Prawirohardjo.