

DAFTAR PUSTAKA

- Addo OY, Stein AD, Fall CH, et al. (2013). Maternal height and child growth patterns. *J Pediatr.* 163(2):549-54. doi:[10.1016/j.jpeds.2013.02.002](https://doi.org/10.1016/j.jpeds.2013.02.002)
- Akombi, B.J., Agho, K.E., Hall, J.J., Merom, D., Astell B.T., Renzaho, A.M. N.(2017). Stunting and severe stunting among Children under-5 Years in Nigeria: A multilevel analysis. *BioMed Pediatrics*, 17(1) :1–16.
- Amin, N. A., & Julia, M. (2014). Faktor Sosiodemografi dan Tinggi Badan OrangTua serta Hubungannya dengan Kejadian Stunting pada Balita Usia 6-23 Bulan. *Jurnal Gizi dan Dietetik Indonesia* Vol. 2, No. 3, 170-177.
- Bata, P., Binh, L., Vonaesch, P., Tondeur, L., Nguyen,L.,Frank, T., *et al.*(2017).Factors Associated withStunting in Healthy Children Aged 5 Years and Batain Bangui.
- Beal, T., Tumilowicz, A., Sutrisna, A., Izwardy, D.,Neufeld, L.M.(2018). A Review of Child Stunting Determinants in Indonesia. *Maternal and Child Nutrition*, 14(4):1–10.
- Black et al. (2008).Maternal and Child Undernutrition: Global and Regional Exposures and Health Consequences. *The Lancet Series*.
- Briaux J, Martin-Prevel Y, Carles S, et al.(2020). Evaluation of an unconditional cash transfer program targeting children's first-1,000-days linear growth in rural Togo: A cluster-randomized controlled trial. *PLoS Med.* 17(11):e1003388. doi: [10.1371/journal.pmed.1003388](https://doi.org/10.1371/journal.pmed.1003388)
- Dubois L, Ohm Kyvik K, Girard M, Tatone-Tokuda F, Pérusse D, Hjelmborg J, dkk. (2012). Genetic and environmental contributions to weight, height, and BMI from birth to 19 years of age: an international study of over 12,000 twin pairs. *PLoS One.* 2012;7(2):e30153. doi: [10.1371/journal.pone.0030153](https://doi.org/10.1371/journal.pone.0030153)
- Chao-Qiang Lai. How much of human height is genetic and how much is due to nutrition? (2006). the Jean Mayer U.S. Department of Agriculture Human Nutrition Research Center on Aging at Tufts University <https://www.scientificamerican.com/article/how-much-of-human-height/>
- Children UYO, Ayu R, Sartika D. (2007). An Analysis on The Usage of Health Service Related to Nutritional Status. Departemen Gizi Kesehatan Masyarakat Fakultas Kesehatan Masyarakat Universitas Indonesia.

- Cruz, G.L.M., Azpeitia, G., Suárez, R.D., Rodríguez, S.A., Ferrer, L.J.F., Majem, S.L. (2017). Factors Associated with Stunting among Children Aged 0 to 59 Months from the Central Region of Mozambique. *Nutrients*. 9(5):491. doi: [10.3390/nu9050491](https://doi.org/10.3390/nu9050491).
- Futihatul Baidho dkk.(2020.) Hubungan Tinggi Badan Ibu Dengan Kejadian Stuntingpad Balita Usia 0-59 Bulan Di Desa Argodadi Sedayu Bantul.
- Hambidge KM, Mazariegos M, Kindem M, et al. (2012). Infant stunting is associated with short maternal stature. *J Pediatr Gastroenterol Nutr*. 54(1):117-9. doi: [10.1097/MPG.0b013e3182331748](https://doi.org/10.1097/MPG.0b013e3182331748)
- Karlsson O, Kim R, Bogin B, Subramanian SV. (2021). Maternal height-standardized prevalence of stunting in 67 low- and- middle-income countries. *J Epidemiol*. doi: [10.2188/jea.JE20200537](https://doi.org/10.2188/jea.JE20200537)
- Kementrian Kesehatan. Rencana Aksi Direktorat Bina Gizi Masyarakat Kemenkes RI Tahun 2020-2025
<https://gizi.kemkes.go.id/katalog/rak-pembinaan-gizi-masyarakat.pdf>.
- Kementrian Keuangan. 2018. Penanganan Stunting Terpadu Tahun.(2018). Jakarta.
- Kementerian Pemberdayaan Perempuan Dan Perlindungan Anak. Publikasi Dan Media Siaran Pers Nomor: B- 290 /Set/Rokum/MP 01/11/2020.
- Kementerian PPN/Bappenas.(2018). Pedoman Pelaksanaan Intervensi Penurunan StuntingTerintegrasi di Kabupaten/Kota. Jakarta.
- Kusharisupeni, (2008). Peran Status Kelahiran Terhadap Stunting Pada Bayi: Sebuah Studi Prospektif. *Jurnal Kedokteran Trisakti*. Jakarta,
- Lee, A. C. C., Darmstadt, G. L., Khatry, S. K., LeClerq, S. C., Shrestha, S. R., Christian, P.(2009). Maternal-fetal Disproportion and Birth Asphyxia in Rural Sarlahi, Nepal. *Archives of Pediatrics and Adolescent Medicine*, 163(7): 616–623.
- Manggala, A., Kenwa, K. W., Kenwa, M. M., Sakti, A., & Sawitri, A.(2018).Risk Factors of Stunting in Children Age 24-59 Months Old. *Paediatrica Indonesiana*, 58(5), 205–212.
- Notoatmodjo, S. (2012). *Metodologi Penelitian Kesehatan*. Jakarta: Rieneka Cipta.
- Peraturan Gubernur Yogyakarta.(2016). Peraturan Gubernur Daerah Istimewa Yogyakarta, Yogyakarta, 15-17.

Picauly, I., dan Sarci M. T. (2013). Analisis Determinan dan Pengaruh Stunting Terhadap Prestasi Belajar Anak Sekolah di Kupang dan Sumba Timur, NTT. *Jurnal Gizi dan Pangan*, 8(1): 55-62.

PMK_No_2_Th_2020_ttg_Standar_Antropometri_Anak.pdf
http://hukor.kemkes.go.id/uploads/produk_hukum/diakses_tanggal_22_September_2021

Pollet TV, Nettle D. (2008). Taller women do better in a stressed environment: height and reproductive success in rural Guatemalan women. *Am J Hum Biol.* 20(3):264-9. doi: [10.1002/ajhb.20708](https://doi.org/10.1002/ajhb.20708)

Prawirohartono EP, Nurdiati DS, Hakimi M. (2016). Prognostic factors at birth for stunting at 24 months of age in rural Indonesia. *Paediatrica Indonesiana.* 56(1):48-56. doi: [10.14238/pi56.1.2016.48-56](https://doi.org/10.14238/pi56.1.2016.48-56)

Prendergast, A. J., Humphrey, J. H. (2014). The stunting Syndrome in Developing Countries, 1–16.

Profil kesehatan DIY 2019
<https://www.dinkes.jogjaprovo.go.id/litkes/download/82>

Ratu, Novelinda Ch. dkk. (2018). Hubungan Tinggi Badan Orang Tua dengan Kejadian Stunting pada anak Usia 24-59 Bulan di Kecamatan Ratahan Kabupaten Minahasa Tenggara.

Renyoet, B. S. (2016). Estimasi Potensi Kerugian Ekonomi Akibat Stunting Dan Obesitas Pada Balita Di Indonesia (Skripsi). Bogor: Institut Pertanian Bogor.

Richard SA, McCormick BJJ, Murray-Kolb LE, et al. (2021). Influences on catch-up growth using relative versus absolute metrics: evidence from the MAL-ED cohort study. *BMC Public Health.* 21(1):1246. doi: [10.1186/s12889-021-11120-0](https://doi.org/10.1186/s12889-021-11120-0)

Riskesdas. (2018). Hasil Utama Riskesdas 2018, Kementerian Kesehatan Badan Penelitian dan Pengembangan Kesehatan, 8-12.

Rochmah, Amalia Miftakul dan Enny Fitriahadi. (2017). Faktor-Faktor yang Berhubungan dengan Stunting pada Balita Usia 24-59 Bulan di Wilayah Kerja Puskesmas Wonosari I.

Rohimah, E., Kustiyah, L., Hernawati, N. (2015) Pola Konsumsi, Status Kesehatan Dan Hubungannya. *10(2):93–100.*

- Rr. Vita N. Latif & Nor Istiqomah.(2017). Determinan Stunting Pada Siswa Sd Di Kabupaten Pekalongan.
- Rusmil, V. K., Prahastuti, T. O., Luftimas, D. E.(2019).Exclusive and Non-Exclusive Breastfeeding among Stunted and Normal 6– 9 Month-Old-Children in Jatinangor Subdistrict , Indonesia. 6(1):35–41.
- Salam, R. A., Ali, A., & Lassi, Z. S.(2014). Maternal undernutrition and intrauterine growth restriction. 8(6) : 559-567.
- Sastroasmoro, S dan Ismail, S. (2014). *Dasar-Dasar Metodologi Penelitian Klinis*. Ed. 5. Jakarta: Sagung Seto.
- Schmidt MK, Muslimatun S, West CE, e al. (2002). Nutritional status and linear growth of Indonesian infants in west java are determined more by prenatal environment than by postnatal factors. J Nutr.132(8):2202-7. doi: [10.1093/jn/132.8.2202](https://doi.org/10.1093/jn/132.8.2202)
- Semba RD, Moench-Pfanner R, Sun K, et al. (2011). Consumption of micronutrient-fortified milk and noodles is associated with lower risk of stunting in preschool-aged children in Indonesia. Food Nutr Bull. 32(4):347-53. doi: [10.1177/156482651103200406](https://doi.org/10.1177/156482651103200406)
- Sinha, B., Rongsen, T., Ravi, C., Upadhyay, P., Bhandari, N., Kishan, M., Martines, J.(2018).Low- Birthweight Infants Born to Short - Stature Mothers are at Additional Risk of Stunting and Poor Growth Velocity : Evidence from Secondary Data Analyses,1–9
- Soetjiningsih.(2011). *Tumbuh Kembang Anak*. Jakarta: EGC.
- Solomon, D., Dirar, A., Getachew, F.(2018). Age , Anthropometric Measurements and Mode of Delivery among Journal of Women ' s Health Care. 7(1):1–6.
- Sridevi, M.(2018). Influence of Maternal Short Stature on the Stunting Levels of Infants and Toddlers : A Case Study of Urban Slums in Chennai. 23(1) :151– 180.
- Sugiyono.(2018).*Metode Penelitian Pendidikan Pendekatan Kuantitatif, Kualitatif*:Jakarta
- Sumarmi, M. S.(2017). Maternal Short Stature And Neonatal Stunting : An Inter-Generational Cycle of malnutrition, 265-272
- Supariasa, I D. N., dkk. (2012). *Penilaian Status Gizi*. Jakarta: EGC

- Tim Nasional Percepatan Penanggulangan Kemiskinan. (2017). 100 Kabupaten/Kota Prioritas untuk Intervensi Anak Kerdil (Stunting). Jakarta Pusat. Diakses pada tanggal 25 September 2021 dari [http://www.tnp2k.go.id/images/uploads/downloads/Buku%20Ringkas an%20Stunting-1.pdf](http://www.tnp2k.go.id/images/uploads/downloads/Buku%20Ringkas%20Stunting-1.pdf)
- UNICEF WHO and World Bank Group. Levels and trends in child malnutrition: Key findings of the 2019 edition. UNICEF, World Health
- Widanti, Yannie A. (2016). Prevalensi, Faktor Risiko, dan Dampak Stunting pada Anak Usia Sekolah. *JITIPARI*, 1(1)
- Wiwid Andari dkk.(2020). Tinggi Badan Ibu Sebagai Faktor Risiko Stunting Pada Anak Usia 24-59 Bulan Di Kecamatan Pleret Dan Kecamatan Pajangan, Kabupaten Bantul, Yogyakarta
- World Health Organization. (2013). *Childhood Stunting: Challenges and Opportunities*. Switzerland: Department of Nutrition for Health and Development. www.who.int. Diakses 20 April 2016
- Wu H, Ma C, Yang L, Xi B. (2021). Association of parental height with offspring stunting in 14 low- and middle-income countries. *Front Nutr.* 8:650976. doi: [10.3389/fnut.2021.650976](https://doi.org/10.3389/fnut.2021.650976)
- Zikria, W., El, L., Bustami, S.(2018). The Association Between Mother's Care Practices With Stunting Incident In Children Age 12-35 Months In Air Dingin Primary Health Center Padang 2018, 3(2)