

DAFTAR PUSTAKA

- Anasti, R., Anasta, L., Harnovisah & Oktris, L. (2023) *Sukses Menyelesaikan Skripsi dengan Metode Penelitian Kuantitatif dan Analisa Data SPSS*. Jakarta : Salemba Empat.
- Annisa, W.K. 2023. Kadar Trigliserida Pada Serum Pasien Hipertensi Yang Diperiksa Segera dan Setelah Disimpan Selama 4 Jam, 8 Jam Pada Suhu 2-8°C. *Skripsi*. Yogyakarta : Politeknik Kesehatan Kementerian Kesehatan Yogyakarta.
- Boppana, S.H., Ravula. N.K., Kutikuppala, L.V.S., Sivaraj, N., Hamsa, C.H.R., Mahajan, S. & Chaitanya, P.S. (2023) 'Prevalence of resistant hypertension and its relation with plasma lipoprotein-associated phospholipase A2', *International Journal of Noncommunicable Diseases*, 8(1), pp. 46–50. Available at: https://doi.org/10.4103/jncd.jncd_80_22.
- Ehrmeyer, S., Westgard, J.O. and Westgard, S.A. (2024) *The new poor lab's guide to the regulations: (CLIA, The Joint Commission, CAP & COLA): successful strategies & specific applications of the regulations*. Madison: Westgard QC Inc.
- Flores, C.F.Y., Pineda, A.M.H., Bonilla, V.M.C., & Flor, K.S. (2020) 'Sample management: Stability of plasma and serum on different storage conditions', *Electronic Journal of the International Federation of Clinical Chemistry and Laboratory Medicine*, 31(1), pp. 46–55.
- Franke, D. and Bonhomme, M. (2017) *Clinical Core Laboratory Testing*. New York : Springer.
- Grankvist, K., Gomez, R., Nybo, M., Oliveira, G.L., & Meyer, A.V. (2019) 'Preanalytical aspects on short- and long-term storage of serum and plasma', *Diagnosis*, 6(1), pp. 51–56. Available at: <https://doi.org/10.1515/dx-2018-0037>.
- Hardani, Andriani, H., Ustiawaty, J., Utami, E.F., Istiqomah, R.R., Fardani, R.A., Sukmana, D.K., & Auliya, N.H. (2020) *Metode Penelitian Kualitatif dan Kuantitatif*. Yogyakarta : CV. Pustaka Ilmu Group Yogyakarta.
- Ikeda, K., Ichihara, K., Hashiguchi, T., Hidaka, Y., Kang, D., Maekawa, M., Matsumoto, H., Matsushita, K., Okubo, S., Tsuchiya, T., & Furuta, K. (2015) 'Evaluation of the Short-Term Stability of Specimens for Clinical Laboratory Testing', 13(2), pp. 135–143. Available at: <https://doi.org/10.1089/bio.2014.0072>.

- Jain, B.P., Goswami, S.K. and Pandey, S. (2020) *Protocols in Biochemistry and Clinical Biochemistry*. 1st edn. Amsterdam: Elsevier Science. Available at: <https://www.sciencedirect.com/topics/biochemistry-genetics-and-molecular-biology/triglyceride>.
- Kachhawa, K., Kachhawa, P., Varma, M., Behera, R., Agrawal, D., & Kumar, S. (2017) 'Study of the Stability of Various Biochemical Analytes in Samples Stored at Different Predefined Storage Conditions at an Accredited Laboratory of India', *Journal of Laboratory Physicians*, 9(01), pp. 011–015. Available at: <https://doi.org/10.4103/0974-2727.187928>.
- Katsimardou, A., Imprialos, K., Stavropoulos, K., Sachinidis, A., Doumas, M., & Athyros, V. (2019) 'Hypertension in Metabolic Syndrome: Novel Insights', *Current Hypertension Reviews*, 16(1), pp. 12–18. Available at: <https://doi.org/10.2174/1573402115666190415161813>.
- Kementrian Kesehatan Republik Indonesia. (2023). "Laporan Tematik Survei Kesehatan Indonesia Tahun 2023-Potret Indonesia Sehat".
- Kusumastuti, A., Khoiron, A.M. and Achmadi, T.A. (2020) *Metode Penelitian Kuantitatif*. Yogyakarta : Deepublish.
- McPherson, R. and Pincus, M.R. (2017) *Clinical Diagnosis and Management by Laboratory Methods*, *Archives of Pathology & Laboratory Medicine*. Available at: <https://doi.org/10.5858/2001-125-1518a-cdambl>.
- Niknam, R., Moradi, J., Jahanshahi, K.A., Mahmoudi, L & Ejtehad, F. (2020) 'Association Between Metabolic Syndrome and Its Components with Severity of Acute Pancreatitis', *Diabetes, Metabolic Syndrome and Obesity*, 13, pp. 1289–1296. Available at: <https://doi.org/10.2147/DMSO.S249128>.
- Nurhayati, Wulandari, S. and Viaty, E. (2021) *Buku Pedoman Teknik Pemeriksaan Kimia Darah*. Pekalongan : PT. Nasya Expanding Management.
- Organization, I.S. (2019) 'Medical laboratories — Practical guidance for the estimation of measurement uncertainty', 2019(1).
- Organization, I.S. (2022) 'International Standard Medical laboratories — Requirements for quality and competence', 4, p. 72. Available at: <https://www.iso.org/>.
- Pradhan, S., Gautam, K. and Pant, V. (2022) 'Variation in Laboratory Reports: Causes other than Laboratory Error', *Journal of the Nepal Medical Association*, 60(246), pp. 222–224. Available at: <https://doi.org/10.31729/jnma.6022>.

- Rahayu, D., Irawan, H., Santoso, P., Susilowati, E., Atmojo, D.S., & Kristanti, H. (2021). 'Deteksi Dini Penyakit Tidak Menular pada Lansia', *Jurnal Peduli Masyarakat*, 3(1), pp. 91–96. Available at: <https://doi.org/10.37287/jpm.v3i1.449>.
- Shafqet, M.A., Brown, T. V and Sharma, R. (2015) 'Normal lipase drug-induced pancreatitis: a novel finding.', *The American journal of emergency medicine*, 33(3), pp. 476.e5–6. Available at: <https://doi.org/10.1016/j.ajem.2014.08.056>.
- Silva, R.S., Domingueti, C.P., Tinoco, M.S., Veloso, J.C., Pereira, M.L., Baldoni, A. & Rios, D.R.A. (2021) 'Interference of medicines in laboratory exams', *Jornal Brasileiro de Patologia e Medicina Laboratorial*, 57, pp. 1–15. Available at: <https://doi.org/10.5935/1676-2444.20210014>.
- Sufi, A.S. 2023. Kadar Trigliserida Pada Serum Pasien Hipertensi Yang Diperiksa Segera, Disimpan Selama 4 Jam dan 8 Jam Pada Suhu 20-15°C. *Skripsi*. Yogyakarta : Politeknik Kesehatan Kementrian Kesehatan Yogyakarta.
- Susanti and Firdayanti (2021) *Buku Ajar Kimia Klinik*. Pekalongan : PT. Nasya Expanding Management.
- Ulmer, C.Z., Koelmel, J.P., Jones, C.M., Garrett, T.J., Henao, J.J.A., Vesper, H.W. & Bowden, J.A. (2021) 'A Review of Efforts to Improve Lipid Stability during Sample Preparation and Standardization Efforts to Ensure Accuracy in the Reporting of Lipid Measurements', 56(1), pp. 3–16. Available at: <https://doi.org/10.1002/lipd.12263.A>.
- Unger, T., Borghi, C., Charchar, F., Khan, N.A., Poulter, N.R., Prabhakaran, D., Ramirez, A., Schlaich, M., Stergiou, G.S., Tomaszewski, M., Wainford, R.D., Williams, B., & Schutte, A.E. (2020) '2020 International Society of Hypertension Global Hypertension Practice Guidelines', *Hypertension*, 75(6), pp. 1334–1357. Available at: <https://doi.org/10.1161/Hypertensionaha.120.15026>.
- Woodworth, A. and Eilola, A.L.P. (2019) *Accurate Results in the Clinical Laboratory: A Guide to Error Detection and Correction*, *Accurate Results in the Clinical Laboratory: A Guide to Error Detection and Correction*. Available at: <https://doi.org/10.1016/C2011-0-04380-6>.
- Zivkovic, A.M., Weist, M.M., Nguyen, U.T., Davis, R., Watkis, S.M., & German, J.B. (2009) 'Effects of sample handling and storage on quantitative lipid analysis in human serum', pp. 507–516. Available at: <https://doi.org/10.1007/s11306-009-0174-2>.