

DAFTAR PUSTAKA

- Ambarsari, I., Qanytah, & Sudaryono, T. (2013). Quality Changes of Pasteurized Milk in Some Packages. *Jurnal Penelitian Dan Pengembangan Pertanian*, 32(1), 10–19.
- Ariani, N. M., & Mahmudah, L. (2017). Recycle Afalan Kemasan Aluminium Foil sebagai Koagulan pada IPAL. *Jurnal Teknologi Proses Dan Inovasi Industri*, 2(2), 71–75.
- Azmi, F. (2016). Anatomi dan Histologi Hepar. *JURNAL KEDOKTERAN*, 1(2), 147–154. <https://e-journal.unizar.ac.id/index.php/kedokteran/article/view/595>
- Chambers, D., Huang, C., & Matthews, G. (2015). Liver anatomy and blood supply. In D. Chambers, C. Huang, & G. Matthews (Eds.), *Basic Physiology for Anaesthetists* (pp. 292–296). Cambridge University Press. <https://doi.org/DOI:10.1017/CBO9781139226394.063>
- Coltro, L., & Borghetti, J. (2007). Plastic packages for personal care products - Evaluation of light barrier properties. *Polimeros-Ciencia E Tecnologia - POLIMEROS*, 17. <https://doi.org/10.1590/S0104-14282007000100013>
- Dahlan, M. S. (2016). *Besar Sampel dalam Penelitian Kedokteran dan Kesehatan Seri 2* (2nd ed.). EGC.
- Deo, S., Deo, S. K., Ansari, A. H., Dev, S., Santosh, M., & Deo, K. (2016). International Journal of Current Research in Medical Sciences The effect of light on the specimens of serum bilirubin in clinical laboratory. *Int. J. Curr. Res. Med. Sci*, 2(8), 25–30. www.ijcrims.com
- Dufour. (2006). *Tietz Textbook of Clinical Chemistry and Molecular Diagnostic. 4th ed.*
- Fleming, J. J., & Swaminathan, S. (2017). Interference in autoanalyzer analysis. *Indian Journal of Clinical Biochemistry: IJCB*, 16(1), 22–30. <https://doi.org/10.1007/BF02867564>
- Hall, P., & Johnny, C. (2012). What is the real function of the liver ‘function’ test. *Ulster Med J*, 81(4), 30–36.
- Hardani, H. A., Jumari Ustiawaty, E., Fatmi Utami, R. R., Istiqomah, R. A., Fardani, D. J., & Sukmana, N. H. A. (2020). Buku Metode Penelitian Kualitatif. In *Revista Brasileira de Linguística Aplicada* (Vol. 5, Issue 1).
- Hardjoeno, H. (2008). *Interpretasi Hasil Tes Laboratorium Diagnostik* (3rd ed.). Lembaga Penerbitan Universitas Hasanuddin.
- Hinds, T. D. J., & Stec, D. E. (2018). Bilirubin, a Cardiometabolic Signaling Molecule. *Hypertension (Dallas, Tex. : 1979)*, 72(4), 788–795. <https://doi.org/10.1161/HYPERTENSIONAHA.118.11130>

- Kemper, A. R., Newman, T. B., & Slaughter, J. L. (2022). Clinical Practice Guideline Revision: Management of Hyperbilirubinemia in the Newborn Infant 35 or More Weeks of Gestation. *Pediatrics*, 150(3), e2022058859. <https://doi.org/10.1542/peds.2022-058859>
- Luthfi, Q. A., Jariyah, & Putra, A. Y. T. (2024). Pengaruh jenis kemasan terhadap sifat fisikokimia, mikrobiologi, dan organoleptik pada produk manisan tomat selama penyimpanan. *Jurnal Sains Dan Teknologi Pangan (JTSP)*, 9(1), 7117–7130.
- Marsh, K., & Bugusu, B. (2007). Food packaging – roles, materials, and environmental issues. *Journal Food Science*, 72(3), R39-355.
- Nugraheni, D., Destariyani, E., & Sumiati, S. (2019). Metode Selimut Insulasi Panas untuk Pencegahan Penurunan Suhu Tubuh Bayi Tikus Putih. *Jurnal Kesehatan*, 10, 34. <https://doi.org/10.26630/jk.v10i1.1089>
- Nursalam. (2017). *Metodologi Penelitian Ilmu Keperawatan* (4th ed.). Salemba Medika.
- Purbayanti, D. (2015). Pengaruh Waktu Pada Penyimpanan Serum Untuk Pemeriksaan Kolesterol Total. *Jurnal Surya Medika*, 1(1), 8–17.
- Rehak, N. N., Cecco, S. A., & Hortin, G. L. (2008). Photolysis of bilirubin in serum specimens exposed to room lighting. *Clinica Chimica Acta*, 387(1–2), 181–183. <https://doi.org/10.1016/j.cca.2007.09.019>
- Rodwell, V. W., Bender, D. A., Botham, K. M., Kennely, P. J., & Weil, P. A. (2020). *Harper's Illustrated Biochemistry* (31st ed.). EGC.
- Rosida, A. (2016). Pemeriksaan Laboratorium Penyakit Hati. *Berkala Kedokteran*, 12(1), 123. <https://doi.org/10.20527/jbk.v12i1.364>
- Sa'diyah, A., & Trihadiningrum, Y. (2020). *Kajian Fragmentasi Low Density Polyethylene Akibat Radiasi Sinar Ultraviolet dan Kecepatan*. 9(2).
- Saputra, M. A. (2020). *Pengaruh Intensitas Cahaya Terhadap Kadar Bilirubin Total pada Sampel Serum*.
- Seswoyo. (2016). *Pengaruh Cahaya Terhadap Kadar Bilirubin Total Serum Segera dan Serum Simpan pada Suhu 20-25o C Selama 24 Jam*.
- Shankary, S., Arasaratnam, V., & Kandeepan, K. (2018). Effect of storage time, temperature and repeated freezing and thawing on serum total bilirubin. *Jaffna University International Research Conference*, 16–18.
- Sugiarti, A. M. (2019). Perbandingan Kadar Bilirubin Total Serum Segera dan Tunda Tanpa dan dengan Pengenceran. *Jurnal Riset Kesehatan Poltekkes Depkes Bandung*, 11(2), 168–174. <https://doi.org/https://doi.org/10.34011/juriskesbdg.v11i2.752>

- Sugiyono. (2015). *Metode Penelitian Kuantitatif, Kualitatif, dan R&D*. ALFABETA.
- Suryaatmadja, M. (2009). Pemeriksaan laboratorium uji fungsi hati. *Buletin ABC*, 11, 2–8.
- Triswanti, R., Nursanti, E., & Handoko, F. (2021). Studi Peningkatan Kualitas Produksi Silver Foil Dengan Menggunakan Metode Green Six Sigma. *Jurnal Teknologi Dan Manajemen Industri*, 7(2), 13–18.
- Tsai, M.-T., & Tarng, D.-C. (2018). Beyond a Measure of Liver Function—Bilirubin Acts as a Potential Cardiovascular Protector in Chronic Kidney Disease Patients. *International Journal of Molecular Sciences*, 20, 117. <https://doi.org/10.3390/ijms20010117>
- Weaver, L., Hamoud, A.-R., Stec, D. E., & Hinds, T. D. J. (2018). Biliverdin reductase and bilirubin in hepatic disease. *American Journal of Physiology. Gastrointestinal and Liver Physiology*, 314(6), G668–G676. <https://doi.org/10.1152/ajpgi.00026.2018>
- Winarno. (2017). Analisa Kekuatan Tarik Sampel Plastik Daur Ulang High Density Polyethylene (HDPE) dan Low Density Polyethylene (LDPE). *Skripsi Universitas Muhammadiyah Ponorogo*.
- Woodgate, P., & Jardine, L. A. (2015). Neonatal jaundice: phototherapy. *BMJ Clinical Evidence*, 2015.
- Yosiana, N., Niroini, F., & Sukeksi, A. (2020). Perbedaan Kadar Bilirubin Total Plasma EDTA Tunda 2 Jam Terpapar dan Tidak Terpapar Cahaya Lampu. *Prosiding Seminas Nasional Unimus*, 3, 646–650.