

LAMPIRAN

Lampiran 1. Jadwal Penelitian

JADWAL PENELITIAN

[illegible]

Lampiran 2. Rancangan Anggaran Penelitian

RANCANGAN ANGGARAN PENELITIAN

No	Kegiatan	Volume	Satuan	<i>Unit Cost</i>	Jumlah
1.	Administrasi ke lokasi penelitian			300.000	300.000
2.	ATK dan penggandaan				
	a. Print dan jilid proposal skripsi	4	Paket	30.000	120.000
	b. Print dan jilid skripsi	4	Paket	50.000	200.000
	c. Print lembar pengumpulan data	142	Paket	1.000	142.000
3.	Biaya <i>ethical clearance</i>	1	kali	135.000	135.000
4.	Biaya perizinan penelitian	1	kali	100.000	100.000
Jumlah					925.000

Lampiran 3. Format Pengumpulan Data

FORMAT PENGUMPULAN DATA

1.	Nama Anak	
2.	Kejadian <i>Stunting</i>	
3.	Jenis Kelamin	
4.	Berat Bayi Lahir	
5.	Panjang Bayi Lahir	
6.	Riwayat ASI Eksklusif	
7.	Usia ibu saat hamil	
8.	Usia kehamilan ibu	
9.	Tinggi badan ibu	
10.	Pendidikan ibu	
11.	Pekerjaan ibu	
12.	Sumber Air Bersih	

Lampiran 4. Lembar Pengumpulan Data

LEMBAR PENGUMPULAN DATA

NO.	KODE RESPONDEN	JENIS KELAMIN	BERAT BAYI LAHIR	PANJANG BAYI LAHIR	RIWAYAT ASI EKSKLUSIF	USIA IBU SAAT HAMIL	USIA KEHAMILAN IBU	TINGGI BADAN IBU	PENDIDIKAN IBU	PEKERJAAN IBU	SUMBER AIR	KEJADIAN <i>STUNTING</i>
1	R1	P			YA							TIDAK <i>STUNTING</i>
2	R2	L			YA							<i>STUNTING</i>
3	R3	P			YA							TIDAK <i>STUNTING</i>
4	R4	L			YA							<i>STUNTING</i>
5	R5	P			YA							<i>STUNTING</i>
6	R6	L			YA							<i>STUNTING</i>
7	R7	P			YA							<i>STUNTING</i>
8	R8	P			YA							<i>STUNTING</i>
9	R9	L			YA							<i>STUNTING</i>
10	R10	L			YA							<i>STUNTING</i>
11	R11	L			YA							<i>STUNTING</i>
12	R12	L			TIDAK							<i>STUNTING</i>
13	R13	L			TIDAK							<i>STUNTING</i>
14	R14	P			YA							TIDAK <i>STUNTING</i>
15	R15	P			YA							<i>STUNTING</i>
16	R16	L			YA							<i>STUNTING</i>
17	R17	L			YA							TIDAK <i>STUNTING</i>
18	R18	P			YA							<i>STUNTING</i>
19	R19	L			YA							TIDAK

												<i>STUNTING</i>
20	R20	L			YA							TIDAK <i>STUNTING</i>
21	R21	P			YA							<i>STUNTING</i>
22	R22	L			YA							<i>STUNTING</i>
23	R23	P			YA							<i>STUNTING</i>
24	R24	L			YA							<i>STUNTING</i>
25	R25	L			YA							<i>STUNTING</i>
26	R26	L			YA							<i>STUNTING</i>
27	R27	P			YA							TIDAK <i>STUNTING</i>
28	R28	L			YA							<i>STUNTING</i>
29	R29	L			YA							<i>STUNTING</i>
30	R30	L			YA							TIDAK <i>STUNTING</i>
31	R31	L			YA							<i>STUNTING</i>
32	R32	P			YA							<i>STUNTING</i>
33	R33	L			YA							TIDAK <i>STUNTING</i>
34	R34	P			YA							<i>STUNTING</i>
35	R35	L			YA							<i>STUNTING</i>
36	R36	L			YA							<i>STUNTING</i>
37	R37	L			YA							TIDAK <i>STUNTING</i>
38	R38	P			YA							<i>STUNTING</i>
39	R39	L			YA							<i>STUNTING</i>
40	R40	P			YA							<i>STUNTING</i>
41	R41	L			YA							<i>STUNTING</i>
42	R42	L			YA							<i>STUNTING</i>
43	R43	P			YA							<i>STUNTING</i>
44	R44	P			YA							<i>STUNTING</i>
45	R45	P			YA							TIDAK <i>STUNTING</i>

73	R73	L			YA							<i>STUNTING</i>
74	R74	P			YA							<i>STUNTING</i>
75	R75	P			YA							TIDAK <i>STUNTING</i>
76	R76	P			YA							<i>STUNTING</i>
77	R77	L			YA							<i>STUNTING</i>
78	R78	P			YA							<i>STUNTING</i>
79	R79	L			YA							<i>STUNTING</i>
80	R80	L			YA							<i>STUNTING</i>
81	R81	L			YA							<i>STUNTING</i>
82	R82	L			TIDAK							<i>STUNTING</i>
83	R83	P			YA							<i>STUNTING</i>
84	R84	P			YA							<i>STUNTING</i>
85	R85	L			YA							TIDAK <i>STUNTING</i>
86	R86	L			YA							<i>STUNTING</i>
87	R87	L			YA							TIDAK <i>STUNTING</i>
88	R88	P			YA							<i>STUNTING</i>
89	R89	P			YA							<i>STUNTING</i>
90	R90	P			YA							<i>STUNTING</i>
91	R91	L			YA							<i>STUNTING</i>
92	R92	P			YA							TIDAK <i>STUNTING</i>
93	R93	P			YA							<i>STUNTING</i>
94	R94	P			YA							<i>STUNTING</i>
95	R95	P			YA							TIDAK <i>STUNTING</i>
96	R96	P			YA							TIDAK <i>STUNTING</i>
97	R97	P			YA							TIDAK <i>STUNTING</i>
98	R98	P			YA							TIDAK

124	R124	P			YA							<i>STUNTING</i>
125	R125	L			YA							<i>STUNTING</i>
126	R126	P			YA							TIDAK <i>STUNTING</i>
127	R127	L			YA							<i>STUNTING</i>
128	R128	P			YA							TIDAK <i>STUNTING</i>
129	R129	1			TIDAK							TIDAK <i>STUNTING</i>
130	R130	1			TIDAK							TIDAK <i>STUNTING</i>
131	R131	2			TIDAK							TIDAK <i>STUNTING</i>
132	R132	2			TIDAK							TIDAK <i>STUNTING</i>
133	R133	2			TIDAK							TIDAK <i>STUNTING</i>
134	R134	1			YA							TIDAK <i>STUNTING</i>
135	R135	2			YA							TIDAK <i>STUNTING</i>
136	R136	1			YA							TIDAK <i>STUNTING</i>
137	R137	2			YA							TIDAK <i>STUNTING</i>
138	R138	1			YA							TIDAK <i>STUNTING</i>
139	R139	2			YA							TIDAK <i>STUNTING</i>
140	R140	1			YA							TIDAK <i>STUNTING</i>
141	R141	1			YA							TIDAK <i>STUNTING</i>

[illegible]

[illegible]

[illegible]

[illegible]

Lampiran 6. Data SPSS

A. Data Analisis Univariat

JENIS KELAMIN

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	PEREMPUAN	60	42.3	42.3	42.3
	LAKI-LAKI	82	57.7	57.7	100.0
	Total	142	100.0	100.0	

BERAT BAYI LAHIR

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	>=2500 gram	121	85.2	85.2	85.2
	<2500 gram	21	14.8	14.8	100.0
	Total	142	100.0	100.0	

PANJANG BAYI LAHIR

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	>=47 cm	108	76.1	76.1	76.1
	<47 cm	34	23.9	23.9	100.0
	Total	142	100.0	100.0	

RIWAYAT ASI EKSKLUSIF

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	ASI EKSKLUSIF	134	94.4	94.4	94.4
	TIDAK ASI EKSKLUSIF	8	5.6	5.6	100.0
	Total	142	100.0	100.0	

USIA IBU SAAT HAMIL

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	20-35 tahun	107	75.4	75.4	75.4
	<20 tahun atau >35 tahun	35	24.6	24.6	100.0
	Total	142	100.0	100.0	

USIA KEHAMILAN

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	>= 37 minggu (aterm)	116	81.7	81.7	81.7
	< 37 minggu (preterm)	26	18.3	18.3	100.0
	Total	142	100.0	100.0	

TINGGI BADAN IBU

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	>=150 cm	103	72.5	72.5	72.5
	<150 cm	39	27.5	27.5	100.0
	Total	142	100.0	100.0	

PENDIDIKAN IBU

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	SMA, SMK, Perguruan Tinggi	44	31.0	31.0	31.0
	Tidak Sekolah, SD, SMP	98	69.0	69.0	100.0
	Total	142	100.0	100.0	

PEKERJAAN IBU

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Bekerja	29	20.4	20.4	20.4
	Tidak Bekerja	113	79.6	79.6	100.0
	Total	142	100.0	100.0	

SUMBER AIR

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	PAH	24	16.9	16.9	16.9
	PDAM	118	83.1	83.1	100.0
	Total	142	100.0	100.0	

KEJADIAN STUNTING

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	TIDAK STUNTING	48	33.8	33.8	33.8
	STUNTING	94	66.2	66.2	100.0
	Total	142	100.0	100.0	

B. Data Analisis Bivariat

KEJADIAN STUNTING * JENIS KELAMIN**Crosstab**

			JENIS KELAMIN		Total
			LAKI-LAKI	PEREMPUAN	
KEJADIAN STUNTING	STUNTING	Count	60	34	94
		Expected Count	53.6	40.4	94.0
		% within KEJADIAN STUNTING	63.8%	36.2%	100.0%
	TIDAK STUNTING	Count	21	27	48
		Expected Count	27.4	20.6	48.0
		% within KEJADIAN STUNTING	43.8%	56.3%	100.0%
	Total	Count	81	61	142
		Expected Count	81.0	61.0	142.0
		% within KEJADIAN STUNTING	57.0%	43.0%	100.0%

Chi-Square Tests^c

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	5.228 ^a	1	.022	.031	.018
Continuity Correction ^b	4.441	1	.035		
Likelihood Ratio	5.212	1	.022	.031	.018
Fisher's Exact Test				.031	.018
N of Valid Cases	142				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 20,62.

b. Computed only for a 2x2 table

c. For 2x2 crosstabulation, exact results are provided instead of Monte Carlo results.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for KEJADIAN STUNTING (STUNTING / TIDAK STUNTING)	2.269	1.117	4.609
For cohort JENIS KELAMIN = LAKI-LAKI	1.459	1.023	2.081
For cohort JENIS KELAMIN = PEREMPUAN	.643	.446	.928
N of Valid Cases	142		

KEJADIAN STUNTING * BERAT BAYI LAHIR

Crosstab

		BERAT BAYI LAHIR		Total
		<2500 gram	>=2500 gram	
KEJADIAN STUNTING	STUNTING	Count	8	94
		Expected Count	11.3	94.0
		% within KEJADIAN STUNTING	8.5%	100.0%
	TIDAK STUNTING	Count	9	48
		Expected Count	5.7	48.0
		% within KEJADIAN STUNTING	18.8%	100.0%
Total	Count		17	142
	Expected Count		17.0	142.0
	% within KEJADIAN STUNTING		12.0%	100.0%

Chi-Square Tests^c

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3.161 ^a	1	.075	.101	.069
Continuity Correction ^b	2.264	1	.132		
Likelihood Ratio	2.999	1	.083	.101	.069
Fisher's Exact Test				.101	.069
N of Valid Cases	142				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5.75.

b. Computed only for a 2x2 table

c. For 2x2 crosstabulation, exact results are provided instead of Monte Carlo results.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for KEJADIAN STUNTING (STUNTING / TIDAK STUNTING)	.403	.145	1.123
For cohort BERAT BAYI LAHIR = <2500 gram	.454	.187	1.102
For cohort BERAT BAYI LAHIR = >=2500 gram	1.126	.970	1.307
N of Valid Cases	142		

PANJANG BAYI LAHIR * KEJADIAN STUNTING

Crosstab

			KEJADIAN STUNTING		Total
			STUNTING	TIDAK STUNTING	
PANJANG BAYI LAHIR	<47 cm	Count	30	4	34
		Expected Count	22.5	11.5	34.0
		% within PANJANG BAYI LAHIR	88.2%	11.8%	100.0%
	>=47 cm	Count	64	44	108
		Expected Count	71.5	36.5	108.0
		% within PANJANG BAYI LAHIR	59.3%	40.7%	100.0%
Total	Count		94	48	142
	Expected Count		94.0	48.0	142.0
	% within PANJANG BAYI LAHIR		66.2%	33.8%	100.0%

Chi-Square Tests^c

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	9.703 ^a	1	.002	.003	.001
Continuity Correction ^b	8.451	1	.004		
Likelihood Ratio	11.055	1	.001	.002	.001
Fisher's Exact Test				.002	.001
N of Valid Cases	142				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 11.49.

b. Computed only for a 2x2 table

c. For 2x2 crosstabulation, exact results are provided instead of Monte Carlo results.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for PANJANG BAYI LAHIR (<47 cm / >=47 cm)	5.156	1.697	15.672
For cohort KEJADIAN STUNTING = STUNTING	1.489	1.221	1.816
For cohort KEJADIAN STUNTING = TIDAK STUNTING	.289	.112	.745
N of Valid Cases	142		

RIWAYAT ASI EKSKLUSIF * KEJADIAN STUNTING**Crosstab**

		KEJADIAN STUNTING		Total
		STUNTING	TIDAK STUNTING	
RIWAYAT ASI EKSKLUSIF	TIDAK ASI EKSKLUSIF	Count	3	5
		Expected Count	5.3	8.0
		% within RIWAYAT ASI EKSKLUSIF	37.5%	62.5%
	ASI EKSKLUSIF	Count	91	43
		Expected Count	88.7	45.3
		% within RIWAYAT ASI EKSKLUSIF	67.9%	32.1%
Total	Count		94	142
	Expected Count		94.0	48.0
	% within RIWAYAT ASI EKSKLUSIF		66.2%	33.8%

Chi-Square Tests^c

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3.120 ^a	1	.077	.120	.087
Continuity Correction ^b	1.909	1	.167		
Likelihood Ratio	2.914	1	.088	.120	.087
Fisher's Exact Test				.120	.087
N of Valid Cases	142				

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 2.70.

b. Computed only for a 2x2 table

c. For 2x2 crosstabulation, exact results are provided instead of Monte Carlo results.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for RIWAYAT ASI EKSKLUSIF (TIDAK ASI EKSKLUSIF / ASI EKSKLUSIF)	.284	.065	1.241
For cohort KEJADIAN STUNTING = STUNTING	.552	.224	1.361
For cohort KEJADIAN STUNTING = TIDAK STUNTING	1.948	1.079	3.516
N of Valid Cases	142		

USIA IBU SAAT HAMIL * KEJADIAN STUNTING

Crosstab

			KEJADIAN STUNTING		Total
			STUNTING	TIDAK STUNTING	
USIA IBU SAAT HAMIL	<20 tahun atau >35 tahun	Count	29	6	35
		Expected Count	23.2	11.8	35.0
		% within USIA IBU SAAT HAMIL	82.9%	17.1%	100.0%
	20-35 tahun	Count	65	42	107
		Expected Count	70.8	36.2	107.0
		% within USIA IBU SAAT HAMIL	60.7%	39.3%	100.0%
Total	Count		94	48	142
	Expected Count		94.0	48.0	142.0
	% within USIA IBU SAAT HAMIL		66.2%	33.8%	100.0%

Chi-Square Tests^c

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	5.761 ^a	1	.016	.023	.012
Continuity Correction ^b	4.816	1	.028		
Likelihood Ratio	6.259	1	.012	.015	.012
Fisher's Exact Test				.023	.012
N of Valid Cases	142				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 11.83.

b. Computed only for a 2x2 table

c. For 2x2 crosstabulation, exact results are provided instead of Monte Carlo results.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for USIA IBU SAAT HAMIL (<20 tahun atau >35 tahun / 20-35 tahun)	3.123	1.195	8.164
For cohort KEJADIAN STUNTING = STUNTING	1.364	1.101	1.690
For cohort KEJADIAN STUNTING = TIDAK STUNTING	.437	.203	.939
N of Valid Cases	142		

USIA KEHAMILAN * KEJADIAN STUNTING

Crosstab

			KEJADIAN STUNTING		Total
			STUNTING	TIDAK STUNTING	
USIA KEHAMILAN	< 37 minggu (preterm)	Count	21	5	26
		Expected Count	17.2	8.8	26.0
		% within USIA KEHAMILAN	80.8%	19.2%	100.0%
	≥ 37 minggu (aterm)	Count	73	43	116
		Expected Count	76.8	39.2	116.0
		% within USIA KEHAMILAN	62.9%	37.1%	100.0%
Total	Count		94	48	142
	Expected Count		94.0	48.0	142.0
	% within USIA KEHAMILAN		66.2%	33.8%	100.0%

Chi-Square Tests^c

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3.020 ^a	1	.082	.109	.062
Continuity Correction ^b	2.276	1	.131		
Likelihood Ratio	3.261	1	.071	.109	.062
Fisher's Exact Test				.109	.062
N of Valid Cases	142				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 8.79.

b. Computed only for a 2x2 table

c. For 2x2 crosstabulation, exact results are provided instead of Monte Carlo results.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for USIA KEHAMILAN (< 37 minggu (preterm) / ≥ 37 minggu (aterm))	2.474	.870	7.038
For cohort KEJADIAN STUNTING = STUNTING	1.283	1.016	1.622
For cohort KEJADIAN STUNTING = TIDAK STUNTING	.519	.228	1.181
N of Valid Cases	142		

TINGGI BADAN IBU * KEJADIAN STUNTING

Crosstab

			KEJADIAN STUNTING		Total
			STUNTING	TIDAK STUNTING	
TINGGI BADAN IBU	<150 cm	Count	32	7	39
		Expected Count	25.8	13.2	39.0
		% within TINGGI BADAN IBU	82.1%	17.9%	100.0%
	≥150 cm	Count	62	41	103
		Expected Count	68.2	34.8	103.0
		% within TINGGI BADAN IBU	60.2%	39.8%	100.0%
Total	Count		94	48	142
	Expected Count		94.0	48.0	142.0
	% within TINGGI BADAN IBU		66.2%	33.8%	100.0%

Chi-Square Tests^c

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	6.040 ^a	1	.014	.017	.010
Continuity Correction ^b	5.102	1	.024		
Likelihood Ratio	6.496	1	.011	.017	.010
Fisher's Exact Test				.017	.010
N of Valid Cases	142				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 13.18.

b. Computed only for a 2x2 table

c. For 2x2 crosstabulation, exact results are provided instead of Monte Carlo results.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for TINGGI BADAN IBU (<150 cm / ≥150 cm)	3.023	1.219	7.495
For cohort KEJADIAN STUNTING = STUNTING	1.363	1.099	1.690
For cohort KEJADIAN STUNTING = TIDAK STUNTING	.451	.221	.919
N of Valid Cases	142		

PENDIDIKAN IBU * KEJADIAN STUNTING

Crosstab

		KEJADIAN STUNTING		Total
		STUNTING	TIDAK STUNTING	
PENDIDIKAN IBU	Tidak Sekolah, SD, SMP	Count	69	98
		Expected Count	64.9	98.0
		% within PENDIDIKAN IBU	70.4%	100.0%
	SMA, SMK, Perguruan Tinggi	Count	25	44
		Expected Count	29.1	44.0
		% within PENDIDIKAN IBU	56.8%	100.0%
Total		Count	94	142
		Expected Count	94.0	142.0
		% within PENDIDIKAN IBU	66.2%	100.0%

Chi-Square Tests^c

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2.506 ^a	1	.113	.128	.083
Continuity Correction ^b	1.936	1	.164		
Likelihood Ratio	2.460	1	.117	.128	.083
Fisher's Exact Test				.128	.083
N of Valid Cases	142				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 14.87.

b. Computed only for a 2x2 table

c. For 2x2 crosstabulation, exact results are provided instead of Monte Carlo results.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for PENDIDIKAN IBU (Tidak Sekolah, SD, SMP / SMA, SMK, Perguruan Tinggi)	1.808	.865	3.781
For cohort KEJADIAN STUNTING = STUNTING	1.239	.929	1.652
For cohort KEJADIAN STUNTING = TIDAK STUNTING	.685	.434	1.081
N of Valid Cases	142		

PEKERJAAN IBU * KEJADIAN STUNTING

Crosstab

			KEJADIAN STUNTING		
			STUNTING	TIDAK STUNTING	Total
PEKERJAAN IBU	Tidak Bekerja	Count	70	43	113
		Expected Count	74.8	38.2	113.0
		% within PEKERJAAN IBU	61.9%	38.1%	100.0%
	Bekerja	Count	24	5	29
		Expected Count	19.2	9.8	29.0
		% within PEKERJAAN IBU	82.8%	17.2%	100.0%
Total	Count	94	48	142	
	Expected Count	94.0	48.0	142.0	
	% within PEKERJAAN IBU	66.2%	33.8%	100.0%	

Chi-Square Tests^c

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	4.467 ^a	1	.035	.047	.026
Continuity Correction ^b	3.585	1	.058		
Likelihood Ratio	4.881	1	.027	.047	.026
Fisher's Exact Test				.047	.026
N of Valid Cases	142				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 9.80.

b. Computed only for a 2x2 table

c. For 2x2 crosstabulation, exact results are provided instead of Monte Carlo results.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for PEKERJAAN IBU (Tidak Bekerja / Bekerja)	.339	.120	.955
For cohort KEJADIAN STUNTING = STUNTING	.749	.601	.933
For cohort KEJADIAN STUNTING = TIDAK STUNTING	2.207	.961	5.068
N of Valid Cases	142		

KEJADIAN STUNTING * SUMBER AIR**Crosstab**

			SUMBER AIR		
			PAH	PDAM	Total
KEJADIAN STUNTING	STUNTING	Count	14	80	94
		Expected Count	15.9	78.1	94.0
		% within KEJADIAN STUNTING	14.9%	85.1%	100.0%
	TIDAK STUNTING	Count	10	38	48
		Expected Count	8.1	39.9	48.0
		% within KEJADIAN STUNTING	20.8%	79.2%	100.0%
Total	Count	24	118	142	
	Expected Count	24.0	118.0	142.0	
	% within KEJADIAN STUNTING	16.9%	83.1%	100.0%	

Chi-Square Tests^c

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.798 ^a	1	.372	.478	.253
Continuity Correction ^b	.431	1	.511		
Likelihood Ratio	.778	1	.378	.478	.253
Fisher's Exact Test				.478	.253
N of Valid Cases	142				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 8,11.

b. Computed only for a 2x2 table

c. For 2x2 crosstabulation, exact results are provided instead of Monte Carlo results.

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for KEJADIAN STUNTING (STUNTING / TIDAK STUNTING)	.665	.271	1.633
For cohort SUMBER AIR = PAH	.715	.343	1.488
For cohort SUMBER AIR = PDAM	1.075	.909	1.272
N of Valid Cases	142		

C. Data Analisis Multivariat

1. Tahap 1

Block 1: Method = Enter**Omnibus Tests of Model Coefficients**

		Chi-square	df	Sig.
Step 1	Step	11.199	9	.262
	Block	11.199	9	.262
	Model	11.199	9	.262

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	170.481 ^a	.076	.105

a. Estimation terminated at iteration number 4 because parameter estimates changed by less than ,001.

Classification Table^a

		Predicted		Percentage Correct
		KEJADIAN STUNTING	TIDAK STUNTING	
Step 1	Observed KEJADIAN STUNTING	STUNTING	TIDAK STUNTING	
		84	10	89.4
	TIDAK STUNTING	37	11	22.9
Overall Percentage				66.9

a. The cut value is ,500

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)	95% C.I. for EXP(B)	
Step 1 ^a	JENIS KELAMIN(1)	-.850	.386	4.852	1	.028	.428	.201	.911
	BERAT BAYI LAHIR	-.715	.552	1.679	1	.195	.489	.166	1.442
	PANJANG BAYI LAHIR	.159	.522	.093	1	.760	1.173	.422	3.261
	RIWAYAT ASI EKSKLUSIF (1)	.504	1.302	.150	1	.698	1.656	.129	21.234
	USIA IBU	.123	.471	.068	1	.794	1.131	.449	2.849
	USIA KEHAMILAN	-.696	.528	1.739	1	.187	.498	.177	1.403
	TINGGI BADAN IBU	.385	.458	.706	1	.401	1.469	.599	3.606
	PENDIDIKAN IBU(1)	-.112	.413	.073	1	.787	.894	.398	2.010
	PEKERJAAN IBU(1)	-.334	.450	.550	1	.458	.716	.296	1.731
Constant		1.530	2.043	.561	1	.454	4.617		

a. Variable(s) entered on step 1: JENIS KELAMIN, BERAT BAYI LAHIR, PANJANG BAYI LAHIR, RIWAYAT ASI EKSKLUSIF, USIA IBU, USIA KEHAMILAN, TINGGI BADAN IBU, PENDIDIKAN IBU, PEKERJAAN IBU.

Lampiran 7. Persuratan



Kementerian Kesehatan
Direktorat Jenderal
Sumber Daya Manusia Kesehatan
 Politeknik Kesehatan Yogyakarta
 Jalan Tata Bumi No. 3, Banyuraden, Gamping
 Sleman, D.I. Yogyakarta 55293
 (0274) 617601
<https://poltekkesjogja.ac.id>

Nomor : PP.05.01/F.XIX.11/1346/2025
 Lampiran : 1 berkas
 Hal : Permohonan Izin Penelitian

12 Juni 2025

Yth. Kepala Dinas Kesehatan Kabupaten Gunungkidul
 Di – Gunungkidul

Sehubungan dengan tugas penyusunan SKRIPSI yang diwajibkan bagi mahasiswa Program Studi Sarjana Terapan Kebidanan Politeknik Kesehatan Kemenkes Yogyakarta Jurusan Kebidanan Tahun Akademik 2024/2025 sebagai salah satu persyaratan menyelesaikan pendidikan Sarjana Terapan Kebidanan, maka dengan ini kami bermaksud mengajukan permohonan izin penelitian atas nama :

Nama : Alya Puteri Purnaningrum
 NIM : P07124221051
 Mahasiswa : Sarjana Terapan Kebidanan
 Untuk melakukan penelitian di : Puskesmas Saptosari Kabupaten Gunungkidul
 Dengan Judul : Faktor-faktor yang Berhubungan dengan Kejadian Stunting di Wilayah kerja Puskesmas Saptosari Kabupaten Gunungkidul

Besar harapan kami, Bapak/Ibu berkenan untuk memberikan izin, atas perhatian dan kerjasamanya kami mengucapkan banyak terima kasih

a.n. Direktur Poltekkes Kemenkes
 Yogyakarta,
 Ketua Jurusan Kebidanan



Dr. Heni Puji Wahyuningsih, S.Si.T. M.Keb

Kementerian Kesehatan tidak menerima suap dan/atau gratifikasi dalam bentuk apapun. Jika terdapat potensi suap atau gratifikasi silahkan laporkan melalui HALO KEMENKES 1500567 dan <https://wbs.kemkes.go.id> Untuk verifikasi keaslian tanda tangan elektronik, silahkan unggah dokumen pada laman <https://tte.kominfo.go.id/verifyPDF>.



Dokumen ini telah ditandatangani secara elektronik menggunakan sertifikat elektronik yang diterbitkan oleh Balai Besar Sertifikasi Elektronik (BSrE), Badan Siber dan Sandi Negara



Kementerian Kesehatan
Direktorat Jenderal
Sumber Daya Manusia Kesehatan
 Politeknik Kesehatan Yogyakarta
 Jalan Tata Bumi No. 3, Banyuraden, Gamping
 Sleman, D.I. Yogyakarta 55293
 (0274) 617601
<https://poltekkesjogja.ac.id>

NOTA DINAS

NOMOR : BP.01.02/F.XIX.11/ 1340 / 2025

Yth. : Plh Direktur Politeknik Kesehatan Kemenkes Yogyakarta
 Dari : Ketua Jurusan Kebidanan
 Hal : Permohonan *Ethical Clearance*
 Tanggal : 11 Juni 2025

Sehubungan dengan proses penelitian skripsi bagi mahasiswa Prodi Sarjana Terapan Kebidanan Jurusan Kebidanan Poltekkes Kemenkes Yogyakarta Tahun Akademik 2024/2025, dengan ini kami mohon diterbitkan *Ethical Clearance* persetujuan etik penelitian dari Komisi Etik Penelitian Kesehatan Poltekkes Kemenkes Yogyakarta, bagi mahasiswa dibawah ini :

Nama : Alya Puteri Purnaningrum
 NIM : P07124221051
 Asal Instansi : Jurusan Kebidanan Poltekkes Kemenkes Yogyakarta
 Waktu Penelitian : Juni 2025
 Judul : Faktor-faktor yang Berhubungan dengan Kejadian Stunting di Wilayah Kerja Puskesmas Saptosari Kabupaten Gunungkidul
 Pembimbing Utama : Dr. Yuni Kusmiyati, SST., Bdn., MPH

Demikian kami sampaikan, atas perhatian dan kerjasamanya diucapkan terima kasih.



Dr. Heni Puji Wahyuningsih, S.Si.T. M.Keb

Tembusan:

1. Komisi Etik Penelitian Kesehatan Politeknik Kesehatan Kemenkes Yogyakarta



Dokumen ini telah ditandatangani secara elektronik menggunakan sertifikat elektronik yang diterbitkan oleh Balai Besar Sertifikasi Elektronik (BSrE), Badan Siber dan Sandi Negara



PEMERINTAH KABUPATEN GUNUNGKIDUL

DINAS KESEHATAN

ꦒꦸꦤꦸꦁꦏꦶꦢꦸꦭ

Jalan Kolonel Sugiyono 17, Wonosari, Gunungkidul, Daerah Istimewa Yogyakarta 55812
Telepon (0274) 391322 Faksimile (0274) 391322
Laman dinkes.gunungkidulkab.go.id; Posel kesehatan@gunungkidulkab.go.id

SURAT IZIN PENELITIAN

NOMOR 000.9.2/113/2025

Dasar : a. Peraturan Bupati Gunungkidul Nomor 62 Tahun 2022 Tentang Perizinan Non Berusaha.
b. Peraturan Bupati Gunungkidul Nomor 20 Tahun 2024 Tentang Tarif Layanan Pendidikan, Pelatihan, Dan Penelitian Pada Badan Layanan Umum Daerah.
c. Surat dari Poltekkes Kemenkes Yogyakarta Nomor: PP.05.01/F.XIX.11/1346/2025 tanggal 12 Juni 2025 perihal seperti pada pokok surat.

MEMBERI IZIN:

Sebagai berikut :
Keperluan : Pelaksanaan Penelitian
Perguruan Tinggi : Poltekkes Kemenkes Yogyakarta
: Prodi Sarjana Terapan Kebidanan
Judul/Substansi : Faktor-faktor yang Berhubungan dengan Kejadian Stunting di Wilayah Kerja Puskesmas Saptosari Kabupaten Gunungkidul.
Nama / : Alya Puteri Purnaningrum
Pelaksana Kegiatan
NIM : P07124221051
Catatan : Selama melaksanakan kegiatan penelitian untuk mematuhi/mengikuti peraturan yang berlaku pada satuan kerja/instansi/unit kerja di wilayah pelaksanaan kegiatan tersebut.

Wonosari, 19 Juni 2025

Kepala Dinas Kesehatan,



Ismono, S.Si.T, M.Kes
Pembina Tingkat I, IV/b
NIP 197003251994021001

Tembusan disampaikan Kepada Yth:

1. Kepala UPT Puskesmas Saptosari.

Dinas Kesehatan Kabupaten Gunungkidul tidak menerima suap dan/atau gratifikasi dalam bentuk apapun



Kementerian Kesehatan
Poltekkes Yogyakarta

📍 Jalan Tata Bumi No. 3, Banyuraden, Gamping,
Sleman, D.I. Yogyakarta 55293
☎ (0274) 617601
🌐 <https://poltekkesjogja.ac.id>

Nomor : PP.07.01/ F.XXVII.10/ 1985 /2024

Lamp. : -

Hal : **PERMOHONAN IZIN STUDI PENDAHULUAN**

21...Desember 2024

Kepada Yth :
Kepala Dinas Kesehatan DI.Yogyakarta

YOGYAKARTA

Dengan hormat,

Bersama ini kami sampaikan bahwa, sehubungan dengan tugas penyusunan Skripsi bagi Mahasiswa Program Studi Kebidanan Program Sarjana Terapan Politeknik Kesehatan Kemenkes Yogyakarta Tahun Akademik 2024/2025, maka dengan ini kami bermaksud mengajukan permohonan izin :

Nama	: Alya Puteri Pumaningrum
NIM	: P07124221051
Mahasiswa	: Program Studi Kebidanan Program Sarjana Terapan
Untuk mendapatkan informasi data di	: Dinas Kesehatan DI.Yogyakarta
Tentang Data	: Pertumbuhan dan perkembangan balita, serta prevalensi balita dengan keterlambatan perkembangan di DI. Yogyakarta.

Besar harapan kami, Bapak/Ibu berkenan untuk memberikan izin, atas perhatian dan kerjasamanya kami mengucapkan banyak terima kasih.

Plh. Ketua Jurusan Kebidanan

Dr. Sujiyatini, S.St.,M.Kes
NIP. 197101292001122002





Kementerian Kesehatan

Poltekkes Yogyakarta

Komite Etik Penelitian Kesehatan

Jalan Tata Bumi No. 3, Banyuraden, Gamping,
Sleman, D.I. Yogyakarta 55293

(0274) 617601

<https://poltekkesjogja.ac.id>

KETERANGAN LAYAK ETIK DESCRIPTION OF ETHICAL EXEMPTION "ETHICAL EXEMPTION"

No.DP.04.03/e-KEPK.1/953/2025

Protokol penelitian versi 1 yang diusulkan oleh :
The research protocol proposed by

Peneliti utama : Alya Puteri Purnaningrum
Principal In Investigator

Nama Institusi : Poltekkes Kemenkes Yogyakarta
Name of the Institution

Dengan judul:
Title

"Faktor-Faktor yang Berhubungan dengan Kejadian Stunting di Wilayah Kerja Puskesmas Saptosari, Kabupaten Gunungkidul"

"Factors Associated with Stunting Incidence in the Working Area of the Saptosari Community Health Center, Gunungkidul District"

Dinyatakan layak etik sesuai 7 (tujuh) Standar WHO 2011, yaitu 1) Nilai Sosial, 2) Nilai Ilmiah, 3) Pemerataan Beban dan Manfaat, 4) Risiko, 5) Bujukan/Eksploitasi, 6) Kerahasiaan dan Privacy, dan 7) Persetujuan Setelah Penjelasan, yang merujuk pada Pedoman CIOMS 2016. Hal ini seperti yang ditunjukkan oleh terpenuhinya indikator setiap standar.

Declared to be ethically appropriate in accordance to 7 (seven) WHO 2011 Standards, 1) Social Values, 2) Scientific Values, 3) Equitable Assessment and Benefits, 4) Risks, 5) Persuasion/Exploitation, 6) Confidentiality and Privacy, and 7) Informed Consent, referring to the 2016 CIOMS Guidelines. This is as indicated by the fulfillment of the indicators of each standard.

Pernyataan Laik Etik ini berlaku selama kurun waktu tanggal 04 Juli 2025 sampai dengan tanggal 04 Juli 2026.

This declaration of ethics applies during the period July 04, 2025 until July 04, 2026.



July 04, 2025
Chairperson,



Dr. drg. Wiworo Haryani, M.Kes.

Anggota Peneliti : Alya Puteri Purnaningrum

Lampiran 8. Surat Selesai Penelitian



PEMERINTAH KABUPATEN GUNUNGKIDUL
DINAS KESEHATAN

UPT PUSKESMAS SAPTOSARI

ꦱꦥꦠꦺꦱꦺꦴꦫꦶꦥꦸꦱꦏꦺꦴꦩꦱꦱꦠꦺꦱꦺꦴꦫꦶ

Dusun Jetis, Desa Jetis, Kapanewon Saptosari (kode pos) 55871

Telepon: 08122698469, Posel: puskesmassaptosari@gmail.com

Laman: saptosari1.puskesmas.gunungkidulkab.go.id

SURAT KETERANGAN SELESAI PENELITIAN

Nomor: 000.9.2/ 73 /2025

Yang bertanda tangan dibawah ini :

Nama : dr. Ari Hermawan
NIP : 19760116 200604 1 004
Pangkat/Gol : PembinaTK1, IV/b
Jabatan : Kepala
Unit Kerja : UPT Puskesmas Saptosari

Dengan ini menerangkan bahwa mahasiswa dibawah ini :

Nama : Alya PuteriPumaningrum
NIM : P07124221051
Prodi : Sarjana Terapan Kebidanan
Jenis Kelamin : Perempuan

Benar-benar telah selesai melakukan penelitian di UPT Puskesmas Saptosari terhitung mulai tanggal 18 Juni sampai dengan 21 Juni 2025 dengan judul Penelitian "**Faktor-Faktor yang Berhubungan dengan Kejadian Stunting di Wilayah Kerja Puskesmas Saptosari Kabupaten Gunungkidul**"

Demikian surat ini dibuat untuk dipergunakan sebagaimana mestinya

Saptosari, 24 Juni 2025

Kepala UPT Puskesmas Saptosari



dr. ARI HERMAWAN

Pembina TK1, IV/b

NIP.19760116200604 1 004

Lampiran 9. Dokumentasi

