

DAFTAR PUSTAKA

- Aditya Setyawan, D. (2021) *Buku Ajar Statistika Kesehatan Analisis Bivariat pada Hipotesis Penelitian*. Diedit oleh Athanasia Budi Astuti dan Wiwik Setyaningsih. Penerbit Tahta Media Group.
- Alimah, L. (2023) “Pengaruh Kombinasi Hipnotherapy dan Aromatherapy Lavender Terhadap Nyeri Post Sectio Caesarea Di RSI Banjarnegara,” *Universitas Islam Sultan Agung Semarang* [Preprint].
- Astuti, D.P. dan Dewi, A. (2018) “Nyeri Persalinan dengan Pijat Akupressure,” *Prosiding University Research Colloquium*. [Preprint].
- Aydede, M. (2017) “Defending the IASP Definition of Pain,” *The Monist*, 100(4), hal. 439–464. Tersedia pada: <https://doi.org/10.1093/MONIST/ONX021>.
- Azizah, N., Rosyidah, R. dan Machfudloh, H. (2020) “The Effectiveness of Lavender (*Lavendula Augustfolia*) and Neroli (*Citrus Aurantium*) Aromatherapy Inhalation to Decrease Pain Labor,” *Jurnal Kebidanan Midwiferia*, 6(1), hal. 26–31. Tersedia pada: <https://doi.org/10.21070/MIDWIFERIA.V6I1.447>.
- Baron, R., Binder, A. dan Wasner, G. (2010) “Neuropathic pain: Diagnosis, pathophysiological mechanisms, and treatment,” *The Lancet Neurology*, 9(8), hal. 807–819. Tersedia pada: [https://doi.org/10.1016/S1474-4422\(10\)70143-5/ASSET/72E18D42-7A20-46A8-888E-E1157FB21820/MAIN.ASSETS/GR2.SML](https://doi.org/10.1016/S1474-4422(10)70143-5/ASSET/72E18D42-7A20-46A8-888E-E1157FB21820/MAIN.ASSETS/GR2.SML).
- Cahyadi, A. (2017) “Metode Hipnoterapi dalam Merubah Perilaku,” *Jurnal Ilmiah Syi'ar* [Preprint].
- Danuatmaja Bonny, M.M. (2004) *Persalinan Normal Tanpa Rasa Sakit*. Jakarta: Jakarta Puspa Swara.
- Darwanti (2024) “Pengaruh Kombinasi Hipnobirthing dan Essential Oil Bergamot terhadap Penurunan Kecemasan Ibu Bersalin Kala I,” *Jurnal Ilmiah Bidan*, 8(2), hal. 46–52. Tersedia pada: <https://doi.org/10.61720/JIB.V8I2.499>.
- Dick-Read, G. (2013) *Childbirth without Fear : The Principles and Practice of Natural Childbirth*. Pinter & Martin.
- Fazdria, F. *et al.* (2024) “Pemberian kompres air hangat dan aromaterapi mawar terhadap penurunan nyeri pada ibu bersalin kala I fase aktif,” *SAGO Gizi dan Kesehatan Journal*, 5(2), hal. 572–577. Tersedia pada: <https://doi.org/10.30867/GIKES.V5I2.1722>.
- Fernández-Gamero, L. *et al.* (2024) “Impact of Hypnotherapy on Fear, Pain, and the Birth Experience: A Systematic Review,” *Healthcare 2024, Vol. 12, Page 616*, 12(6), hal. 616. Tersedia pada: <https://doi.org/10.3390/HEALTHCARE12060616>.
- Fitria, S. dkk (2022) *Metode Non Farmakologis dalam Mengurangi Nyeri Persalinan*. CV Airada Mandiri.

Fridh, G. *et al.* (1988) "Factors associated with more intense labor pain," *Research in Nursing & Health*, 11(2), hal. 117–124. Tersedia pada: <https://doi.org/10.1002/NUR.4770110207>.

Gunawan, A.W. (2009) *Hypnotherapy; the art of subconscious restructuring*. PT Gramedia Pustaka Utama.

Hadley, J. (1996) *Hypnosis for Change*.

Heldayasari Prabandari, F. *et al.* (2023) "Pengaruh Hypnobirthing Terhadap Penurunan Intensitas Nyeri Pada Ibu Bersalin (Systematic Literature Review)," *Jurnal Kesehatan*, 12(2), hal. 167–174. Tersedia pada: <https://doi.org/10.37048/KESEHATAN.V12I2.302>.

Jones, L. *et al.* (2012) "Pain Management for Women in Labour: An Overview of Systematic Reviews," *Cochrane Database of Systematic Reviews* [Preprint], (3). Tersedia pada: <https://doi.org/10.1002/14651858.cd009234.pub2>.

Kamalimanesh, B. *et al.* (2025) "Effect of self-hypnosis on fear and pain of natural childbirth: a randomized controlled trial," *Journal of Complementary and Integrative Medicine*, 22(2), hal. 353–362. Tersedia pada: https://doi.org/10.1515/JCIM-2024-0353/ASSET/GRAPHIC/J_JCIM-2024-0353_FIG_001.JPG.

Kamioka, H. *et al.* (2014) "Effectiveness of music therapy: A summary of systematic reviews based on randomized controlled trials of music interventions," *Patient Preference and Adherence*, 8, hal. 727–754. Tersedia pada: <https://doi.org/10.2147/PPA.S61340>.

Knape, N. *et al.* (2014) "The Association Between Attendance of Midwives and Workload of Midwives with The Mode of Birth: Secondary Analyses in The German Healthcare System," *BMC Pregnancy and Childbirth*, 14(1). Tersedia pada: <https://doi.org/10.1186/1471-2393-14-300>.

Lesmana, F. dan Marini Marini (2020) "Formulasi Sediaan Lilin Aromaterapi dari Minyak Biji Kopi Robusta (*Coffea Robusta*) untuk Pengharum Ruangan," *Journal of Herb Farmacological* [Preprint].

Levett, K.M. *et al.* (2016) "Complementary therapies for labour and birth study: a randomised controlled trial of antenatal integrative medicine for pain management in labour," *BMJ Open*, 6(7), hal. e010691. Tersedia pada: <https://doi.org/10.1136/BMJOPEN-2015-010691>.

Makvandi, S, M.M.-N.C. (2016) "A Review of Randomized Clinical Trials on The Effect of Aromatherapy with Lavender on Labor Pain Relief," *researchgate.net* [Preprint].

Maryunani, A. (2010) *Nyeri dalam Persalinan: Teknik dan Cara Penanganannya*. Jakarta: Trans Info Media.

Maryuni, M. (2020) "Hubungan Karakteristik Ibu Bersalin dengan Nyeri Persalinan," *Journal of Health Science and Physiotherapy*, 2(1), hal. 116–122. Tersedia pada: <https://doi.org/10.35893/jhsp.v2i1.42>.

- Melzack, R. dan Wall, P.D. (1965) "Pain Mechanisms: A New Theory," *Science*, 150(3699), hal. 971–979. Tersedia pada: <https://doi.org/10.1126/science.150.3699.971>.
- Mongan, M.F. (2015) *Hypnobirthing: the Mongan Method: A Natural, Instinctive Approach to Safer, Easier, More Comfortable Birthing*.
- Ningtyas, N.W.R. et al. (2023) *Bunga Rampai Manajemen Nyeri*, Media Pustaka Indo. Cilacap.
- Nuraini, D.N. (2014) *Aneka Daun Berkhasiat untuk Obat*. Yogyakarta: Gava Media.
- Nurhayani, S. et al. (2015) "Efektivitas Relaksasi Napas Dalam terhadap Tingkat Nyeri Kontraksi Uterus Kala I Aktif pada Persalinan Normal," *Media Kesehatan Masyarakat Indonesia*, 11(3), hal. 184–188. Tersedia pada: <https://doi.org/10.30597/MKMI.V11I3.537>.
- Nursanti, I., Anggraini, D. dan Purwaningsih, A. (2020) "Touch and Massage on Labor Pain Intensity During First Stage of Active Phase," *INDONESIAN NURSING JOURNAL OF EDUCATION AND CLINIC (INJEC)*, 5(1), hal. 76–81. Tersedia pada: <https://doi.org/10.24990/INJEC.V5I1.282>.
- Patricia A. Potter et al. (2020) *Fundamentals of Nursing*, Elsevier. Missouri.
- Perez, C. (2003) "Clinical aromatherapy. Part I: An introduction into nursing practice.," *Clinical journal of oncology nursing*, 7(5), hal. 595–596. Tersedia pada: <https://doi.org/10.1188/03.CJON.595-596>.
- Porges, S.W. (2001) "The Polyvagal Theory: Phylogenetic Substrates of A Social Nervous System," *International Journal of Psychophysiology*, 42(2), hal. 123–146. Tersedia pada: [https://doi.org/10.1016/S0167-8760\(01\)00162-3](https://doi.org/10.1016/S0167-8760(01)00162-3).
- Pratiwi, L. (2024) "Lavender (*Lavandula angustifolia*) Essential Oil for Pain Management in Parturient Women During the First Stage of Labor," *Open Access Indonesian Journal of Medical Reviews*, 4(4), hal. 711–723. Tersedia pada: <https://doi.org/10.37275/OAIJMR.V4I4.634>.
- Rejeki, N.S. et al. (2020) "Buku Ajar Manajemen Nyeri Dalam Proses Persalinan (Non Farmaka)."
- Roflin, E., Liberty, I.A. dan Pariyana (2021) *Populasi, Sampel, Variabel dalam Penelitian Kedokteran*. Diedit oleh Moh. Nasrudin. Pekalongan: Penerbit NEM - Anggota IKAPI.
- Rowlands, S. dan Permezel, M. (1998) "1 Physiology of pain in labour," *Baillière's Clinical Obstetrics and Gynaecology*, 12(3), hal. 347–362. Tersedia pada: [https://doi.org/10.1016/S0950-3552\(98\)80071-0](https://doi.org/10.1016/S0950-3552(98)80071-0).
- Samon, S.M. dan Emily, S.M. (2020) *Foundations of Maternal-Newborn and Women's Health Nursing*. Elsevier.
- Santiv  ez-Acosta, R., Tapia-L  pez, E. de las N. dan Santero, M. (2020) "Music Therapy in Pain and Anxiety Management during Labor: A Systematic Review

and Meta-Analysis,” *Medicina*, 56(10), hal. 526. Tersedia pada: <https://doi.org/10.3390/MEDICINA56100526>.

Schug, S.A. dan Goddard, C. (2014) “Recent advances in the pharmacological management of acute and chronic pain,” *Annals of Palliative Medicine*, 3(4), hal. 26375–26275. Tersedia pada: <https://doi.org/10.3978/J.ISSN.2224-5820.2014.10.02>.

Shaaban, O.M. *et al.* (2018) “Lack of Pain Relief During Labor is Blamable for The Increase in the Women Demands Towards Cesarean Delivery: A Cross-Sectional Study,” *Facts, Views & Vision in ObGyn*, 9(4), hal. 175.

Simkin, P. dan Ancheta, R. (2000) *The Labor Progress Handbook: Early Interventions to Prevent and Treat Dystocia*, *The Journal of Perinatal & Neonatal Nursing*. Wiley-Blackwell. Tersedia pada: <https://doi.org/10.1097/00005237-200012000-00009>.

Sugiyono (2022) *Metode Penelitian Kuantitatif, Kualitatif dan R&D*. cet. 29. Bandung: Alfabeta.

Teckenberg-Jansson, P. *et al.* (2019) “Effects of live music therapy on heart rate variability and self-reported stress and anxiety among hospitalized pregnant women: A randomized controlled trial,” *Nordic Journal of Music Therapy*, 28(1), hal. 7–26. Tersedia pada: <https://doi.org/10.1080/08098131.2018.1546223>.

Treede, R.D. *et al.* (2019) “Chronic pain as a symptom or a disease: The IASP Classification of Chronic Pain for the International Classification of Diseases (ICD-11),” *Pain*, 160(1), hal. 19–27. Tersedia pada: <https://doi.org/10.1097/J.PAIN.0000000000001384>.

Whitburn, L.Y. *et al.* (2017) “The meaning of labour pain: How the social environment and other contextual factors shape women’s experiences,” *BMC Pregnancy and Childbirth*, 17(1), hal. 1–10. Tersedia pada: <https://doi.org/10.1186/s12884-017-1343-3>.

Zasloff, E., Schytt, E. dan Waldenström, U. (2007) “First Time Mothers’ Pregnancy and Birth Experiences Varying by Age,” *Acta Obstetrica et Gynecologica Scandinavica*, 86(11), hal. 1328–1336. Tersedia pada: <https://doi.org/10.1080/00016340701657209>.