

DAFTAR PUSTAKA

- Alghamdi, S.M., dkk. 2024. Pre-analytical, analytical, and post-analytical errors in clinical laboratory testing: a systematic review of causes and prevention strategies. *Journal of International Crisis and Risk Communication Research Volume 7 Nomor S11*.
- As, S., Ef, L., Rk, E., Of, A., dan Ok, S. 2015. Evaluation of Analytical Errors in a Clinical Chemistry Laboratory: A 3 Year Experience. <https://www.amhsr.org/articles/evaluation-of-analytical-errors-in-a-clinical-chemistrylaboratory-a-3-year-experience.pdf>. Diakses pada tanggal 9 November 2025.
- Azizah, N. dan Aliviameita, A. 2019. Pengaruh Lama Penundaan Pemeriksaan Serum terhadap Kadar Elektrolit Natrium dan Klorida. *Journal of Medical Laboratory Science Technology Volume 2 Nomor 1*. Sidoarjo: Universitas Muhammadiyah Sidoarjo.
- Cahyani, A.A.A.E. dan Parwati, P.A. 2022. Manajemen Pengambilan dan Pengelolaan Spesimen Darah di Laboratorium RSUD Wangaya Denpasar. *The Journal of Muhammadiyah Medical Laboratory Technologist Volume 5 Nomor 2*. Bali: STIKes Wira Medika Bali.
- Evriarti, P.R. dan Toruan, S.A.L. 2024. Perbedaan Serum dan Plasma EDTA yang Langsung Diperiksa dan Ditunda 1 dan 2 Jam terhadap Penurunan Kadar Glukosa Darah. <https://jovas.polindra.ac.id/index.php/jovas/article/view/30>. Diakses pada tanggal 12 November 2025.
- Faruq, Z.H., Atifa, N.H., dan Kinasih, H.P. 2022. Perbedaan Nilai Aspartate Aminotransferase dan Kalium pada Proses Transfer Darah Tabung Vakum dengan Menggunakan Jarum. *Jurnal Labora Medika Volume 6 Nomor 1*. Yogyakarta: Poltekkes Kemenkes Yogyakarta.
- Hilda, A.H., N. 2022. Besar Peningkatan Kadar Kalium pada Perlakuan Pemindahan Sampel Darah Tanpa Melepas Jarum Sduit. *Skripsi*. Yogyakarta: Poltekkes Kemenkes Yogyakarta.
- Ho, C.K.M., Chen, C., Setoh, J.W.S., Yap, W.W.T., dan Hawkins, R.C.W. 2021. Optimization of Hemolysis, Icterus and Lipemia Interference Thresholds for 35 Clinical Chemistry Assays. <https://pubmed.ncbi.nlm.nih.gov/34095417/>. Diakses pada tanggal 13 November 2025.
- Kalaria, T., Gill, H., Sharrod-Cole, H., Ford, C., dan Gama, R. 2021. Conflicting Effects of Haemolysis on Plasma Sodium and Chloride Are Due to Different Haemolysis Study Protocols: A Case for Standardisation. *Annals of Clinical Biochemistry Volume 59 Nomor 2*. Wolverhampton: Departement of Clinical Biochemistry, New Cross Hospital.

- Kementerian Kesehatan Republik Indonesia. 2010. *Pedoman Pemeriksaan Kimia Klinik*. Jakarta: Kementerian Kesehatan RI.
- Kementerian Kesehatan Republik Indonesia. 2017. *Pengantar Laboratorium Medik*. Jakarta: Kementerian Kesehatan RI.
- Kementerian Kesehatan Republik Indonesia. 2017. *Metodologi Penelitian dan Statistik*. Jakarta: Kementerian Kesehatan RI.
- Kementerian Kesehatan Republik Indonesia. 2018. *Imunohematologi dan Bank Darah*. Jakarta: Kementerian Kesehatan RI.
- Kementerian Pendidikan dan Kebudayaan Republik Indonesia. 2023. *Dasar-Dasar Teknik Laboratorium Medik*. Jakarta: Kementerian Pendidikan dan Kebudayaan Republik Indonesia.
- Khan, M.S.I. 2022. Ilmuwan Memegang Tabung Reaksi dengan Serum Ikterik untuk Diuji di Laboratorium. <https://www.istockphoto.com/id/foto/ilmuwan-memegang-tabung-reaksi-dengan-serum-ikterik-untuk-diuji-di-laboratorium-gm1410499276-460676481>. Diakses pada tanggal 5 Desember 2025.
- Krleza, J.L., Honovic, L., Tanaskovic, J.V., Podolar, S., Rimac, V., dan Jokic, A. 2019. Post-Analytical Laboratory Work: National Recommendations from the Working Group for Post-Analytics on behalf of the Croatian Society of Medical Biochemistry and Laboratory Medicine. <https://pubmed.ncbi.nlm.nih.gov/31223256/>. Diakses pada tanggal 12 November 2025.
- Lippi, G., dkk. 2011. Preanalytical quality improvement: from dream to reality. *Clinical Chemistry and Laboratory Medicine Volume 49 Nomor 7*. <https://doi.org/10.1515/CCLM.2011.600>. Diakses pada 10 April 2026.
- Mehta, A.B. dan Hoffbrand, A.V. 2014. *Haematology at a Glance*. Oxford: Wiley-Blackwell.
- Melbourne Pathology. 2024. *Pathology Collection Tips and Techniques*. Melbourne: Melbourne Pathology. https://www.mps.com.au/media/k3abmbjx/19851_mp_io11_pathologycollectiontech_fa_web.pdf, Diakses pada tanggal 11 November 2025.
- Naz, S., Mumtaz, A., dan Sadaruddin, A. 2012. Preanalytical Errors and Their Impact on Tests in Clinical Laboratory Practice. *Pakistan Journal of Medical Research Volume 51 Nomor 1*. Islamabad: Central Research Centre.
- Nordin, N., Ab Rahim, S.N., Wan Omar, W.F.A., Zulkarnain, S., Sinha, S., Kumar, S., dan Haque, M. 2024. Preanalytical Errors in Clinical Laboratory Testing at a Glance: Source and Control Measures. <https://pubmed.ncbi.nlm.nih.gov/38559530/>. Diakses pada tanggal 11 November 2025.

- Rosita, L., Cahya, A.A., dan Arfira, F.R. 2019. *Hematologi Dasar*. Yogyakarta: Universitas Islam Indonesia.
- Rosya, R.A., Wiryanti, W., Noviar, G., dan Rahayu, I.G. 2024. Analisis Faktor Penyebab dan Tindakan Perbaikan Penolakan Spesimen Darah di RSUD Cideres Majalengka. *Journal of Medical Laboratory and Science Volume 4 Nomor 1*. Bandung: Poltekkes Kemenkes Bandung.
- Sugiyono. 2018. *Metode Penelitian Kuantitatif*. Bandung: Alfabeta.
- Septiene, R., Patamsyte, V., Robbins, N.F., Ali, M., dan Carterson, A. 2022. Analytical Phase in Laboratory – Quality Issues and Insights for Immunoassays Testing. <https://actascientific.com/ASMI/pdf/ASMI-05-1092.pdf>. Diakses pada tanggal 13 November 2025.
- Sciacovelli, L., Padoan, A., Aita, A., Basso, D., dan Plebani, M. 2023. Quality Indicators in Laboratory Medicine: State-of-the-Art, Quality Specifications and Future Strategies. *Clinical Chemistry and Laboratory Medicine Volume 61 Nomor 4*. Berlin: Walter de Gruyter. <https://doi.org/10.1515/cclm-2022-1143>. Diakses pada 10 April 2026.
- Stauss, M., Sherman, B., Pugh, L., Parone, D., Looby-Rodriguez, K., Bell, A., dan Redd, C.-R. 2012. Hemolysis of Coagulation Specimens: A Comparative Study of Intravenous Draw Methods. *Journal of Emergency Nursing Volume 38 Nomor 1*. New Jersey: Cooper University Hospital.
- Sysmex Europe GmbH. 2021. HIL & Auto-Check System for Hemostasis Labs. <https://www.sysmex-europe.com/>. Diakses pada tanggal 5 Desember 2025.
- UF Health Medical Laboratories. 2019. *Specimen Collection and Test Catalog*. UF Health Shands Hospital. <https://ufhealth.org/uf-health-medical-lab-shands-hospital>. Diakses pada tanggal 11 November 2025.
- Umar, A. 2023. *Flebotomi*. Yogyakarta: Eureka Media Aksara.
- Vidt, D.J. 2006. Immune-Mediated Hemolytic Anemia. <https://drjwv.com/wp/2006/08/13/immune-mediated-hemolytic-anemia/>. Diakses pada tanggal 5 Desember 2025.
- World Health Organization. 2010. *WHO Guidelines on Drawing Blood: Best Practices in Phlebotomy*. Geneva: WHO.
- Yaswir, R. dan Ferawati, I. 2012. Fisiologi dan Gangguan Keseimbangan Natrium, Kalium dan Klorida serta Pemeriksaan Laboratorium. *Jurnal Kesehatan Andalas Volume 1 Nomor 2*. Padang: Patologi Klinik Fakultas Kedokteran Univeritas Andalas.