

DAFTAR PUSTAKA

- Amaliya, D. 2025. Penggunaan Reagen Asam Urat Setengah Resep untuk Pemeriksaan Kadar Asam Urat Metode TBHBA (2,4,6-tribromo-3-hydroxybenzoic acid) pada Pasien dengan Kadar Asam Urat Tidak Normal. *Skripsi*. Yogyakarta: Jurusan Teknologi Laboratorium Medis Poltekkes Kemenkes Yogyakarta.
- Asghari, K. M., Zahmatyar, M., Seyedi, F., Motamedi, A., Zolfi, M., Alamdary, S. J., Fazlollahi, A., Shamekh, A., Mousavi, S. E., Nejadghaderi, S. A., Mohammadinasab, R., Ghazi-Sha'rbaf, J., Karamzad, N., Sullman, M. J. M., Kolahi, A. A., & Safiri, S. 2024. Gout: global epidemiology, risk factors, comorbidities and complications: a narrative review. *BMC musculoskeletal disorders*, 25(1), 1047. <https://doi.org/10.1186/s12891-024-08180-9>.
- Badan Standardisasi Nasional. 2018. *Implementasi SNI ISO/IEC 17025:2017 Persyaratan Umum Kompetensi Laboratorium Pengujian dan Laboratorium Kalibrasi*. Jakarta: BSN.
- Chavan, S. D., & Desai, D. M. 2022. Analytical method validation: A brief review. *World Journal of Advanced Research and Reviews*, 16(2), 389–402. <https://doi.org/10.30574/wjarr.2022.16.2.1165>.
- Clinical and Laboratory Standards Institute (CLSI). 2014. *User verification of precision and estimation of bias; Approved guideline—Third edition* (CLSI document EP15-A3). USA: CLSI.
- Clinical and Laboratory Standarts Institute (CLSI), 2012. *Evaluation of Detection Capability for Clinical Laboratory Measurement Procedures, Approved Guideline, Second Edition*. USA: CLSI.
- CLIA. 2024. Clinical Laboratory Improvement Amendments of 1988 (CLIA) Proficiency Testing Regulations Related to Analytes and Acceptable Performance. Federal Register, 87(131), 41194-41242. Diambil dari <https://www.ecfr.gov/current/title-42>.
- Eurachem, 2014. *The Fitness for Purpose of Analytical Methods: A Laboratory Guide to Method Validation and Related Topics. 2nd ed.* Teddington: Eurachem.
- Hapsari, A. D., dan Suharti, M. 2020. Evaluasi Penggunaan Bahan Kontrol Internal pada Pemeriksaan Kimia Klinik. *Jurnal Analis Medika Biosains (JAMBS)*, 7(1), 45–52. <https://doi.org/10.51544/jalm.v9i1.4770>.
- ICH. 2022. ICH Guideline Q2(R2) on Validation of Analytical Procedures Step 2b. 2(0)

- Ismail, Z., Hayu, R., Sutanto, H., Hafid, H., & Khairiyati, L. 2020. Evaluasi Ketidakpastian Pengukuran Pada Kalibrasi Mikropipet. *Instrumentasi*, 44(1), 71.
- ISO 15189. 2022. *Medical laboratories — Requirements for quality and competence*. Swiss : International Organization for Standardization.
- ISO/IEC 17025:2017. 2017. *General Requirements for The Competence of iso Testing and Calibration Laboratories*. Switzerland: Ganeva.
- Kamilla, L., Ramadhanty, K., dan Purwaningsih, I. 2020. Verifikasi metode analisa albumin dengan metode bromcressol green. *Jurnal Laboratorium Khatulistiwa*, 3(2), 40–46. <https://doi.org/10.30602/jlk.v3i2.935>.
- Kementerian Kesehatan Republik Indonesia. 2019. *Pedoman Penyelenggaraan Laboratorium Klinik*. Jakarta: Kemenkes RI.
- Marcelino, A. V. M., dan Nur. 2025. Precision and Accuracy Analysis of the BIO SYSTEMS Model A15 Clinical Chemistry Analyzer in Glucose Measurement. *Medika Trada: Jurnal Teknik Elektromedik Polbitrada*, 6(1), 1–8. <https://doi.org/10.59485/jtemp.v6i1.68>.
- Mardiana dan Rahayu, I. G., 2017. *Pengantar Laboratorium Medik*. Jakarta: Badan Pengembangan dan Pemberdayaan Sumber Daya Manusia Kesehatan.
- Martsiningsih, M. A., dan Otnel, D. 2016. Gambaran Kadar Asam Urat Darah Metode Basah (Uricase-PAP) Pada Sampel Serum dan Plasma EDTA. *Jurnal Teknologi Laboratorium*, 5(1), 20-26.
- Mentari, I. N., Maulidiyanti, E. T. S., Djami, S. W., Trikurniadewi, N., Sudarman, N., Rokim, M. A., Sari, E. P., Khanifah, F., Putri, N. L. N. D. D., Al Sas, O., & Kurniawan, A. E.,. 2025. *Buku Ajar Instrumentasi Laboratorium Medik*. Samudra Biru: Yogyakarta.
- Muslich, M. A., Isnaeni, I., dan Sudjarwo, S. 2020. Validasi Metode Spektrofotometri UV Untuk Penetapan Kadar Kolkisin Dalam Infus Kembang Sungsang. *Berkala Ilmiah Kimia Farmasi*, 7(1), 7–13. <https://doi.org/10.20473/bikfar.v7i1.29058>.
- National Association of Testing Authorities (NATA). 2018. *Guidelines for the validation and verification of quantitative and qualitative test methods (Technical Note 17)*. Australia: NATA.
- Nurhayati, L., Riyani, A., Kumoeni, N., Wiryanti, W., dan Rinaldi, S. F. 2019. Validasi Metode GOD-PAP pada Pemeriksaan Glukosa Darah dengan Pemakaian Setengah Volume Reagen dan Sampel. *Jurnal Riset Kesehatan Poltelde Depkes Burkhang*, 11(1).
- Nurhaswinda, N., Egistin, D. P., Rauza, M. Y., Rahma, R., Ramadhan, R. H., Ramadani, S., dan Wahyuni, W. 2025. Analisis regresi linier sederhana dan penerapannya. *Jurnal Cahaya Nusantara*, 1(2), 69-78.

- Olle, N. T. (2025). Kinerja Analitik Penentuan Kadar Kafein dalam Teh (*Camellia sinensis* L.) Menggunakan Spektrofotometer UV-Vis= Analytical Performance of Caffeine Determination in Tea (*Camellia sinensis* L.) Using UV-Vis Spectrophotometer (Doctoral dissertation, Universitas Hasanuddin).
- Oosterhuis, W. P., Bayat, H., Armbruster, D., Coskun, A., Freeman, K. P., Kallner, A., Koch, D., Mackenzie, F., Migliarino, G., Orth, M., Sandberg, S., Sylte, M. S., Westgard, S., & Theodorsson, E. 2018. The use of error and uncertainty methods in the medical laboratory. *Clinical chemistry and laboratory medicine*, 56(2), 209–219. <https://doi.org/10.1515/cclm-2017-0341>
- Pum, J. 2019. A practical guide to validation and verification of analytical methods in the clinical laboratory. *Advances in clinical chemistry*, 90, 215–281. <https://doi.org/10.1016/bs.acc.2019.01.006>.
- Rachmawati, F. D., & Hidayatullah, M. H. 2025. *Validasi metode analisis paracetamol dan asam mefenamat dalam jamu pegal linu dengan metode spektrofotometri UV simultan*. *Usadha Journal of Pharmacy*, 4(2), 67–79. <https://doi.org/10.23917/ujp.v4i2.528>.
- Rahmawati, D., Kristanto, T., Pratama, B. S., & Abiansa, D. B. (2022). Prediksi Pelaku Perjalanan Luar Negeri Di Masa Pandemi COVID-19 Menggunakan Metode Regresi Linier Sederhana. *Journal of Information System Research (JOSH)*, 3(3), 338-343.
- Ramdhan, M. 2021. *Metode penelitian*. Surabaya: Cipta Media Nusantara.
- Rifai, N. 2019. *Tietz Fundamentals of Clinical Chemistry and Molecular Diagnostics 8 e; South Asia edition; E-book*. Elsevier Health Sciences.
- Riyanto. 2019. *Validasi dan Verifikasi Metode Uji Sesuai dengan ISO/IEC 17025 Laboratorium Pengujian dan Kalibrasi*. Yogyakarta: Deepublish.
- Santoso, K. 2015. Pengaruh Pemakaian Setengah Volume Sampel dan Reagen pada Pemeriksaan Glukosa Darah Metode GOD-PAP Terhadap Nilai Simpangan Baku dan Koefisien Variasi. *Wiyata*, 2(2). <https://doi.org/10.56710/wiyata.v2i2.47>
- Sastroasmoro, S., dan Ismael, S. 2014. *Dasar-Dasar Metodologi Penelitian Klinis (Edisi 5)*. Jakarta: Sagung Seto.
- Siregar, M. T., Wulan, W. S., Setiawan, D. dan Nuryati, A. 2018. Kendali Mutu. s.l.:Badan Pengembangan dan Pemberdayaan Sumber Daya Manusia Kesehatan.
- Sosmira, E., Harahap, J., dan Suroyo, R. B. 2021. Analisis Kepuasan Penggunaan Laboratorium Klinik di RSUD Sijunjung Sumatera Barat Tahun 2019', *Journal of Healthcare Technology and Medicine*, 7(1). [10.33143/jhtm.v7i1.1489](https://doi.org/10.33143/jhtm.v7i1.1489).

- Swarjana, I. K. 2015. *Metodologi Penelitian Kesehatan*. Yogyakarta: Andi.
- Swartz, M.E. dan I.S. Krull. 2012. *Analytical Validation*. Boca Raton: CRC Press, Taylor & Francis Group.
- Teshome, M., Worede, A., dan Asmelash, D. 2021. Total clinical chemistry laboratory errors and evaluation of the analytical quality control using sigma metric for routine clinical chemistry tests. *Journal of Multidisciplinary Healthcare*, 14, 125–136.
- Wang, W., Zhong, K., Yuan, S., He, F., Du, Y., Hu, Z., & Wang, Z. 2018. National survey on internal quality control for tumour markers in clinical laboratories in China. *Biochimica medica*, 28(2), 020702. <https://doi.org/10.11613/BM.2018.020702>.
- Westgard, J. 2023. *Reportable Range Calculator: Recording Result*. <https://westgard.com/reportable-range-calculator-br-recording-results.html>. diakses pada 28 mei 2026.
- Westgard, J. 2020. *Basic Method Validation And Verification (4th ed.)*. USA: Westgard QC, Inc.
- World Health Organization. 2011. *Laboratory Quality Management System: Handbook*. Geneva: WHO.
- Yang, Y., & Liu, Z. 2025. The changing burden of gout in adults aged 70 and above based on the global burden of disease 2019. *Frontiers in public health*, 13, 1455726. <https://doi.org/10.3389/fpubh.2025.1455726>.
- Zulfikar, S. 2025. *Manajemen Strategis Kesehatan: Inovasi Era Disrupsi Digital*. AMU Press, 1-333.