

DAFTAR PUSTAKA

- Altman, D. G. 1990. *Practical Statistics for Medical Research*. Chapman and Hall/CRC. <https://doi.org/10.1201/9780429258589>. Diakses pada 29 April 2026.
- Anipah, Y., Kurnaeni, N., Nurhayati, D., dan Riyani, A. 2023. Pengaruh Variasi Lama Waktu Inkubasi Terhadap Kadar Kolesterol Total Serum Metode Cholesterol Oxidase –Para Aminoantipirin (Chod-PAP). *Jurnal Kesehatan Siliwangi*, 4(1), 130–137. <https://doi.org/10.34011/jks.v4i1.1453>. Diakses pada 29 April 2026.
- Anwari, F., Oktifani, A., Prajawanti, K. N., Negara, Y. A. K., dan Anhar, C. A. 2024. *Flebotomi*. Pasuruan: Penerbit Qiara Media.
- Arini, F. Y., Handayati, A., dan Puspitasari, A. 2021. Accuracy and Precision of Uric Acid Examination Point of Care Testing Method and Uricase Enzymatic Colorimetric Method. *Proceeding ICoHPS*.
- Augustijn, D., Jacobs, J. F. M., dan Russcher, H. 2022. Method Comparison Of Three Serum Free Light Chain Assays On The Roche Cobas 6000 C501 Chemistry Analyzer. *Clinical Chemistry and Laboratory Medicine (CCLM)*, 60(3), 379–385. <https://doi.org/10.1515/cclm-2021-1029>. Diakses pada 29 April 2026.
- Bender, D. A. 2017. The virtual laboratory: Enzyme assay. Dept of Biochemistry and Molecular Biology, UCL. <https://www.homepages.ucl.ac.uk/~ucbcdab/enzass/enzymass.htm>. Diakses pada 29 April 2026.
- Bland, J. M., dan Altman, Douglas G. 1986. Statistical Methods For Assessing Agreement Between Two Methods Of Clinical Measurement. *The Lancet*, 327(8476), 307–310. [https://doi.org/10.1016/S0140-6736\(86\)90837-8](https://doi.org/10.1016/S0140-6736(86)90837-8). Diakses pada 29 April 2026.
- Budiu, R., dan Moran, K. 2021. How Many Participants for Quantitative Usability Studies: A Summary of Sample-Size Recommendations. Nielsen Norman Group. <https://www.nngroup.com/articles/summary-quant-sample-sizes/>. Diakses pada 29 April 2026.
- Centers for Disease Control and Prevention (CDC). 2015. *Uric Acid (Method Description for Automated Analyzers)*.
- Centers for Disease Control and Prevention (CDC). 2021. *Uric Acid — NHANES Laboratory Methods Manual (2019–2020)*.
- Clinical and Laboratory Standards Institute (CLSI). 2013. EP09-A: Measurement procedure comparison and bias estimation using patient samples. www.clsi.org. Diakses pada 29 April 2026.

- Dj, H. D., Yuana Putri, D., Kamila, L., dan Tumpuk, S. 2023. Perbedaan Penggunaan Tabung Vacutainer Plain dan Clot Activator terhadap Waktu Pemeriksaan Gula Darah Puasa di Rumah Sakit Sultan Syarif Mohamad Alkadrie. *Jurnal Laboratorium Khatulistiwa*, 6(2), 44. <https://doi.org/10.30602/jlk.v6i2.1171>. Diakses pada 29 April 2026.
- Fernandez, G. C. J. 2021. User Friendly SAS application: Enhanced Bland-Altman Method of Agreement.
- Fernández-Ramos, M. D., Bolaños-Bañuelos, M., dan Capitán-Vallvey, L. F. 2023. Point-of-care assay platform for uric acid, urea, and triglycerides with a microfluidic paper device (μ PAD) controlled by stimulus-sensitive valves. *Talanta*, 254, 124189. <https://doi.org/10.1016/j.talanta.2022.124189>. Diakses pada 29 April 2026.
- Fitriyani, A., Kuhu, M. M., dan Widayanti, E. D. 2022. *Bebas Asam Urat Tanpa Obat*. Purbalingga: CV Sketsa Media.
- Giavarina, D. 2015. Understanding Bland Altman analysis. *Biochemia Medica*, 25(2), 141–151. <https://doi.org/10.11613/BM.2015.015>. Diakses pada 29 April 2026.
- Handayani, W., Febriani, N. A., Ratnadewi, A. A. I., Sudarko, dan Pertiwi, A. K. 2024. The Effect of Substrate Concentration and Incubation Time on The Activity of The Uricase Enzyme From Goat Liver. *Indonesian Chimica Letters*, 3(2), 54–47. <https://doi.org/10.19184/icl.v3i2.4255>. Diakses pada 29 April 2026.
- Jameson, J. Larry., Fauci, A. S., Kasper, D. L., Hauser, S. L., Longo, D. L., dan Loscalzo, Joseph. 2018. *arrison's Principles of Internal Medicine (20th ed)*. McGraw Hill Education.
- Junitasari, F. 2017. Pengaruh Volume Sampel Serum dan Waktu Inkubasi Terhadap Kadar Asam Urat. *Skripsi*. Surabaya: Politeknik Kesehatan Kemenkes Surabaya.
- Krouwer, J. S. 2008. Why Bland-Altman plots should use X, not $(Y+X)/2$ when X is a reference method. *Statistics in Medicine*, 27(5), 778–780. <https://doi.org/10.1002/sim.3086>. Diakses pada 29 April 2026.
- Labiosis. 2024. *Kit Insert Labiosis Uric acid*.
- Lestari, B. W., McAllister, S., Hadisoemarto, P. F., Afifah, N., Jani, I. D., Murray, M., van Crevel, R., Hill, P. C., dan Alisjahbana, B. 2020. Patient pathways and delays to diagnosis and treatment of tuberculosis in an urban setting in Indonesia. *The Lancet Regional Health - Western Pacific*, 5, 100059. <https://doi.org/10.1016/j.lanwpc.2020.100059>. Diakses pada 29 April 2026.

- Lih, M., Tukiman, S., dan Waliulu, S. hidayati. 2025. *Epidemiologi Penyakit Tidak Menular*. Pekalongan: Penerbit NEM.
- Liu, Z., Jin, L., Zhang, J., Zhang, T., Zeng, J., Zhou, W., dan Zhang, C. 2023. Development of a designed comparison method based on isotope dilution liquid chromatography–tandem mass spectrometry for determining plasma renin activity and its clinical assessment of renin activity stability in plasma. *Analytical Methods*, 15(4), 492–501. <https://doi.org/10.1039/D2AY01646J>. Diakses pada 29 April 2026.
- Machali, I. 2021. *Metode Penelitian Kuantitatif Panduan Praktis Merencanakan, Melaksanakan dan Analisis dalam Penelitian Kuantitatif*. Yogyakarta: Universitas Islam Negeri (UIN) Sunan Kalijaga Yogyakarta.
- Mansournia, M. A., Waters, R., Nazemipour, M., Bland, M., dan Altman, D. G. 2021. Bland-Altman methods for comparing methods of measurement and response to criticisms. *Global Epidemiology*, 3, 100045. <https://doi.org/10.1016/j.gloepi.2020.100045>. Diakses pada 29 April 2026.
- Mardizal, J., Rizal, F., dan Syah, N. 2024. *Manajemen Kualitas Air*. Eureka Madia Utama.
- Msilanga, D., Muiru, A., Balandya, E., dan Liu, K. 2024. Point Of Care Creatinine Testing For Early Detection Of Renal Dysfunction In Tanzanian HIV Patients: A Study Protocol. *BMC Nephrology*, 25(1), 419. <https://doi.org/10.1186/s12882-024-03840-3>. Diakses pada 29 April 2026.
- Natsir, R. M. 2023. *Buku Ajar Kimia Klinik 1*. Yogyakarta: Selat Media Partners.
- Notoatmodjo, S. 2018. *Metodologi Penelitian Kesehatan*. Jakarta: Rineka Cipta.
- Noviyanti. 2015. *Hidup Sehat tanpa Asam Urat*. Yogyakarta: Notebook.
- Parwiyanti, Lidiasari, E., Syafutri, M. I., Syaiful, F., dan Defira, C. 2025. *Kimia Analitik*. Yogyakarta: Deepublish Digital.
- Patyawargana, P. P., dan Falah, M. 2021. Pengaruh Rebusan Daun Salam Terhadap Penurunan Kadar Asam Urat Pada Lansia: Literature Review. *Healthcare Nursing Journal*, 3(1), 47–51. <https://doi.org/10.35568/healthcare.v3i1.1097>. Diakses pada 29 April.
- Pawlik-Sobecka, L., Sołkiewicz, K., Kokot, I., Kiraga, A., Płaczowska, S., Schlichtinger, A., dan Kratz, E. 2020. The Influence of Serum Sample Storage Conditions on Selected Laboratory Parameters Related to Oxidative Stress: A Preliminary Study. *Diagnostics*, 10(1), 51. <https://doi.org/10.3390/diagnostics10010051>. Diakses pada 29 April.

- Permenkes. 2010. *Peraturan Menteri Kesehatan Nomor 411/MENKES/PER/III/2010 Tahun 2010 tentang Laboratorium Klinik.*
- Pradono, J., Hapsari, D., Supardi, S., dan Budiarto, W. 2018. *Panduan Manajemen Penelitian Kuantitatif.* Jakarta: Badan Penelitian dan Pengembangan Kesehatan (LPB).
- Pum, J. 2019. A practical guide to validation and verification of analytical methods in the clinical laboratory (hlm. 215–281). <https://doi.org/10.1016/bs.acc.2019.01.006>. Diakses pada 29 April.
- Sahir, S. H. 2021. *Metodologi Penelitian.* Yogyakarta: KBM Indonesia.
- Sayekti, S. 2021. Kadar Asam Urat Metode Enzimatis pada Sampel Serum dan Sampel Plasma Edta (Studi di Puskesmas Tambakrejo Jombang). *Viva Medika*, 15.
- Setiawan, B., Nugraheni, U. R., dan Rahayu, M. 2021. Vacutainer Serum Separator sebagai Alternatif Tabung Penampung Darah pada Pemeriksaan Kadar Ureum. *The Journal of Muhammadiyah Medical Laboratory Technologists*, 4(1), 81. <https://doi.org/10.30651/jmlt.v4i1.7447>. Diakses pada 29 April.
- Siregar, M. T., Wulan, W. S., Setiawan, D., dan Nuryati, A. 2018. *Bahan Ajar Teknologi Laboratorium Medik (TLM) Kendali Mutu.*
- Sosmira, E., Harahap, J., dan Suroyo, R. B. 2021. Analisis Kepuasan Penggunaan Laboratorium Klinik di RSUD Sijunjung Sumatera Barat Tahun 2019. *Journal of Healthcare Technology and Medicine*, 7.
- Sugiyono. 2019. *Metode Penelitian Kuantitatif, Kualitatif, dan RND.* Bandung: Alfabeta.
- Taffé, P. 2021. When Can The Bland dan Altman Limits Of Agreement Method Be Used And When It Should Not Be Used. *Journal of Clinical Epidemiology*, 137, 176–181. <https://doi.org/10.1016/j.jclinepi.2021.04.004>. Diakses pada 29 April.
- Tumurang, M. 2024. *Metodologi Penelitian.* Cilacap: Media Pustaka Indo.
- van Moll, C., Egberts, T., Wagner, C., Zwaan, L., dan ten Berg, M. 2023. The Nature, Causes, and Clinical Impact of Errors in the Clinical Laboratory Testing Process Leading to Diagnostic Error: A Voluntary Incident Report Analysis. *Journal of Patient Safety*, 19(8), 573–579. <https://doi.org/10.1097/PTS.0000000000001166>. Diakses pada 29 April.
- VitroScient. 2021. *Vitro Scient Reagent Kit.* Alsharkia: Vitro Scient.
- Wahditiya, A. A., Cengristitama, Mardiah, A., Marlina, L., Taufiq, Z., Sari, M. W., Afrahmiryano, Budirohmi, A., Dwiputri, A. Y., Irmawan, F., Maisa, B. A., Agustian, D. R., Ezeddin, M. O., dan Rita, R. S. 2024. *Biokimia Dasar.* Agam Yayasan Tri Edukasi Ilmiah.

- Westgard QC. 2025. 2025 CLIA Acceptance Limits for Proficiency Testing. https://westgard.com/clia-a-quality/quality-requirements/2024-clia-requirements.html?utm_source=. Diakses pada 29 April.
- Woolley, T., Rutter, E., dan Staudenmaier, M. 2023. Comparability and Stability of Serum Creatinine Concentration in Capillary and Venous Blood. *British Journal of Biomedical Science*, 80. <https://doi.org/10.3389/bjbs.2023.11402>. Diakses pada 29 April.
- Yu, C. H., dan Lam, S. K. T. 2024. A Comparative Study Between Point-Of-Care Hemoglobin (Capillary Samples) And Laboratory Hemoglobin Result (Venous Samples). *Hong Kong Journal of Emergency Medicine*, 31(5), 261–266. <https://doi.org/10.1002/hkj2.12045>. Diakses pada 29 April.