

DAFTAR PUSTAKA

- Adiputra, I.M.S., dkk. 2021. *Metodologi Penelitian Kesehatan*. Medan: Yayasan Kita Menulis.
- Alves-Bezerra, M. dan Cohen, D.E. 2017. Triglyceride Metabolism in the Liver. Dalam *Comprehensive Physiology* (hlm. 1–22). Wiley.
- Armbruster, D.A. dan Pry, T. 2008. Limit of blank, limit of detection and limit of quantitation. *The Clinical biochemist Review*, 29(1), 49–52.
- Aryani, D. 2022. *Modul Praktikum Kimia Klinik II*. Jakarta: Universitas Binawan.
- Asis, M.A., Purnawansyah dan Abdul Rachman Manga. 2020. Penerapan System Development Life Cycle pada Sistem Validasi Metode Analisis Sediaan Farmasi. *Buletin Sistem Informasi dan Teknologi Islam*, 1(3), 145–149.
- Batista, E., Pinto, L., Filipe, E. dan van der Veen, A.M.H. 2007. Calibration of micropipettes: Test methods and uncertainty analysis. *Measurement*, 40(3), 338–342.
- Berglund, L., Brunzell, J.D., Goldberg, A.C., Goldberg, I.J., Sacks, F., Murad, M.H. dan Stalenhoef, A.F.H. 2012. Evaluation and Treatment of Hypertriglyceridemia: An Endocrine Society Clinical Practice Guideline. *The Journal of Clinical Endocrinology & Metabolism*, 97(9), 2969–2989.
- Bishop, M.L., Fody, E.P., Carleen Van Siclen, James March Mistler dan Michelle Moy. 2023. *Clinical Chemistry Principle, Techniques, and Correlations*. Burlington: Jones & Bartlett Learning.
- Borén, J. dan Taskinen, M.R. 2022. Metabolism of Triglyceride-Rich Lipoproteins. Dalam *Handbook of Experimental Pharmacology* (Vol. 270, hlm. 133–156). Springer Science and Business Media Deutschland GmbH.
- Cantwell, H. 2025. *Eurachem Guide: The Fitness for Purpose of Analytical Methods A Laboratory Guide to Method Validation and Related Topics*.
- Chan, C.C., H. Lam, Y. C. Lee dan X. Zhang. 2004. *Analytical Method Validation and Instrument Performance Verification*. Canada: John Wiley & Sons, Inc.
- Chavan, S.D. dan Desai, D.M. 2022. Analytical method validation: A brief review. *World Journal of Advanced Research and Reviews*, 16(2), 389–402.

- CLIA. 2022. Clinical Laboratory Improvement Amendments of 1988 (CLIA) Proficiency Testing Regulations Related to Analytes and Acceptable Performance. *Federal Register*, 87(131), 41194–41242.
- CLSI. 2012. *Evaluation of detection capability for clinical laboratory measurement procedures : approved guideline*. Clinical and Laboratory Standards Institute.
- CLSI. 2014. *EP15-A3 User Verification of Precision and Estimation of Bias; Approved Guideline—Third Edition*. Clinical and Laboratory Standards Institute.
- DiaSys Diagnostic Systems. 2019. Triglycerides FS: Package Insert Reagents General. Holzheim, Germany: DiaSys Diagnostic Systems GmbH.
- Eilertsen, J., Schnell, S. dan Walcher, S. 2024. The Michaelis–Menten Reaction at Low Substrate Concentrations: Pseudo-First-Order Kinetics and Conditions for Timescale Separation. *Bulletin of Mathematical Biology*, 86(6).
- Harahap, M.R., N. N. Ariwidiani, M. Razali dan N. Sari. 2024. *Buku Ajar Teknik Laboratorium*. Yogyakarta: Penerbit Samudra Biru.
- Hardianti, B., E. Ismawatie, D. Arisanty, F. L. Widiyanti, D. Wenty, M. Yashir, R. Maliza, Sunita, E. Khotimah, R. S. Rita dan D. Aryani. 2024. *Kimia Klinik*. Jawa Tengah: Eureka Media Aksara.
- Harmono, H.D. 2020. Validasi Metode Analisis Logam Merkuri (Hg) Terlarut pada Air Permukaan dengan Automatic Mercury Analyzer. *Indonesian Journal of Laboratory*, 2(3), 11–16.
- Hartini, H. dan Febiola, W. 2018. Hubungan Indeks Massa Tubuh (IMT) Terhadap Kadar Trigliserida Pada Wanita Usia 40-60 Tahun. *Jurnal Sains dan Teknologi Laboratorium Medik*, 2(1), 2–7.
- Haryanto, E. Manalu, E. D. Woelansari, Museyaroh, D. Krihariyani, Z. A. Hasan, E. Khotimah, M.H. Nabilah, W. Aprianie, A. Handayati, R. Malik, R. Agustin, K. Lestari dan Y. Maulani. 2025. *Laboratorium Patologi Klinik*. Jawa Tengah: Eureka Media Aksara.
- Hasanah, U. dan Putro Ragil Santoso, A. 2020. *Association between Triglyceride Serum Levels and Glomerular Filtration Rate (eGFR) in Patients with Chronic Renal Failure at Jemursari Islamic Hospital Surabaya, Indonesia*.
- Hibbert, D.B. 2007. *Quality Assurance for the Analytical Chemistry Laboratory*. New York: Oxford University Press.

- Hindayani, A. 2018. Buletin Metrologi Kimia Indonesia. *Buletin Metrologi Kimia Indonesia*, 2(1), 1–8.
- ISO 15189. 2022. *Medical laboratories-Requirements for quality and competence*.
- ISO/IEC. 2008. *Uncertainty of measurement-Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)*. Geneva.
- Kementerian Kesehatan RI. 2019. *Laporan Nasional Riset Kesehatan Dasar (Riskesdas) 2018*. Jakarta: Kementerian Kesehatan Republik Indonesia.
- Khaqiqiyah, Z. dan Darma Setiawan, B. 2018. *Identifikasi Tingkat Resiko Penyakit Lemak Darah Menggunakan Algoritme Backpropagation* (Vol. 2).
- Mehta, T. 2025. *NABL Handbook for Medical Laboratories ISO 15189: 2022 Simplified*. Akroti Mehta & Q world.
- Mindray. 2010. *BA-88A Semi-Auto Chemistry Analyzer*. Diambil dari www.mindray.com
- National Association of Testing Authorities. 2012. Guidelines for the validation and verification of quantitative and qualitative test methods. Australia: NATA Technical Note.
- Natsir, R.M. 2023. *Buku Ajar Kimia Klinik I*. Yogyakarta: Selat Media Patners.
- Nisa', A. 2025. *Perbedaan Kadar Triglisierida pada Pengujian Metode GPO-PAP dengan Pemakaian Setengah Volume dan Satu Volume Reagen dan Sampel* (Skripsi). Politeknik Kesehatan Kementerian Kesehatan Yogyakarta, Yogyakarta.
- Nurhayati, I., Riyani, A., Kurnaeni, N., Wiryanti, W. dan Rinaldi, S.F. 2019. Validasi Metode GOD-PAP Pada Pemeriksaan Glukosa Darah dengan Pemakaian Setengah Volume Reagen dan Sampel. *Jurnal Riset Kesehatan Poltekkes Depkes Bandung*, 11(1), 322–336.
- Pum, J. 2019. A practical guide to validation and verification of analytical methods in the clinical laboratory. Dalam *Advances in Clinical Chemistry* (Vol. 90, hlm. 215–281). Academic Press Inc.
- Riyanto. 2019. *Validasi & Verifikasi Metode Uji: Sesuai dengan ISO/IEC 17025 Laboratorium Pengujian dan Kalibrasi*. Yogyakarta: Deepublish.
- Ruslim, W.H., Santoso, A.H., Gunaidi, F.C., Setiawan, F.V., Wijaya, B.A. dan Destra, E. 2024. Peran Skrining Kadar Triglisierida dalam Upaya Menjaga Kualitas Kesehatan pada Kelompok Usia Dewasa di SMA Santo Yoseph,

- Cakung. *Cakrawala: Jurnal Pengabdian Masyarakat Global*, 3(4), 213–221. <https://doi.org/10.30640/cakrawala.v3i4.3417>
- Santoso, K. 2015. Pengaruh Pemakaian Setengah Volume Sampel dan Reagen pada Pemeriksaan Glukosa Darah Metode GOD-PAP Terhadap Nilai Simpangan Baku dan Koefisien Variasi. *Jurnal Wiyata*, 2, 114–119.
- Siregar, M.T., W. S. Wulan, D. Setiawan dan A. Nuryati. 2018. *Kendali Mutu*. Jakarta: Kementerian Kesehatan Republik Indonesia.
- Swartz, M.E. dan Krull, I.S. 2012. *Handbook of Analytical Validation*. USA: CRC Press.
- Taverniers, I., Van Bockstaele, E. dan De Loose, M. 2010. Analytical Method Validation and Quality Assurance. Dalam *Pharmaceutical Sciences Encyclopedia* (hlm. 1–48). Wiley. <https://doi.org/10.1002/9780470571224.pse396>
- Westgard, J.O. 2020. *Basic Method Validation and Verification, 4th Edition Training in Statistical Quality Control for Medical Laboratories*.
- Westgard, J.O. 2023. Reportable Range Calculator: Recording Result. . Diambil 12 November 2025, dari <https://westgard.com/reportable-range-calculator-br-recording-results.html>
- Wimpy, Y. Pradika, Y. F. Tandjungbulu, A. R. Virgiawan, Warsinah, Wibowo, M. W. Lestari, D. Ariana, Rohayati dan R. Widyastuti. 2025. *Pengantar Laboratorium Medik*. Jawa Tengah: Ganesha Kreasi Semesta.