

DAFTAR PUSTAKA

- Agarwal, A., Baskaran, S., Parekh, N., Cho, C.-L., Henkel, R., Vij, S., Arafa, M., Selvam, M.K.P. & Shah, R. (2021) 'Male infertility', *The Lancet*, 397(10271), pp. 319–333. doi: 10.1016/S0140-6736(20)32667-2.
- Agarwal, A., Selvam, M.K.P. and Ambar, R.F. (2021) 'Validation of LensHooke® X1 PRO and computer-assisted semen analyzer compared with laboratory-based manual semen analysis', *The World Journal of Men's Health*, 39(3), pp. 496–505. <https://doi.org/10.5534/wjmh.200209>. Di akses pada 12 November 2025.
- Agustinus, A. and Pakpahan, C. (2020) 'Computer assisted sperm analysis: a review', *Indonesian Andrology and Biomedical Journal*, 1(2). Available at: <https://e-journal.unair.ac.id/IABJ/article/view/35559>. Diakses pada 31 Desember 2025.
- Agustinus, A., Supardi, S., Narulita, P., & Budiono, B. (2020). *The effectiveness of LensHooke™ semen quality analyzer X1 Pro for human semen analysis. Indonesian Andrology and Biomedical Journal*, 1(1), 7–15. <https://doi.org/10.20473/iabj.v1i1.26>. Diakses pada 10 November 2025.
- Bland, J.M. and Altman, D.G. (2017) 'Assessing agreement between methods of measurement', *Statistical Methods in Medical Research*, 26(3), pp. 1119–1130. <https://doi.org/10.1177/0962280215604097> Diakses pada 8 Januari 2026
- Dahlan, M.S. (2019) *Besar sampel dan cara pengambilan sampel dalam penelitian kedokteran dan kesehatan*. 3rd edn. Jakarta: Salemba Medika.
- Dewi, R. and Aulia, S. (2020) Penerapan desain penelitian cross-sectional dalam penelitian kesehatan dan laboratorium, *Jurnal Penelitian Kesehatan*, 8(3), pp. 78–85.
- Fadlilah, N., Sari, D.P. and Wibowo, A. (2022) 'Comparison of sperm concentration and motility between manual semen analysis and smartphone-based digital analyzer', *Indonesian Journal of Medical Laboratory Science and Technology*, 4(1), pp. 30–36.
- Finelli, R., Leisegang, K., Tumallapalli, S. *et al.* (2021) 'The validity and reliability of computer-aided semen analyzers in performing semen analysis: a systematic review', *Translational Andrology and Urology*, 10(7), pp. 3069–3079.

Gupta, S., Sharma, R., Agarwal, A., Parekh, N., Finelli, R. & Shah, R., et al. (2022)

‘A comprehensive guide to sperm recovery in infertile men with retrograde ejaculation’, *World Journal of Men’s Health*, 40(2), pp. 208–216. doi: 10.5534/wjmh.210069.

Ismawatie, E., Adhipireno, P., Suyono, S.S., Purwanto, E., Santoso, B. and Limijadi, E.K.S. (2021) ‘Differences of spermatozoa concentration analysis between manual and automatic methods’, *Indonesian Journal of Medical Laboratory Science and Technology*, 3(2), pp. 122–134. Available at: <https://e-journal.unair.ac.id/IABJ/article/view/21672>. Diakses pada 15 November 2025.

Jani, E., Bozzola, M., Zagler, E.M., Roccaforte, V. and Daves, M. (2024) ‘Comparison between a new device for the semen quality analysis and the manual microscopic evaluation in a not specialistic clinical laboratory’, *Advances in Laboratory Medicine*, 5(4), pp. 402–406. Available at: <https://www.degruyterbrill.com/document/doi/10.1515/almed-2024-0089>, Diakses pada 12 November 2025

Kanakasabapathy, M.K., Sadasivam, M., Singh, A., Preston, C., Thirumalaraju, P., Venkataraman, M., et al. (2017) ‘An automated smartphone-based diagnostic assay for point-of-care semen analysis’, *Science Translational Medicine*, 9(382), eaai7863. Available at: <https://doi.org/10.1126/scitranslmed.aai7863> Diakses pada 15 November 2025.

Krobath, D. M., Naumova, E. N., Cuevas, A. G., Scheck, J. M., Wilson, N. L. W., & Economos, C. D. (2023). *Use of Bland-Altman analysis to examine the racial and ethnic representativeness of study populations in community-based pediatric health research. JAMA Network Open*, 6(5), e2312920. doi:10.1001/jamanetworkopen.2023.12920

LensHooke Technology Co., Ltd. (2022) *LensHooke XI Pro user manual*. Beijing: LensHooke Technology Co., Ltd.

Li, Y., He, X., Li, D., et al. (2025). *Bland–Altman plot to assess the consistency of arterial and venous blood lactate in the emergency room: a retrospective cohort study. Scientific Reports*, 15, 2143. doi:10.1038/s41598-025-85104-0

Pratama, D. (2018) ‘Metode penelitian komparatif dalam lingkup kesehatan dan laboratorium’, *Jurnal Kesehatan Laboratorium*, 5(1), pp. 25–31.

- Purwanto, A., Nugroho, B., & Santoso, C. (2022) 'Comparison of sperm morphology examination results between manual method and LensHooke X1 Pro based on WHO 2010 guidelines', *Indonesian Journal of Medical Laboratory Technology*, 11(2), pp. 85–92.
- Royal College of Pathologists of Australasia (RCPA) (2018) *Manual of use and interpretation of semen analysis reports*. Australasia: RCPA.
- Santoso, S. (2020). *Panduan Lengkap SPSS 26*. Jakarta: PT Elex Media Komputindo.
- Sugiyono (2019) *Metode penelitian kuantitatif, kualitatif, dan R&D*. Bandung: Alfabeta.
- Sujono, S. and Kurniawan, T. (2021) *Metode penelitian komparatif dalam ilmu kesehatan dan pendidikan*. Jakarta: Prenadamedia Group.
- Tayib, A., Nugraha, R. and Prasetyo, B. (2019) 'Smartphone-based semen analysis as an alternative method for manual microscopic examination', *Indonesian Andrology and Biomedical Journal*, 1(2), pp. 45–52.
- Tsering, L., Sashidhar, H.B., and Ravi Teja, C.N. (2024) 'A comparison study between manual semen analysis with that of computer assisted semen analysis', *Journal of Cardiovascular Disease Research*, 15(11).
- World Health Organization (2010) *WHO laboratory manual for the examination and processing of human semen*. 5th ed. Geneva: World Health Organization.
- World Health Organization (2021) *WHO laboratory manual for the examination and processing of human semen*. 6th ed. Geneva: World Health Organization.
- Yuliana, Y. and Hakim, M. (2020) *Penerapan metode analisis semen di laboratorium kesehatan*. Jakarta: Graha Ilmu.