

LAMPIRAN

JADWAL PENELITIAN

[illegible]

Lampiran 2. Anggaran Biaya Penelitian

ANGGARAN BIAYA (RAB) PENELITIAN

No.	Kegiatan	Volume	Satuan	Unit Cost (Rp)	Jumlah (Rp)
1.	Penyusunan Skripsi	12	Pkt	50.000	600.000
2.	Seminar Hasil	2	Pkt	50.000	100.000
3.	Biaya perizinan				
	a. <i>Ethical Clereance</i>	1	Tempat	135.000	135.000
4.	ATK dan Penggandaan				
	a. Kertas A4	1	Rim	50.000	50.000
	b. Map	6	Buah	15.000	15.000
	c. Bolpoit	2	Buah	5.000	10.000
5.	Transportasi Penelitian	10	Liter	15.000	150.000
6.	Revisi laporan skripsi	3	Pkt	50.000	150.000
7.	Kuota internet	30	Gb	10.000	300.000
8.	Biaya tak terduga	1	Pkt	200.000	200.000
Jumlah					1.823.000

Lampiran 3. Lembar Pengkajian Data

[illegible]

Lampiran 4. Format Coding Data

[illegible]

Lampiran 5. Tabel Data SPSS

Riwayat Preeklamsi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ya	11	6.3	6.3	6.3
	Tidak	163	93.7	93.7	100.0
	Total	174	100.0	100.0	

Riwayat Hipertensi Kronis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ya	43	24.7	24.7	24.7
	Tidak	131	75.3	75.3	100.0
	Total	174	100.0	100.0	

Usia Berisiko

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ya	69	39.7	39.7	39.7
	Tidak	105	60.3	60.3	100.0
	Total	174	100.0	100.0	

Paritas Berisiko

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ya	33	19.0	19.0	19.0
	Tidak	141	81.0	81.0	100.0
	Total	174	100.0	100.0	

Gemelli

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ya	15	8.6	8.6	8.6
	Tidak	159	91.4	91.4	100.0
	Total	174	100.0	100.0	

Obesitas

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ya	63	36.2	36.2	36.2
	Tidak	111	63.8	63.8	100.0
	Total	174	100.0	100.0	

Diabetes Melitus

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ya	12	6.9	6.9	6.9
	Tidak	162	93.1	93.1	100.0
	Total	174	100.0	100.0	

Hubungan Riwayat Preeklamsi - Preeklamsi

Riwayat Preeklamsi * Preeklamsi Crosstabulation

			Preeklamsi		Total
			Preeklamsi	Tidak Preeklamsi	
Riwayat Preeklamsi	Ya	Count	10	1	11
		% within Preeklamsi	17.2%	0.9%	6.3%
	Tidak	Count	48	115	163
		% within Preeklamsi	82.8%	99.1%	93.7%
Total	Count		58	116	174
	% within Preeklamsi		100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	17.516 ^a	1	<,001		
Continuity Correction ^b	14.860	1	<,001		
Likelihood Ratio	17.212	1	<,001		
Fisher's Exact Test				<,001	<,001
Linear-by-Linear Association	17.416	1	<,001		
N of Valid Cases	174				

a. 1 cells (25,0%) have expected count less than 5. The minimum expected count is 3,67.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Riwayat Preeklamsi (Ya / Tidak)	21.122	2.605	171.263
For cohort Preeklamsi = Preeklamsi	3.012	2.204	4.117
For cohort Preeklamsi = Tidak Preeklamsi	.143	.022	.918
N of Valid Cases	174		

Hubungan Riwayat Hipertensi Kronis - Preeklamsi

Crosstab

		Preeklamsi		Total
		Preeklamsi	Tidak Preeklamsi	
Riwayat Hipertensi Kronis	Ya	Count	18	24
		% within Riwayat Hipertensi Kronis	42.9%	57.1%
	Tidak	Count	40	92
		% within Riwayat Hipertensi Kronis	30.3%	69.7%
Total	Count		58	116
	% within Riwayat Hipertensi Kronis		33.3%	66.7%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3.027 ^a	1	.082		
Continuity Correction ^b	2.413	1	.120		
Likelihood Ratio	2.944	1	.086		
Fisher's Exact Test				.095	.062
Linear-by-Linear Association	3.010	1	.083		
N of Valid Cases	174				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 14,33.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Riwayat Hipertensi Kronis (Ya / Tidak)	1.868	.919	3.794
For cohort Preeklamsi = Preeklamsi	1.484	.969	2.274
For cohort Preeklamsi = Tidak Preeklamsi	.795	.596	1.060
N of Valid Cases	174		

Hubungan Usia - Preeklamsi

Crosstab

		Preeklamsi		Total
		Preeklamsi	Tidak Preeklamsi	
Usia Berisiko	Ya	Count	29	40
		% within Usia Berisiko	42.0%	58.0%
	Tidak	Count	29	76
		% within Usia Berisiko	27.6%	72.4%
Total	Count		58	116
	% within Usia Berisiko		33.3%	66.7%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3.891 ^a	1	.049		
Continuity Correction ^b	3.269	1	.071		
Likelihood Ratio	3.857	1	.050		
Fisher's Exact Test				.070	.036
Linear-by-Linear Association	3.868	1	.049		
N of Valid Cases	174				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 23,00.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Usia Berisiko (Ya / Tidak)	1.900	1.000	3.609
For cohort Preeklamsi = Preeklamsi	1.522	1.004	2.306
For cohort Preeklamsi = Tidak Preeklamsi	.801	.634	1.011
N of Valid Cases	174		

Hubungan Paritas - Preeklamsi

Crosstab

			Preeklamsi		Total
			Preeklamsi	Tidak Preeklamsi	
Paritas Berisiko	Ya	Count	10	23	33
		% within Paritas Berisiko	30.3%	69.7%	100.0%
	Tidak	Count	48	93	141
		% within Paritas Berisiko	34.0%	66.0%	100.0%
Total	Count		58	116	174
	% within Paritas Berisiko		33.3%	66.7%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.168 ^a	1	.682		
Continuity Correction ^b	.042	1	.837		
Likelihood Ratio	.170	1	.680		
Fisher's Exact Test				.838	.424
Linear-by-Linear Association	.167	1	.683		
N of Valid Cases	174				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 11,00.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Paritas Berisiko (Ya / Tidak)	.842	.371	1.913
For cohort Preeklamsi = Preeklamsi	.890	.505	1.568
For cohort Preeklamsi = Tidak Preeklamsi	1.057	.819	1.363
N of Valid Cases	174		

Hubungan Gemelli - Preeklamsi

Crosstab

			Preeklamsi		
			Preeklamsi	Tidak Preeklamsi	Total
Gemelli	Ya	Count	3	12	15
		% within Preeklamsi	5.2%	10.3%	8.6%
	Tidak	Count	55	104	159
		% within Preeklamsi	94.8%	89.7%	91.4%
Total		Count	58	116	174
		% within Preeklamsi	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.313 ^a	1	.252		
Continuity Correction ^b	.739	1	.390		
Likelihood Ratio	1.423	1	.233		
Fisher's Exact Test				.391	.198
Linear-by-Linear Association	1.306	1	.253		
N of Valid Cases	174				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5,00.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Gemelli (Ya / Tidak)	.473	.128	1.746
For cohort Preeklamsi = Preeklamsi	.578	.205	1.627
For cohort Preeklamsi = Tidak Preeklamsi	1.223	.927	1.614
N of Valid Cases	174		

Hubungan Obesitas - Preeklamsi

Crosstab

			Preeklamsi		
			Preeklamsi	Tidak Preeklamsi	Total
Obesitas	Ya	Count	12	11	23
		% within Obesitas	52.2%	47.8%	100.0%
	Tidak	Count	46	105	151
		% within Obesitas	30.5%	69.5%	100.0%
Total		Count	58	116	174
		% within Obesitas	33.3%	66.7%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	5.486 ^a	1	.019		
Continuity Correction ^b	4.731	1	.030		
Likelihood Ratio	5.407	1	.020		
Fisher's Exact Test				.029	.015
Linear-by-Linear Association	5.455	1	.020		
N of Valid Cases	174				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 21,00.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Obesitas (Ya / Tidak)	2.160	1.128	4.137
For cohort Preeklamsi = Preeklamsi	1.644	1.089	2.483
For cohort Preeklamsi = Tidak Preeklamsi	.761	.594	.976
N of Valid Cases	174		

Hubungan DM - Preeklamsi

Crosstab

		Preeklamsi		Total
		Preeklamsi	Tidak Preeklamsi	
Diabetes Melitus	Ya	Count	6	6
		% within Preeklamsi	10.3%	5.2%
	Tidak	Count	52	110
		% within Preeklamsi	89.7%	94.8%
Total	Count		58	116
	% within Preeklamsi		100.0%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	1.611 ^a	1	.204		
Continuity Correction ^b	.906	1	.341		
Likelihood Ratio	1.525	1	.217		
Fisher's Exact Test				.218	.170
Linear-by-Linear Association	1.602	1	.206		
N of Valid Cases	174				

a. 1 cells (25,0%) have expected count less than 5. The minimum expected count is 4,00.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Diabetes Melitus (Ya / Tidak)	2.115	.651	6.875
For cohort Preeklamsi = Preeklamsi	1.558	.848	2.863
For cohort Preeklamsi = Tidak Preeklamsi	.736	.414	1.309
N of Valid Cases	174		

```
LOGISTIC REGRESSION VARIABLES Preeklamsi
/METHOD=ENTER Riwayat_Preeklamsi Riwayat_Hipertensi_Kronis
Usia_Berisiko Obesitas
Diabetes_Melitus
/PRINT=CI(95)
/CRITERIA=PIN(0.05) POUT(0.10) ITERATE(20) CUT(0.5).
```

Case Processing Summary

Unweighted Cases ^a		N	Percent
Selected Cases	Included in Analysis	174	100.0
	Missing Cases	0	.0
	Total	174	100.0
Unselected Cases		0	.0
Total		174	100.0

a. If weight is in effect, see classification table for the total number of cases.

Dependent Variable Encoding

Original Value	Internal Value
Preeklamsi	0
Tidak Preeklamsi	1

Block 0: Beginning Block

Classification Table^{a,b}

Observed			Predicted		Percentage Correct
			Preeklamsi	Tidak Preeklamsi	
Step 0	Preeklamsi	Preeklamsi	0	58	.0
		Tidak Preeklamsi	0	116	100.0
	Overall Percentage				66.7

a. Constant is included in the model.

b. The cut value is ,500

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 0	Constant	.693	.161	18.578	1	<,001	2.000

Variables not in the Equation

			Score	df	Sig.
Step 0	Variables	Riwayat Preeklamsi	17.516	1	<,001
		Riwayat Hipertensi Kronis	3.027	1	.082
		Usia Berisiko	3.891	1	.049
		Obesitas	5.486	1	.019
		Diabetes Melitus	1.611	1	.204
	Overall Statistics		31.466	5	<,001

Block 1: Method = Enter

Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	32.262	5	<,001
	Block	32.262	5	<,001
	Model	32.262	5	<,001

Classification Table^a

		Predicted		Percentage Correct
		Preeklamsi	Tidak Preeklamsi	
Step 1	Observed	Preeklamsi	Tidak Preeklamsi	
	Preeklamsi	18	40	31.0
	Tidak Preeklamsi	8	108	93.1
Overall Percentage				72.4

a. The cut value is ,500

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	189.245 ^a	.169	.235

a. Estimation terminated at iteration number 5 because parameter estimates changed by less than ,001.

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)	95% C.I. for EXP(B)	
								Lower	Upper
Step 1 ^a	Riwayat Preeklamsi	3.443	1.080	10.172	1	.001	31.281	3.771	259.518
	Riwayat Hipertensi Kronis	.516	.405	1.625	1	.202	1.675	.758	3.704
	Usia Berisiko	.824	.380	4.706	1	.030	2.279	1.083	4.797
	Obesitas	.825	.388	4.504	1	.034	2.281	1.065	4.884
	Diabetes Melitus	.727	.632	1.320	1	.251	2.068	.599	7.144
	Constant	-4.565	1.303	12.278	1	<.001	.010		

a. Variable(s) entered on step 1: Riwayat Preeklamsi, Riwayat Hipertensi Kronis, Usia Berisiko, Obesitas, Diabetes Melitus.

Lampiran 6. Surat Permohonan Izin Penelitian



Kementerian Kesehatan
Direktorat Jenderal
Sumber Daya Manusia Kesehatan
 Politeknik Kesehatan Yogyakarta
 Jalan Tata Bumi No. 3, Banyuraden, Gamping
 Sleman, D.I. Yogyakarta 55293
 (0274) 617601
<https://poltekkesjogja.ac.id>

Nomor : PP.05.01/F.XIX.11/1331/2026 27 Mei 2026
 Lampiran : 1 berkas
 Hal : Permohonan Izin Penelitian

Yth. Kepala Dinas Kesehatan Kota Yogyakarta
 Di Yogyakarta

Sehubungan dengan tugas penyusunan SKRIPSI yang diwajibkan bagi mahasiswa Program Studi Kebidanan Program Sarjana Terapan Politeknik Kesehatan Kemenkes Yogyakarta Tahun Akademik 2025/2026 sebagai salah satu persyaratan menyelesaikan pendidikan, maka dengan ini kami bermaksud mengajukan permohonan izin penelitian atas nama :

Nama : Astri Hapsari
 NIM : P71242325073
 Mahasiswa : Prodi Kebidanan Program Sarjana Terapan
 Untuk melakukan penelitian di : Rumah Sakit Pratama Yogyakarta
 Dengan Judul : Determinan Kejadian Preeklamsi Pada Ibu Hamil Tahun 2022-2024 di Rumah Sakit Pratama Yogyakarta
 Dilaksanakan Pada : Mei – Juni 2026

Besar harapan kami, Bapak/Ibu berkenan untuk memberikan izin, atas perhatian dan kerjasamanya kami mengucapkan banyak terima kasih

a.n. Direktur Poltekkes Kemenkes Yogyakarta,
 Ketua Jurusan Kebidanan



Dr. Heni Puji Wahyuningsih, S.Si.T. M.Keb

Kementerian Kesehatan tidak menerima suap dan/atau gratifikasi dalam bentuk apapun. Jika terdapat potensi suap atau gratifikasi silahkan laporkan melalui HALO KEMENKES 1500567 dan <https://wbs.kemkes.go.id>. Untuk verifikasi keaslian tanda tangan elektronik, silahkan unggah dokumen pada laman <https://tte.kominfo.go.id/verifyPDF>.



Lampiran 7. Surat Permohonan *Etical Clearance* (EC)



Kementerian Kesehatan
Direktorat Jenderal
Sumber Daya Manusia Kesehatan
 Politeknik Kesehatan Yogyakarta
 Jalan Tata Bumi No. 3, Banyuraden, Gamping
 Sleman, D.I. Yogyakarta 55293
 (0274) 617601
<https://poltekkesjogja.ac.id>

NOTA DINAS

NOMOR : PP.05.01/F.XIX.11/945/ 2026

Yth. : Direktur Politeknik Kesehatan Kemenkes Yogyakarta
 Dari : Ketua Jurusan Kebidanan
 Hal : Permohonan *Ethical Clearance*
 Tanggal : 31 Maret 2026

Sehubungan dengan proses penelitian skripsi bagi mahasiswa Program Studi Kebidanan Program Sarjana Terapan Poltekkes Kemenkes Yogyakarta Tahun Akademik 2025/2026, dengan ini kami mohon diterbitkan *Ethical Clearance* persetujuan etik penelitian dari Komisi Etik Penelitian Kesehatan Poltekkes Kemenkes Yogyakarta, bagi mahasiswa dibawah ini :

Nama : Astri Hapsari
 NIM : P71242325073
 Asal Instansi : Jurusan Kebidanan Poltekkes Kemenkes Yogyakarta
 Waktu Penelitian : April-Mei 2026
 Judul : Determinan Kejadian Preeklamsi Pada Ibu Hamil di Rumah Sakit Pratama Yogyakarta Tahun 2022-2024
 Pembimbing Utama : Dyah Noviawati Setya Arum, S.Si.T., M.Keb
 Yuliantisari Retnaningsih, S.SiT., M.Keb

Demikian kami sampaikan, atas perhatian dan kerjasamanya diucapkan terima kasih.



Dr. Heni Puji Wahyuningsih, S.Si.T. M.Keb



Tembusan:

1. Komisi Etik Penelitian Kesehatan Poltekkes Kemenkes Yogyakarta

Lampiran 8. Surat Kelayakan Etik



Terakreditasi KEPPKN No. 005/KEPPKN/AKT/IV/2024

Kementerian Kesehatan

Poltekkes Yogyakarta

Komite Etik Penelitian Kesehatan

Jalan Tata Bumi No. 3, Banyuraden, Gamping,
Sleman, D.I. Yogyakarta 55293

(0274) 617601

<https://poltekkesjogja.ac.id>

KETERANGAN LAYAK ETIK DESCRIPTION OF ETHICAL EXEMPTION "ETHICAL EXEMPTION"

No.DP.04.03/e-KEPK.1/1021/2026

Protokol penelitian versi 1 yang diusulkan oleh :

The research protocol proposed by

Peneliti utama : Astri Hapsari

Principal In Investigator

Nama Institusi : Poltekkes Kemenkes Yogyakarta

Name of the Institution

Dengan judul:

Title

**"DETERMINAN KEJADIAN PREEKLAMSI PADA IBU HAMIL DI RUMAH SAKIT PRATAMA YOGYAKARTA
TAHUN 2022-2024"**

"Determinants of Preeclampsia Incidence in Pregnant Women At Yogyakarta Primary Hospital 2022-2024"

Dinyatakan layak etik sesuai 7 (tujuh) Standar WHO 2011, yaitu 1) Nilai Sosial, 2) Nilai Ilmiah, 3) Pemerataan Beban dan Manfaat, 4) Risiko, 5) Bujukan/Eksploitasi, 6) Kerahasiaan dan Privacy, dan 7) Persetujuan Setelah Penjelasan, yang merujuk pada Pedoman CIOMS 2016. Hal ini seperti yang ditunjukkan oleh terpenuhinya indikator setiap standar.

Declared to be ethically appropriate in accordance to 7 (seven) WHO 2011 Standards, 1) Social Values, 2) Scientific Values, 3) Equitable Assessment and Benefits, 4) Risks, 5) Persuasion/Exploitation, 6) Confidentiality and Privacy, and 7) Informed Consent, referring to the 2016 CIOMS Guidelines. This is as indicated by the fulfillment of the indicators of each standard.

Pernyataan Laik Etik ini berlaku selama kurun waktu tanggal 22 Mei 2026 sampai dengan tanggal 22 Mei 2027.

This declaration of ethics applies during the period May 22, 2026 until May 22, 2027.



May 22, 2026

Chairperson,



Dr. drg. Wiworo Haryani, M.Kes.

Lampiran 9. Surat Keterangan Selesai Penelitian



PEMERINTAH KOTA YOGYAKARTA
DINAS KESEHATAN
RUMAH SAKIT PRATAMA

ꦑꦼꦱꦺꦴꦏꦸꦠꦤꦶꦥꦠꦫꦩ

Jalan Kolonel Sugiyono 98 Yogyakarta, Daerah Istimewa Yogyakarta 55153

Telepon (0274) 373249

Laman rspratama.jogjakota.go.id; Pos-el rspratama@jogjakota.go.id

SURAT KETERANGAN

Nomor : 400.7.22.1/1579

Yang bertanda tangan dibawah ini:

Nama : drg. Bayu Subagja, M.K.M
NIP : 197508182005011009
Jabatan : Direktur RS
Instansi : RS Pratama Kota Yogyakarta

dengan ini menerangkan bahwa:

Nama : Astri Hapsari, A.Md.Keb.
NIP : 199711102022032020
Jabatan : Bidan Terampil
Unit Kerja : RS Pratama Kota Yogyakarta

Telah selesai melaksanakan penelitian dengan judul **"Determinan Kejadian Preeklamsi pada Ibu Hamil Tahun 2022 – 2024 di Rumah Sakit Pratama Kota Yogyakarta"** pada bulan Juni 2026.

Demikian surat keterangan ini untuk dapat digunakan sebagaimana mestinya.

Yogyakarta, 15 Juni 2026

Direktur RS Pratama



drg. Bayu Subagja, M.K.M

Pembina Tingkat I (IV/b)

NIP: 197508182005011009



SEGORO AMARTO

SEMANGAT GOTONG ROYONG AGAWE MAJUNE NGAYOGYOKARTO
KEMANDIRIAN - KEDISPLINAN - KEPEDULIAN - KEBERSAMAAN

Lampiran 10. Submitin

SKRIPSI ASTRI HAPSARI_P712423250__sc_mqscntd5_k1a9

ORIGINALITY REPORT

30%

SIMILARITY INDEX

PRIMARY SOURCES

1	eprints.poltekkesjogja.ac.id Internet	2373 words — 9%
2	repo.itera.ac.id Internet	1551 words — 6%
3	repository.unissula.ac.id Internet	381 words — 1%
4	repository.uinjkt.ac.id Internet	332 words — 1%
5	repositori.uin-alauddin.ac.id Internet	309 words — 1%
6	digilibadmin.unismuh.ac.id Internet	209 words — 1%
7	repository.uin-suska.ac.id Internet	174 words — 1%
8	Angela Meisya Song, Akbar Rahmat. "PREEKLAMSIA BERAT (PEB): LAPORAN KASUS", PREPOTIF : JURNAL KESEHATAN MASYARAKAT, 2024 Crossref	137 words — 1%
9	Nora Veri, Lia Lajuna, Cut Mutiah, Halimatussakdiah Halimatussakdiah, Dewita Dewita. "Preeklamsia: patofisiologi, diagnosis, skrining, pencegahan dan penatalaksanaan", Femina: Jurnal Ilmiah Kebidanan, 2024 Crossref	113 words — < 1%
10	Riani Widia Parantika, Gatut Hardianto, Muhammad Miftahussurur, Wahyul Anis. "RELATIONSHIP BETWEEN OBESITY, TWIN-PREGNANCY AND	86 words — < 1%

Lampiran 11. Dokumentasi Kegiatan

