

DAFTAR PUSTAKA

- Ahrens, E., Tartler, T. M., Suleiman, A., Wachtendorf, L. J., Ma, H., Chen, G., Kendale, S. M., Kienbaum, P., Subramaniam, B., Wagner, S., & Schaefer, M. S. (2023). Dose-dependent relationship between intra-procedural hypoxaemia or hypocapnia and postoperative delirium in older patients. *British Journal of Anaesthesia*, 130(2), e298–e306. <https://doi.org/10.1016/j.bja.2022.08.032>
- Aniley, H. T., Mekuria, S. T., Kebede, M. A., Gebreanania, A. H., Muleta, M. B., & Aniley, T. T. (2024). Magnitude of emergence agitation, its interventions and associated factors among paediatric surgical patients. *BMC Anesthesiology*, 24(1), 236. <https://doi.org/10.1186/s12871-024-02623-5>
- Banzett, R. B., Lansing, R. W., & Binks, A. P. (2021). Air Hunger: A Primal Sensation and a Primary Element of Dyspnea. *Comprehensive Physiology*, 11(2), 1449–1483. <https://doi.org/10.1002/j.2040-4603.2021.tb00156.x>
- Benham-Hermetz, J., & Mitchell, V. (2021). Safe tracheal extubation after general anaesthesia. *BJA Education*, 21(12), 446–454. <https://doi.org/10.1016/j.bjae.2021.07.003>
- Bielewicz, J., Daniluk, B., & Kamieniak, P. (2022). VAS and NRS, Same or Different? Are Visual Analog Scale Values and Numerical Rating Scale Equally Viable Tools for Assessing Patients after Microdiscectomy? *Pain Research and Management*, 2022, 1–6. <https://doi.org/10.1155/2022/5337483>
- Butterworth, J. F., Mackey, D. C., & Wasnick, J. D. (2022). *Morgan & Mikhail's Clinical Anesthesiology* (7th edition). McGraw-Hill Education.
- Cao, L., Ren, Y., Wen, F., Du, J., He, M., & Huang, H. (2024). Research trends related to emergence agitation in the post-anaesthesia care unit from 2001 to 2023: A bibliometric analysis. *Open Medicine*, 19(1), 20241021. <https://doi.org/10.1515/med-2024-1021>
- Dong, W., Zhang, W., Er, J., Liu, J., & Han, J. (2023). Comparison of laryngeal mask airway and endotracheal tube in general anesthesia in children. *Experimental and Therapeutic Medicine*, 26(6), 554. <https://doi.org/10.3892/etm.2023.12253>
- Foulds, L., & Dalton, A. (2021). Extubation and emergence. *Anaesthesia & Intensive Care Medicine*, 22(10), 615–620. <https://doi.org/10.1016/j.mpaic.2021.07.012>
- Gropper, Michael A, Michael A., Cohen, N. H., Eriksson, L. I., Fleisher, L. A., Leslie, K., & Wiener-Kronish, J. P. (2023). *Miller's Anesthesia* (9th Edition). Elsevier.
- He, M., Zhu, Z., Jiang, M., Liu, X., Wu, R., Zhou, J., Chen, X., & Liu, C. (2024). Risk Factors for Postanesthetic Emergence Delirium in Adults: A Systematic Review and Meta-analysis. *Journal of Neurosurgical*

- Anesthesiology*, 36(3), 190–200.
<https://doi.org/10.1097/ANA.0000000000000942>
- Heily, M., Gerdtz, M., Jarden, R. J., Yap, C. Y. L., & Bellomo Ao, R. (2025). Prevalence and complications of agitation between intensive care unit admission and tracheal extubation in adult cardiac surgery patients: A single-centre observational study. *Australian Critical Care*, 38(5), 101293. <https://doi.org/10.1016/j.aucc.2025.101293>
- Heily, M., Gerdtz, M., Jarden, R. J., Yap, C. Y. L., Darvall, J., Coventry, A. E., Rogers, A., Vernon, J., & Bellomo, R. (2024). Agitation during anaesthetic emergence: An observational study of adult cardiac surgery patients in two Australian intensive care units. *Australian Critical Care*, 37(1), 67–73. <https://doi.org/10.1016/j.aucc.2023.09.003>
- Heily, M., Gerdtz, M., Jarden, R., Yap, Y., & Bellomo, R. (2025). Anaesthetic emergence agitation in adults following general surgery: A scoping review. *International Journal of Nursing Studies Advances*, 8, 100320. <https://doi.org/10.1016/j.ijnsa.2025.100320>
- Ivascu, R., Torsin, L. I., Hostiuc, L., Nitipir, C., Corneci, D., & Dutu, M. (2024). The Surgical Stress Response and Anesthesia: A Narrative Review. *Journal of Clinical Medicine*, 13(10), 3017. <https://doi.org/10.3390/jcm13103017>
- Jung, J.-Y., You, H.-J., Kwon, W., & Sung, T.-Y. (2025). Comparison of emergence agitation between sevoflurane and desflurane in elderly orthopedic patients: A retrospective cohort study. *Minerva Anestesiologica*. <https://doi.org/10.23736/S0375-9393.25.19364-4>
- Lee, S.-J., & Sung, T.-Y. (2020). Emergence agitation: Current knowledge and unresolved questions. *Korean Journal of Anesthesiology*, 73(6), 471–485. <https://doi.org/10.4097/kja.20097>
- Liu, L., Chen, X., Chen, Q., Lu, X., Fang, L., Ren, J., Ming, Y., Sun, D., Chen, P., Wu, W., & Yu, L. (2025). Effect of mild hypercapnia during the recovery period on the emergence time from total intravenous anesthesia: A randomized controlled trial. *Korean Journal of Anesthesiology*, 78(3), 215–223. <https://doi.org/10.4097/kja.24363>
- Long, Y., Han, R., Sun, W., Wu, Y., & Zhan, Z. (2025). Analysis of the Current Status and Influencing Factors of Agitation during the Recovery Period after General Anesthesia. *International Journal of Nursing and Health Care Research*, 8(7). <https://doi.org/10.29011/2688-9501.101662>
- Mashour, G. A. (2024). Anesthesia and the neurobiology of consciousness. *Neuron*, 112(10), 1553–1567. <https://doi.org/10.1016/j.neuron.2024.03.002>
- Maulidina, S., Riyadi, R. S., & Listyaningrum, T. H. (2025). The Relationship Between Recovery Time And Agitation Cases After General Anaesthesia In Sleman Regional Hospital. *Jurnal Ilmiah Kesehatan Media Husada*, 14(2), 142–149. <https://doi.org/10.33475/jikmh.v14i2.429>
- Monteiro, J. N., Dhokte, N. S., & Goraksha, S. U. (2023). A prospective observational single center study evaluating emergence agitation in the early postoperative period in adult patients undergoing elective craniotomies under general anesthesia. *Journal of Anaesthesiology Clinical Pharmacology*, 39(1), 25–30. https://doi.org/10.4103/joacp.JOACP_58_21

- Moon, S. H., & Hwang, S. Y. (2025). Risk Factors for Emergence Agitation in the Postanesthesia Care Unit: A Propensity Score–Matched Analysis. *Journal of PeriAnesthesia Nursing*, S1089947225003466. <https://doi.org/10.1016/j.jopan.2025.06.006>
- Pan, W.-T., Ji, M., Ma, D., & Yang, J.-J. (2025). Effect of perioperative autonomic nervous system imbalance on surgical outcomes: A systematic review. *British Journal of Anaesthesia*, 135(3), 608–622. <https://doi.org/10.1016/j.bja.2025.06.004>
- Rasheed, A. M., Amirah, M. F., Abdallah, M., P.J., P., Issa, M., & Alharthy, A. (2019). Ramsay Sedation Scale and Richmond Agitation Sedation Scale: A Cross-sectional Study. *Dimensions of Critical Care Nursing*, 38(2), 90–95. <https://doi.org/10.1097/DCC.0000000000000346>
- Song, X., & Hu, J. (2025). How does the brain emerge from anesthesia and regain consciousness. *Chinese Medical Journal*, 138(3), 298–300. <https://doi.org/10.1097/CM9.00000000000003378>
- Suo, L., Lu, L., Li, J., Qiu, L., Liu, J., Shi, J., Sun, Z., Lao, W., & Zhou, X. (2024). The effect of deep and awake extubation on emergence agitation after nasal surgery: A randomized controlled trial. *BMC Anesthesiology*, 24(1), 177. <https://doi.org/10.1186/s12871-024-02565-y>
- Tanphan, N., Posri, N., Sangsawang, P., & Vichitvejpaisal, P. (2025). *Assessing Postoperative Recovery with End-Tidal CO₂: Current Practices and Innovations*.
- Tolly, B., Waly, A., Peterson, G., Erbes, C. R., Prielipp, R. C., & Apostolidou, I. (2021). Adult Emergence Agitation: A Veteran-Focused Narrative Review. *Anesthesia & Analgesia*, 132(2), 353–364. <https://doi.org/10.1213/ANE.00000000000005211>
- Tung, A., Fergusson, N. A., Ng, N., Hu, V., Dormuth, C., & Griesdale, D. G. E. (2019). Pharmacological methods for reducing coughing on emergence from elective surgery after general anesthesia with endotracheal intubation: Protocol for a systematic review of common medications and network meta-analysis. *Systematic Reviews*, 8(1), 32. <https://doi.org/10.1186/s13643-019-0947-2>
- Wahyuni, A., Maulana, D., Kusumaningrum, D., & Adila, N. T. H. (2024). *Perbandingan Pengukuran Status Sedasi Richmon Agitation Sedation (RASS) dan Ramsay Sedation Scale (RSS) pada Pasien Gagal Napas Terhadap Lama Weaning Ventilation di ICU Rsud Dr. H. Abdul Moeloek*.
- Wang, N., Hao, J., Zhang, J., Du, J., & Luo, Z. (2023). Risk factors for emergence agitation during the awakening period in elderly patients after total joint arthroplasty: A retrospective cohort study. *BMJ Open*, 13(5), e068284. <https://doi.org/10.1136/bmjopen-2022-068284>
- Wei, B., Feng, Y., Chen, W., Ren, D., Xiao, D., & Chen, B. (2021a). Risk factors for emergence agitation in adults after general anesthesia: A systematic review and meta-analysis. *Acta Anaesthesiologica Scandinavica*, 65(6), 719–729. <https://doi.org/10.1111/aas.13774>
- Wei, B., Feng, Y., Chen, W., Ren, D., Xiao, D., & Chen, B. (2021b). Risk factors for emergence agitation in adults after general anesthesia: A systematic

- review and meta-analysis. *Acta Anaesthesiologica Scandinavica*, 65(6), 719–729. <https://doi.org/10.1111/aas.13774>
- Zhitny, V., Geara, E., Bernstein, J., Dixon, B., Jannoud, R., Wajda, M., Zhang, Y., Alabre, J., & Ayoub, M. (2025). Delayed emergence after general anesthesia: Working through the differential diagnosis. *Annals of Medicine & Surgery*, 87(7), 4563–4566. <https://doi.org/10.1097/MS9.0000000000003360>
- Zhu, G., Wang, X., Cao, X., Yang, C., Wang, B., Ang, Y., & Duan, M. (2024). The effect of different endotracheal tube cuff pressure monitoring systems on postoperative sore throat in patients undergoing tracheal intubation: A randomized clinical trial. *BMC Anesthesiology*, 24(1), 115. <https://doi.org/10.1186/s12871-024-02499-5>