

DAFTAR PUSTAKA

- de Almeida Marques, R. *dkk.* (2022a) “Agreement between maximum and mean handgrip strength measurements in cancer patients,” *PLOS ONE*, 17(7), hlm. e0270631. Tersedia pada: <https://doi.org/10.1371/JOURNAL.PONE.0270631>.
- de Almeida Marques, R. *dkk.* (2022b) “Agreement between maximum and mean handgrip strength measurements in cancer patients,” *PLoS ONE*, 17(7), hlm. e0270631. Tersedia pada: <https://doi.org/10.1371/JOURNAL.PONE.0270631>.
- Anam, K. *dkk.* (2019) “Sensitivity Of The Assessment Of Nutritional Status Based On Mini Nu-Tritional Assessment (Mna) Was Compared With Patient-Generated Sub-Jective Global Assessment (Pg-Sga) In Cancer Patients Undergoing Che-Motherapy In Rsup Dr Wahidin Sudirohusoda Makassar,” *NurseLine Journal*, 4(2).
- Arends, J. *dkk.* (2017) “ESPEN guidelines on nutrition in cancer patients,” *Clinical Nutrition*, 36(1), hlm. 11–48. Tersedia pada: <https://doi.org/10.1016/J.CLNU.2016.07.015>.
- Arends, J. (2024a) “Malnutrition in cancer patients: Causes, consequences and treatment options,” *European Journal of Surgical Oncology*, 50(5), hlm. 107074. Tersedia pada: <https://doi.org/10.1016/j.ejso.2023.107074>.
- Arends, J. (2024b) “Malnutrition in cancer patients: Causes, consequences and treatment options,” *European Journal of Surgical Oncology*, 50(5), hlm. 107074. Tersedia pada: <https://doi.org/10.1016/j.ejso.2023.107074>.
- Awan, A. *dkk.* (2022) “Effect of chemotherapy and radiation therapy on the swallowing of patients with head and neck cancer,” *The Professional Medical Journal*, 29(09), hlm. 1359–1366. Tersedia pada: <https://doi.org/10.29309/TPMJ/2022.29.09.6824>.
- Ayu Erika, K. (2021) “Use Of Nutrition Assessment Of Cancer Patients With Chemotherapy: Literature Review,” *Indonesian Journal of Global Health Research* [Preprint], (4). Tersedia pada: <https://doi.org/10.37287/ijghr.v3i4.723>.
- Balstad, T.R. *dkk.* (2019) “Patient interpretation of the Patient-Generated Subjective Global Assessment (PG-SGA) Short Form,” *Patient preference and adherence*, 13, hlm. 1391. Tersedia pada: <https://doi.org/10.2147/PPA.S204188>.
- Boléo-Tomé, C. *dkk.* (2012) “Validation of the Malnutrition Universal Screening Tool (MUST) in cancer,” *British Journal of Nutrition*, 108(2), hlm. 343–348. Tersedia pada: <https://doi.org/10.1017/S000711451100571X>.

- Bray, F. *dkk.* (2024) “Global cancer statistics 2022: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries,” *CA: a cancer journal for clinicians*, 74(3), hlm. 229–263. Tersedia pada: <https://doi.org/10.3322/CAAC.21834>.
- Bundi, D., Ronoh, A. dan Sang, P. (2025) “Nutrition Impact Symptoms, Dietary Patterns and Malnutrition Risk Among Adult Cancer Outpatients on Chemotherapy in Nyeri County Referral Hospital, Kenya,” *Journal of Food and Nutrition Sciences 2025, Volume 13, Page 189*, 13(3), hlm. 189–200. Tersedia pada: <https://doi.org/10.11648/J.JFNS.20251303.19>.
- Cederholm, T. *dkk.* (2019) “GLIM criteria for the diagnosis of malnutrition – A consensus report from the global clinical nutrition community,” *Journal of Cachexia, Sarcopenia and Muscle*, 10(1), hlm. 207–217. Tersedia pada: <https://doi.org/10.1002/JCSM.12383>;REQUESTEDJOURNAL:JOURNAL:1353921906009;WGROU:STRING:PUBLICATION.
- Chen, W. *dkk.* (2022) “Gastrointestinal inflammation plays a critical role in chemotherapy-induced nausea and vomiting,” *European Journal of Pharmacology*, 936, hlm. 175379. Tersedia pada: <https://doi.org/10.1016/J.EJP HAR.2022.175379>.
- Çorbacıoğlu, Ş.K. dan Aksel, G. (2023) “Receiver operating characteristic curve analysis in diagnostic accuracy studies: A guide to interpreting the area under the curve value,” *Turkish Journal of Emergency Medicine*, 23(4), hlm. 195. Tersedia pada: https://doi.org/10.4103/TJEM.TJEM_182_23.
- Darma, B. (2021) *Statistika Penelitian Menggunakan Spss (Uji Validitas, Uji Reliabilitas)*. Tersedia pada: https://books.google.co.id/books?hl=id&lr=&id=acpLEAAQBAJ&oi=fnd&pg=PA3&dq=uji+validitas&ots=IZn7QWjkT1&sig=5oDqRw4fEp4FMlCJBxLMyll_Y-Q&redir_esc=y#v=onepage&q=uji%20validitas&f=false (Diakses: 27 September 2025).
- Elia, M. dan Stratton, R.J. (2012) “An analytic appraisal of nutrition screening tools supported by original data with particular reference to age,” *Nutrition*, 28(5), hlm. 477–494. Tersedia pada: <https://doi.org/10.1016/J.NUT.2011.11.009>.
- Evans, R.H. (1996) “An analysis of criterion variable reliability in conjoint analysis,” *Perceptual and Motor Skills*, 84(3), hlm. 988–990. Tersedia pada: <https://doi.org/10.2466/PMS.1996.82.3.988>;SUBPAGE:STRING:ABSTRACT;WEBSITE:WEBSITE:SAGE;WGROU:STRING:PUBLICATION.
- Frediani, J.K. *dkk.* (2016) “Macronutrient intake and body composition changes during anti-tuberculosis therapy in adults,” *Clinical Nutrition*, 35(1), hlm. 205–212. Tersedia pada: <https://doi.org/10.1016/j.clnu.2015.02.007>.

- Garutti, M. *dkk.* (2023a) “Nutritional Management of Oncological Symptoms: A Comprehensive Review,” *Nutrients*, 15(24), hlm. 5068. Tersedia pada: <https://doi.org/10.3390/NU15245068/S1>.
- Garutti, M. *dkk.* (2023b) “Nutritional Management of Oncological Symptoms: A Comprehensive Review,” *Nutrients*, 15(24), hlm. 5068. Tersedia pada: <https://doi.org/10.3390/NU15245068/S1>.
- Garutti, M. *dkk.* (2023c) “Nutritional Management of Oncological Symptoms: A Comprehensive Review,” *Nutrients*, 15(24), hlm. 5068. Tersedia pada: <https://doi.org/10.3390/NU15245068/S1>.
- Gascón-Ruiz, M. *dkk.* (2021) “Comparison of different malnutrition screening tools according to GLIM criteria in cancer outpatients,” *European Journal of Clinical Nutrition* 2021 76:5, 76(5), hlm. 698–702. Tersedia pada: <https://doi.org/10.1038/s41430-021-01021-1>.
- George, J. *dkk.* (2007) “Cancer cachexia syndrome in head and neck cancer patients: Part II. Pathophysiology,” *Head & Neck*, 29(5), hlm. 497–507. Tersedia pada: <https://doi.org/10.1002/HED.20630>.
- Ghias, K., Jiang, Y. dan Gupta, A. (2023) “The impact of treatment-induced dysgeusia on the nutritional status of cancer patients,” *Clinical Nutrition Open Science*, 50, hlm. 57–76. Tersedia pada: <https://doi.org/10.1016/J.NUTOS.2023.06.004>.
- Gorenc, M., Kozjek, N.R. dan Strojan, P. (2015) “Malnutrition and cachexia in patients with head and neck cancer treated with (chemo)radiotherapy,” *Reports of Practical Oncology and Radiotherapy*, 20(4), hlm. 249–258. Tersedia pada: <https://doi.org/10.1016/J.RPOR.2015.03.001>.
- Gorjao, R. *dkk.* (2019) “New insights on the regulation of cancer cachexia by N-3 polyunsaturated fatty acids,” *Pharmacology & Therapeutics*, 196, hlm. 117–134. Tersedia pada: <https://doi.org/10.1016/J.PHARMTHERA.2018.12.001>.
- Hashida, N. *dkk.* (2025) “Changes in swallowing response on patients undergoing chemoradiotherapy for head and neck cancer,” *Supportive Care in Cancer*, 33(2), hlm. 97. Tersedia pada: <https://doi.org/10.1007/S00520-024-09134-6>.
- Isenring, E., Bauer, J. dan Capra, S. (2003) “The scored Patient-generated Subjective Global Assessment (PG-SGA) and its association with quality of life in ambulatory patients receiving radiotherapy,” *European Journal of Clinical Nutrition*, 57(2), hlm. 305–309. Tersedia pada: <https://doi.org/10.1038/SJ.EJCN.1601552>.
- Jones, J.M. (2002) “The methodology of nutritional screening and assessment tools,” *Journal of Human Nutrition and Dietetics*, 15(1), hlm. 59–71. Tersedia pada: <https://doi.org/10.1046/J.1365-277X.2002.00327.X>.

- Kang, J. *dkk.* (2022) "Validation of the efficacy of the NUTRISCORE for the nutritional screening of cancer patients in China," *BMC Cancer*, 22(1), hlm. 43. Tersedia pada: <https://doi.org/10.1186/S12885-021-09135-2>.
- Kebijakan Pembangunan, B., Kementerian, K. dan Ri, K. (2023) *Survei Kesehatan Indonesia (SKI) 2023*.
- Khaira, F. (2023) "TATALAKSANA MALNUTRISI PADA PASIEN KANKER," *Indonesian Journal of Public Health*, 1(2), hlm. 115–124. Tersedia pada: <https://jurnal.academiacenter.org/index.php/IJOH/article/view/194> (Diakses: 23 September 2025).
- Khorasanchi, A. *dkk.* (2022) "Managing Nutrition Impact Symptoms in Cancer Cachexia: A Case Series and Mini Review," *Frontiers in Nutrition*, 9, hlm. 831934. Tersedia pada: <https://doi.org/10.3389/FNUT.2022.831934>.
- Kondrup, J. *dkk.* (2003) "ESPEN guidelines for nutrition screening 2002," *Clinical Nutrition*, 22(4), hlm. 415–421. Tersedia pada: [https://doi.org/10.1016/S0261-5614\(03\)00098-0](https://doi.org/10.1016/S0261-5614(03)00098-0).
- Lestari, A., Budiarti, Y. dan Ilmi, B. (2020) "Study Fenomenologi: Psikologis Pasien Kanker Yang Menjalani Kemoterapi," *JURNAL KEPERAWATAN SUAKA INSAN (JKSI)*, 5(1), hlm. 52–66. Tersedia pada: <https://doi.org/10.51143/JKSI.V5I1.196>.
- Mahdania Harun, H. *dkk.* (2023) "Evaluasi Pengobatan Radioterapi Pada Pasien Kanker," *Journal Syifa Sciences and Clinical Research*, 4(3), hlm. 662–670. Tersedia pada: <https://doi.org/10.37311/jsscr.v4i3.15794>.
- Martins, J.O. *dkk.* (2022) "Risk factors for oral mucositis during chemotherapy treatment for solid tumors: a retrospective STROBE-guided study," *Medicina Oral, Patología Oral y Cirugía Bucal*, 27(4), hlm. e319. Tersedia pada: <https://doi.org/10.4317/MEDORAL.25253>.
- Maydiantoro, A. (2021) "Research Model Development: Brief Literature Review," 1(2), hlm. 29–35.
- Menteri Kesehatan Republik Indonesia (2019) *Pedoman Nasional Pelayanan Kedokteran Tata Laksana Malnutrisi Pada Dewasa*.
- Merchán-Chaverra, R.A. *dkk.* (2024) "Malnutrition screening tool and nutritional screening tool for classification of nutritional risk in patients with cancer upon hospital admission: Comparison of diagnostic performance using Global Leadership Initiative on malnutrition criteria as referen..., " *Clinical Nutrition ESPEN*, 61, hlm. 46–51. Tersedia pada: <https://doi.org/10.1016/J.CLNESP.2024.02.029>.
- Molfinio, A. *dkk.* (2023) "Early impairment of food intake in patients newly diagnosed with cancer," *Frontiers in Nutrition*, 9, hlm. 997813. Tersedia pada: <https://doi.org/10.3389/FNUT.2022.997813/TEXT>.

- Molfino, A., Imbimbo, G. dan Laviano, A. (2022) “Current Screening Methods for the Risk or Presence of Malnutrition in Cancer Patients,” *Cancer Management and Research*, 14, hlm. 561–567. Tersedia pada: <https://doi.org/10.2147/CMAR.S294105>.
- Naidu, M.U.R. dkk. (2004) “Chemotherapy-Induced and/or Radiation Therapy-Induced Oral Mucositis—Complicating the Treatment of Cancer,” *Neoplasia (New York, N.Y.)*, 6(5), hlm. 423. Tersedia pada: <https://doi.org/10.1593/NEO.04169>.
- Niswatin, D., Cahyawati, W.A.S.N. dan Rosida, L. (2021) “Literatur Review : Hubungan Indeks Massa Tubuh (IMT) dengan Massa Otot pada Lansia,” *Homeostasis*, 4(1), hlm. 171–180. Tersedia pada: <https://doi.org/10.20527/HT.V4I1.3378>.
- Nitichai, N. dkk. (2019a) “Validation of the Scored Patient-Generated Subjective Global Assessment (PG-SGA) in Thai Setting and Association with Nutritional Parameters in Cancer Patients,” *Asian Pacific Journal of Cancer Prevention : APJCP*, 20(4), hlm. 1249. Tersedia pada: <https://doi.org/10.31557/APJCP.2019.20.4.1249>.
- Nitichai, N. dkk. (2019b) “Validation of the Scored Patient-Generated Subjective Global Assessment (PG-SGA) in Thai Setting and Association with Nutritional Parameters in Cancer Patients,” *Asian Pacific Journal of Cancer Prevention : APJCP*, 20(4), hlm. 1249. Tersedia pada: <https://doi.org/10.31557/APJCP.2019.20.4.1249>.
- Nurafriani, F. (2023) “Gambaran Status Nutrisi Pasien Kanker Yang Menjalani Kemoterapi Di RSUD Panembahan Senopati Bantu Daerah Istimewa Yogyakarta,” *Universitas Jenderal Achmad Yani Yogyakarta*. [Preprint]. Tersedia pada: <https://unjaya.ac.id/> (Diakses: 30 Oktober 2025).
- Obaid, R. dan Alkazemi, D. (2025) “Malnutrition and Nutrition Impact Symptoms in Kuwaiti Colorectal Cancer Patients: Validation of PG-SGA Short Form,” *Nutrients*, 17(17), hlm. 2770. Tersedia pada: <https://doi.org/10.3390/NU17172770/S1>.
- de Pinho, N.B. dkk. (2019) “Malnutrition associated with nutrition impact symptoms and localization of the disease: Results of a multicentric research on oncological nutrition,” *Clinical Nutrition*, 38(3), hlm. 1274–1279. Tersedia pada: <https://doi.org/10.1016/j.clnu.2018.05.010>.
- Porporato, P.E. (2016) “Understanding cachexia as a cancer metabolism syndrome,” *Oncogenesis*, 5(2), hlm. e200–e200. Tersedia pada: <https://doi.org/10.1038/ONCSIS.2016.3;SUBJMETA>.
- Pourhoseingholi, M.A., Vahedi, M. dan Rahimzadeh, M. (2013) “Sample size calculation in medical studies,” *Gastroenterology and Hepatology From Bed to Bench*, 6(1), hlm. 14. Tersedia pada:

<https://pmc.ncbi.nlm.nih.gov/articles/PMC4017493/> (Diakses: 30 Oktober 2025).

- Raj, E. *dkk.* (2023) “A Review On The Reliability Of Hand Grip Strength (Hgs)As Nutrition Screening Tool In Cancer Patients,” *Journal of Population Therapeutics and Clinical Pharmacology*, 30(19), hlm. 1317–1322. Tersedia pada: <https://doi.org/10.53555/JPTCP.V30I19.3838>.
- Rasmussen, H.H., Holst, M. dan Kondrup, J. (2010) “Measuring nutritional risk in hospitals,” *Clinical Epidemiology*, 2(1), hlm. 209–216. Tersedia pada: <https://doi.org/10.2147/CLEP.S11265>.
- Reber, E. *dkk.* (2021) “Nutritional Risk Screening in Cancer Patients: The First Step Toward Better Clinical Outcome,” *Frontiers in Nutrition*, 8, hlm. 603936. Tersedia pada: <https://doi.org/10.3389/FNUT.2021.603936>.
- Sabrina, D.M. dan Yulastuti, F. (2023) “Pola Pengobatan Kanker Payudara dengan Kemoterapi dan Pre Kemoterapi Pada Pasien Peserta JKN Kanker Payudara Di RSUD Kota Yogyakarta,” *Jurnal Mandala Pharmacon Indonesia*, 9(2), hlm. 574–584. Tersedia pada: <https://doi.org/10.35311/JMPI.V9I2.385>.
- Santarpia, L., Contaldo, F. dan Pasanisi, F. (2011) “Nutritional screening and early treatment of malnutrition in cancer patients,” *Journal of Cachexia, Sarcopenia and Muscle*, 2(1), hlm. 27–35. Tersedia pada: <https://doi.org/10.1007/S13539-011-0022-X/FIGURES/1>.
- Shakhshir, M.H. *dkk.* (2024a) “An evaluation of nutritional impact symptoms and their association with reduced dietary intake in patients with solid tumors at tertiary care hospitals: a multicenter, cross-sectional study from palestine,” *BMC Cancer*, 24(1), hlm. 524-. Tersedia pada: <https://doi.org/10.1186/S12885-024-12289-4/TABLES/4>.
- Shakhshir, M.H. *dkk.* (2024b) “An evaluation of nutritional impact symptoms and their association with reduced dietary intake in patients with solid tumors at tertiary care hospitals: a multicenter, cross-sectional study from palestine,” *BMC Cancer*, 24(1), hlm. 524-. Tersedia pada: <https://doi.org/10.1186/S12885-024-12289-4/TABLES/4>.
- Shakhshir, M.H. *dkk.* (2024c) “Identifying correlations between nutritional impact symptoms and risk factors for malnutrition in adult cancer patients with solid tumors: a cross-sectional study from a developing country,” *Supportive care in cancer : official journal of the Multinational Association of Supportive Care in Cancer*, 32(10). Tersedia pada: <https://doi.org/10.1007/S00520-024-08879-4>.
- Shakhshir, M.H. *dkk.* (2024d) “Identifying correlations between nutritional impact symptoms and risk factors for malnutrition in adult cancer patients with solid tumors: a cross-sectional study from a developing country,” *Supportive care in cancer : official journal of the Multinational Association*

- of Supportive Care in Cancer*, 32(10). Tersedia pada: <https://doi.org/10.1007/S00520-024-08879-4>.
- Shea, M.J. dkk. (2022) “A Prospective Evaluation of Grip Strength Comparing a Low-Tech Method to Dynanometry in Preoperative Surgical Patients and Weak Intensive Care Patients,” *Critical Care Research and Practice*, 2022, hlm. 3428851. Tersedia pada: <https://doi.org/10.1155/2022/3428851>.
- Sremanakova, J. dkk. (2025) “Validation of nutritional screening tools in patients undergoing cancer surgery in low- and middle-income countries,” *Frontiers in Nutrition*, 12, hlm. 1576916. Tersedia pada: <https://doi.org/10.3389/FNUT.2025.1576916/FULL>.
- Susetyowati (2014) *Penerapan Skrining Gizi Di Rumah Sakit*. 1 ed. Disunting oleh A.H. Asdie. Yogyakarta: Gadjah Mada University Press .
- Susetyowati (2021) *Penerapan Skrining Gizi Di Rumah Sakit*. 4 ed. Disunting oleh A.H. Asdie. Yogyakarta: Gadjah Mada University Press.
- Susetyowati, S. dkk. (2022) “Determining the Valid Tools to Screen Malnutrition in Cancer Patients: A Comparison to Patient Generated-Subjective Global Assessment (PG-SGA),” *Jurnal Gizi Indonesia (The Indonesian Journal of Nutrition)*, 11(1), hlm. 49–56. Tersedia pada: <https://doi.org/10.14710/JGI.11.1.49-56>.
- Suzuki, H. dkk. (2013) “Cancer cachexia - Pathophysiology and management,” *Journal of Gastroenterology*, 48(5), hlm. 574–594. Tersedia pada: <https://doi.org/10.1007/S00535-013-0787-0/FIGURES/3>.
- Trevethan, R. (2017) “Sensitivity, Specificity, and Predictive Values: Foundations, Pliabilities, and Pitfalls in Research and Practice,” *Frontiers in Public Health*, 5, hlm. 308890. Tersedia pada: <https://doi.org/10.3389/FPUBH.2017.00307/BIBTEX>.
- Trujillo, E.B. dkk. (2024) “Malnutrition risk screening in adult oncology outpatients: An ASPEN systematic review and clinical recommendations,” *Journal of Parenteral and Enteral Nutrition*, 48(8), hlm. 874–894. Tersedia pada: <https://doi.org/10.1002/JPEN.2688;WGROU:STRING:PUBLICATION>.
- van Vliet, I.M.Y. dkk. (2021) “Malnutrition screening on hospital admission: impact of overweight and obesity on comparative performance of MUST and PG-SGA SF,” *European Journal of Clinical Nutrition*, 75(9), hlm. 1398. Tersedia pada: <https://doi.org/10.1038/S41430-020-00848-4>.
- Wahyuni, F.A., Supadmi Woro dan Yuniarti, E. (2021) *Hubungan Karakteristik Pasien dan Regimen Kemoterapi Terhadap Kualitas Hidup Pasien Kanker di RS PKU Muhammadiyah Yogyakarta*. Tersedia pada: <https://jsk.ff.unmul.ac.id/index.php/JSK/article/view/247> (Diakses: 28 Juni 2026).

- Waruwu, M. (2024) “Metode Penelitian dan Pengembangan (R&D): Konsep, Jenis, Tahapan dan Kelebihan,” *Jurnal Ilmiah Profesi Pendidikan*, 9(2), hlm. 1220–1230. Tersedia pada: <https://doi.org/10.29303/jipp.v9i2.2141>.
- Xie, H. dkk. (2025) “The Relationship Between Nutrition Impact Symptoms, Intake Status, and Systemic Inflammation for Cancer Patients,” *Cancer Management and Research*, 17, hlm. 2757. Tersedia pada: <https://doi.org/10.2147/CMAR.S550009>.
- Xu, Y.C. dan Vincent, J.I. (2020) “Clinical measurement properties of malnutrition assessment tools for use with patients in hospitals: a systematic review,” *Nutrition Journal*, 19(1), hlm. 106. Tersedia pada: <https://doi.org/10.1186/S12937-020-00613-0>.
- Yadi Andayani, R. dkk. (2023) “PERSEPSI PERAWAT TERHADAP INSTRUMEN SKRINING MST DAN SNST DI RSUD CIDERES,” *Journal of Nutrition College*, 12(3), hlm. 215–223. Tersedia pada: <https://doi.org/10.14710/JNC.V12I3.36266>.
- Yi, H.C. dan Hong, B.Z. (2024) “High Prevalence of Malnutrition and Associated Factors in Newly Diagnosed Upper Gastrointestinal Cancer Patients: A Cross-Sectional Study,” *Asian Pacific Journal of Cancer Care*, 9(2), hlm. 267–275. Tersedia pada: <https://doi.org/10.31557/APJCC.2024.9.2.267-275>.
- Zeyghami, A. dkk. (2025) “Evaluation of the prevalence, and relationship between nutritional status, malnutrition, and quality of life in cancer patients undergoing chemotherapy in Mashhad, Iran in 2023,” *World Nutrition Journal*, 8(i2), hlm. 45–54. Tersedia pada: <https://doi.org/10.25220/WNJ.V08.I2.0006>.
- Zhang, Q. dkk. (2021) “Prevalence and Prognostic Value of Malnutrition Among Elderly Cancer Patients Using Three Scoring Systems,” *Frontiers in Nutrition*, 8, hlm. 738550. Tersedia pada: <https://doi.org/10.3389/FNUT.2021.738550/TEXT>.
- Zhou, L. dkk. (2023) “Comparison of GLIM, SGA, PG-SGA, and PNI in diagnosing malnutrition among hepatobiliary-pancreatic surgery patients,” *Frontiers in Nutrition*, 10, hlm. 1116243. Tersedia pada: <https://doi.org/10.3389/FNUT.2023.1116243/BIBTEX>.