

DAFTAR PUSTAKA

- Afriansyah, I. A., Suandika, M., & Ulfah, M. (2025). Faktor-Faktor yang Memengaruhi Pulih Sadar Pasca Anestesi Inhalasi Desfluran dan Sevofluran di RSUD Majenang. *Malahayati Nursing Journal*. <https://doi.org/10.33024/mnj.v7i9.22140>
- Ahmed, M. A. K., Bahurmuz, M., & Muthanna, F. (2025). General Anesthesia in Cardiac Surgery: A Narrative Review for Evolving Techniques and Patient-Centered Best Practices. *Yemeni Journal for Medical Sciences*. <https://doi.org/10.20428/yjms.v19i2.2696>
- Ahn, H., Chae, Y., Kang, S., & Yi, I. (2025). Postoperative nausea and vomiting and recovery of heart rate variability following general anesthesia with propofol or sevoflurane: a randomized, double-blind preliminary study. *Frontiers in Medicine*, 12. <https://doi.org/10.3389/fmed.2025.1575865>
- Bagle, A., Hasnain, S., & Suryawanshi, C. (2023). Comparison between the effect of bispectral index and MAC monitoring on recovery after general anesthesia: a prospective, randomized, clinical study. *Bali Journal of Anesthesiology*, 7, 224–229. https://doi.org/10.4103/bjoa.bjoa_177_23
- Bayable, S., Amberbir, W., & Fetene, M. (2023). Delayed awakening and its associated factor following general anesthesia service, 2022: a cross-sectional study. *Annals of Medicine and Surgery*, 85, 4321–4328. <https://doi.org/10.1097/ms9.0000000000001103>
- Chikezie, U. E., & Okoro, T. E. (2021). *Prevalence of Depression and Associated Factors among Medical Students in a Southern Nigerian University*. 13(12). <https://doi.org/10.5539/gjhs.v13n12p12>
- Cihoric, M., Kehlet, H., Lauritsen, M., Højlund, J., & Foss, N. (2021). Electrolyte and Acid–Base Disturbances in Emergency High-Risk Abdominal Surgery, a Retrospective Study. *World Journal of Surgery*, 46, 1325–1335. <https://doi.org/10.1007/s00268-022-06499-9>
- Clevenger, K., Dexter, F., Epstein, R., Sondekoppam, R., & Marian, A. (2024). Anesthesia Practitioners' Goals for Sevoflurane MAC at the End of Surgery and the Incidence of Prolonged Extubations: A Prospective and Observational Study. *Cureus*, 16. <https://doi.org/10.7759/cureus.63371>
- Deshmukh, P., & Chakole, V. (2024). Post-Anesthesia Recovery: A Comprehensive Review of Sampe, Modified Aldrete, and White Scoring Systems. *Cureus*, 16. <https://doi.org/10.7759/cureus.70935>
- Dexter, F., Epstein, R., Marian, A., & Guerra-Londono, C. (2024). Preventing

Prolonged Times to Awakening While Mitigating the Risk of Patient Awareness: Gas Man Computer Simulations of *Sevoflurane* Consumption From Brief, High Fresh Gas Flow Before the End of Surgery. *Cureus*, 16. <https://doi.org/10.7759/cureus.55626>

Douville, N., Jewell, E., Zhao, X., Colquhoun, D., Bertucci-Richter, E., Zollner, S., Davis, R., Kumar, S., & Mashour, G. (2025). Clinical and Genetic Factors Associated with Intraoperative *MAC* Ratio: A Single-center Retrospective Cohort and Genome-wide Association Study. *Anesthesiology*, 143, 541–558. <https://doi.org/10.1097/aln.0000000000005602>

Enlund, M. (2025). Be aware of *MAC* (*MAC*), or beware of *MAC*—is there a magic number that can seduce you? *Journal of Oral and Maxillofacial Anesthesia*, 4, 8–13. <https://doi.org/10.21037/joma-25-13>

Fauziyyah, N. N., Wibowo, T. H., & Sebayang, S. M. (2025). Waktu Pulih Sadar Pasien Pasca General Anestesi. *Khatulistiwa Nursing Journal*. <https://doi.org/10.53399/knj.v7i2.341>

Fu, G., Xu, L., Chen, H., & Lin, J. (2025). State-of-the-art anesthesia practices: a comprehensive review on optimizing patient safety and recovery. *BMC Surgery*, 25. <https://doi.org/10.1186/s12893-025-02763-6>

Georgevici, A., Kyprianou, T., Herzog-Niescery, J., Procopiuc, L., Loganathan, S., Weber, T., & Bellgardt, M. (2021). Negative drift of sedation depth in critically ill patients receiving constant *MAC* of *isoflurane*, *sevoflurane*, or *desflurane*: a randomized controlled trial. *Critical Care*, 25. <https://doi.org/10.1186/s13054-021-03556-y>

Jedlicka, J., Groene, P., Linhart, J., Raith, E., Mustapha, D., & Conzen, P. (2021). *Inhalational Anaesthetics: An Update on Mechanisms of Action and Toxicity*. <https://doi.org/10.33696/neurol.2.037>

Kampman, J., Hermanides, J., Hollmann, M., Gilhuis, C., Bloem, W. A., Schraag, S., Pradelli, L., Repping, S., & Weiland, N. S. (2024). Mortality and morbidity after total intravenous anaesthesia versus inhalational anaesthesia: a systematic review and meta-analysis. *EClinicalMedicine*, 72. <https://doi.org/10.1016/j.eclinm.2024.102636>

Kanaya, H., Kuwajima, K., Ito, Y., Shinohara, Y., Okubo, Y., Shiono, S., Tatsuki, F., Ohno, R.-I., Ukai, H., Ukai-Tadenuma, M., Sumiyama, K., Fujishima, H., Yamada, R., Tone, D., Kiyonari, H., Kikuchi, M., Umehara, T., Murayama, T., Kanemaru, K., ... Ueda, H. (2025). *Isoflurane* activates the type 1 ryanodine receptor to induce anesthesia in mice. *PLOS Biology*, 23. <https://doi.org/10.1371/journal.pbio.3003172>

Kharasch, E. (2022). Anesthetic *MAC*: Origin, Utility, and Nomenclature

- Revisited. *Anesthesiology*. <https://doi.org/10.1097/aln.0000000000004217>
- Lew, M., Pozhitkov, A., Rossi, L., Raytis, J., & Kidambi, T. (2023). Machine Learning Algorithm to Perform the *American Society of Anesthesiologists* Physical Status Classification. *Cureus*, 15. <https://doi.org/10.7759/cureus.47155>
- Martin, D., Mantziari, S., Demartines, N., Hübner, M., & Group, T. E. S. (2020). Defining Major Surgery: A Delphi Consensus Among European Surgical Association (ESA) Members. *World Journal of Surgery*, 44, 2211–2219. <https://doi.org/10.1007/s00268-020-05476-4>
- Maryadi, A., Handayani, R. N., Firdaus, E. K., & Burhan, A. (2024). The Correlation between Body Mass Index (BMI) and Recovery Time on General Anesthesia Patient Using Endotracheal Tube (ET). *Java Nursing Journal*. <https://doi.org/10.61716/jnj.v2i1.24>
- Mohajan, D., & Mohajan, H. (2023). Body Mass Index (BMI) is a Popular Anthropometric Tool to Measure Obesity Among Adults. *Journal of Innovations in Medical Research*. <https://doi.org/10.56397/jimr/2023.04.06>
- Müller, J., Polojintef-Corbu, R., Rensing, J., & Plöchl, W. (2025). Application of Dixon's Up-and-Down Design to Estimate the *MAC* of *Sevoflurane* in Rats with Refined Movement Classification. *Journal of Visualized Experiments : JoVE*, 221. <https://doi.org/10.3791/68520>
- Murillo, C., Ko, J., Weil, A., Kreuzer, M., & Moore, G. (2025). Characterizing Canine Frontal Electroencephalographic Patterns and Cardiovascular Correlates at Different Anesthetic Levels of *Sevoflurane*. *Animals : An Open Access Journal from MDPI*, 15. <https://doi.org/10.3390/ani15050715>
- Oliveros, H., Ríos, F., Botero-Rosas, D., Quiroga, S., Cifuentes, F., Rodríguez, G., & Morales, M. (2020). Variability of anesthetic depth in total intravenous anesthesia vs *balanced anesthesia* using entropy indices: a randomized, crossover, controlled clinical trial. *Colombian Journal of Anesthesiology*. <https://doi.org/10.1097/cj9.0000000000000163>
- Pratama, I. W. B. A. (2021). Hubungan Lama Operasi terhadap Waktu Pulih Sadar Pasien Post Operasi dengan General Anestesi di Rumah Sakit TK.II Udayana. *Repository.Itekes-Bali*, 1–78. http://repository.itekes-bali.ac.id/medias/journal/17D10024_I_Wayan_Bayu_Arya_Pratama.pdf
- Rahman, A., & Azad, A. K. (2024). Management and monitoring of anesthesia during the perioperative period in a Tertiary Hospital in Bangladesh. *World Journal of Biology Pharmacy and Health Sciences*. <https://doi.org/10.30574/wjbphs.2024.20.1.0792>

- Ronzani, M., Woyke, S., Mair, N., Gatterer, H., Oberacher, H., Plunser, D., Haller, T., Ströhle, M., & Rugg, C. (2022). The effect of *desflurane*, *isoflurane* and *sevoflurane* on the hemoglobin oxygen dissociation curve in human blood samples. *Scientific Reports*, 12. <https://doi.org/10.1038/s41598-022-17789-6>
- Sandi, R. A., Cing, M. T. G. C., Annisa, R., & Hisbulloh, L. (2025). The Relationship Between ASA Physical Status and Body Mass Index (BMI) with Recovery Time of Consciousness in Postoperative Patients Under General Anesthesia at RSUD Cilacap. *Asian Journal of Healthy and Science*. <https://doi.org/10.58631/ajhs.v4i3.201>
- Sargin, M., Aslanlar, E., Çiçekçi, F., Sargin, F., Kara, I., & Celik, J. (2023). Effect of Obesity on the Recovery Profile After General Anesthesia in Children: A Prospective Cohort Study. *Indian Pediatrics*, 60, 108–112. <https://doi.org/10.1007/s13312-023-2806-1>
- Scott, J., Lafferty, B., & Hart, R. (2024). Induction of anaesthesia. *Anaesthesia & Intensive Care Medicine*. <https://doi.org/10.1016/j.mpaic.2024.05.006>
- Simjanovska, V. O., Shirgoska, B., Donev, L., Angjusev, D., & Leshi, A. (2024). Comparison Of The Effects Of Desflurane And Sevoflurane In Awakening And Cognitive Function After A General Anesthesia. *Macedonian Journal of Anaesthesia*. <https://doi.org/10.55302/mja2482038os>
- Song, X., & Hu, J. (2024). How does the brain emerge from anesthesia and regain consciousness. *Chinese Medical Journal*, 138, 298–300. <https://doi.org/10.1097/cm9.00000000000003378>
- Țucă, R., & Miftode, R. (2023). The perioperative complications of anesthesia. *Medic.Ro*. <https://doi.org/10.26416/med.156.6.2023.9060>
- Verma, A., Arun, N., Choudhary, A., & Ansari, M. (2025). Cognitive recovery assessment in patients after *desflurane* versus *sevoflurane*-based general anaesthesia: A randomised, comparative, double-blinded study. *Indian Journal of Anaesthesia*, 69, 801–808. https://doi.org/10.4103/ija.ija_78_25
- Wang, C., Tao, K., An, X., Gu, J., Chen, J., Sun, J., Li, X., & Lu, B. (2025). Association between preoperative sleep disturbance and psychomotor recovery profiles after general anesthesia in day surgery: a prospective cohort study. *Scientific Reports*, 15. <https://doi.org/10.1038/s41598-025-10198-5>
- Wang, J., Shen, Y., Guo, W., Zhang, W., Cui, X., Cai, S., & Chen, X. (2023). Propofol EC50 for inducing loss of consciousness in patients under combined epidural-general anesthesia or general anesthesia alone: a randomized double-blind study. *Frontiers in Medicine*, 10.

<https://doi.org/10.3389/fmed.2023.1194077>

Zhang, H., Zhang, J., Li, X., He, S., Deng, Z., Wang, L., Wang, Y., Wang, X., Wan, C., Huang, F., Zhu, Z., & Dong, H. (2025). Feasibility Study of an Indicator of Equivalent Potency of Multiple Anesthetics Normalized by *MAC* Derived From Response Surface Models. *Anesthesia and Analgesia*. <https://doi.org/10.1213/ane.00000000000007514>