DAFTAR PUSTAKA

BMC Anesthesiology (2020). The cumulative duration of bispectral index less than 40 concurrent with hypotension is associated with 90-day postoperative mortality: a retrospective study. https://bmcanesthesiol.biomedcentral.com/articles/10.1186/s12871-020-01122-7

Chen, M., & Zhang, D. (2025). Machine learning-based prediction of post-induction hypotension: identifying risk factors and enhancing anestesi management. *BMC Medical Informatics and Decision Making*. https://www.researchgate.net/publication/389255884_Machine_learning-based_prediction_of_post-induction_hypotension_identifying_risk_factors_and_enhancing_anestesi_management

Impact of hypotension on cerebral perfusion during General anesthesia induction (2020). Prospective observational study including BIS monitoring. https://pubmed.ncbi.nlm.nih.gov/31883375/

Min, J.J., et all. (2025). Hypotension after induction of anestesi with remimazolam vs etomidate, guided by BIS. Synapse / Korean Medical. Retrieved from https://pdfs.semanticscholar.org/4df7/

Nursalam. (2025). Metodologi ilmu keperawatan, edisi 4, Jakarta: Salemba Medika.

Nursalam. (2020). Metodelogi Penelitian Ilmu Keperawatan. Yogyakarta: Salemba Medika.

Preoperative echocardiography and anesthetic drugs as predictors of post-induction hypotension during General anesthesia: A prospective observational study. (2024). Scientific Reports. https://www.nature.com/articles/s41598-024-76279-z

Preoperative echocardiography and hypotension risk study (terkait hemodinamik pasca-induksi). Scientific Reports 2024. https://www.nature.com/articles/s41598-024-76279-z

Rüsch, D. (2018; banyak dikutip di periode 2020–2025). Bispectral index to guide induction of anestesi: randomized controlled study (Propofol induction and BIS, hypotension outcomes). *BMC Anesthesiology*. https://pubmed.ncbi.nlm.nih.gov/29902969/

Rüsch, D. (2018). Bispectral index to guide induction of anestesi: A randomized controlled study. *BMC Anesthesiology*. https://pubmed.ncbi.nlm.nih.gov/29902969/

Son, K., Tarao, K., Daimon, M., et all. (2024). Preoperative echocardiography and anesthetic drugs as predictors of post-induction hypotension during General anesthesia: a prospective observational study. Scientific Reports. https://www.nature.com/articles/s41598-024-76279-z

StatPearls (2023). Bispectral index – overview of BIS monitoring principles and clinical implications (termasuk hemodinamik). *NCBI Bookshelf*. https://www.ncbi.nlm.nih.gov/books/NBK539809/

StatPearls (2023). Bispectral index. NCBI Bookshelf. https://www.ncbi.nlm.nih.gov/books/NBK539809/

Sugiyono (2020). Metode Penelitian Kuantitatif, Kualitatif, dan R&D. Bandung: Alfabeta

The cumulative duration of bispectral index less than 40 concurrent with hypotension is associated with 90-day postoperative mortality: A retrospective study. (2020). *BMC Anesthesiology*.

Xiang, Z., Wu, L., Wei, S., et all. (2025). Effect of preoperative dexmedetomidine administration on the bispectral index in children during sevoflurane anestesi: a randomized controlled trial. *BMC Anesthesiology*. https://doi.org/10.1186/s12871-025-02946-x

Xiang, Z., Wu, L., Wei, S., et all. (2025). Effect of preoperative dexmedetomidine administration on the bispectral index in children during sevoflurane anestesi: A randomized controlled trial. *BMC Anesthesiology*. https://doi.org/10.1186/s12871-025-02946-x

Zhao, X., et all. (2025). Effect of propofol combined with remimazolam besylate on BIS values and hypotension after anestesi induction. *BMC Anesthesiology*. https://doi.org/10.1186/s12871-025-03156-1

Zhao, X., et all. (2025). Effect of propofol combined with remimazolam besylate on BIS values and hypotension after anestesi induction. *BMC Anesthesiology*. https://doi.org/10.1186/s12871-025-03156-1